

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent	12383364
Kind Code	B2
Date of Patent	August 12, 2025
Inventor(s)	Knapp; Tracey E. et al.

---

### Catheterization packages and methods thereof

---

#### Abstract

An intermittent catheter package including a plurality of components and a catheterization tray configured to facilitate a catheterization procedure. The plurality of components include a urinary catheter fluidly connected to a urine-drainage bag and a sampling-port access device configured to fluidly connect to a urine-sampling port of the urinary catheter or the urine-drainage bag for aseptic collection of one or more urine samples. The catheterization tray includes at least a first compartment, a second compartment, a third compartment, and a fourth compartment. The second compartment is connected to the third compartment. Step-by-step surface instructions for performing the catheterization procedure are incorporated into the catheterization tray.

---

**Inventors:** Knapp; Tracey E. (Snellville, GA), Rehm; Eric A. (Lawrenceville, GA), Austerman; Nick (Atlanta, GA), Skelton; Sarah (Atlanta, GA), Bunn; Caroline (Atlanta, GA), Hine; Robert M. (Covington, GA), Davis; Brandt (Milford, OH)

**Applicant:** C. R. Bard, Inc. (Franklin Lakes, NJ)

**Family ID:** 1000008749809

**Assignee:** C. R. Bard, Inc. (Franklin Lakes, NJ)

**Appl. No.:** 18/615657

**Filed:** March 25, 2024

#### Prior Publication Data

Document Identifier	Publication Date
US 20240225771 A1	Jul. 11, 2024

#### Related U.S. Application Data

continuation parent-doc US 17982288 20221107 US 11937955 child-doc US 18615657  
division parent-doc US 16639059 US 11490983 20221108 WO PCT/US2019/028784 20190423

## Publication Classification

**Int. Cl.:** **A61B50/30** (20160101); **A61B50/33** (20160101); **A61M25/00** (20060101); **B29D22/00** (20060101); **B65B5/02** (20060101); **B65B5/08** (20060101); **B65D77/20** (20060101); A61B50/00 (20160101)

**U.S. Cl.:**

**CPC** **A61B50/33** (20160201); **A61M25/002** (20130101); **B29D22/003** (20130101); **B65B5/02** (20130101); **B65B5/08** (20130101); **B65D77/20** (20130101); A61B2050/005 (20160201); A61B2050/3008 (20160201)

## Field of Classification Search

**CPC:** A61B (50/33); A61B (50/30); A61B (2050/005); A61B (2050/3008); B65D (77/20); A61M (25/002); B65B (5/02); B65B (5/08)

**USPC:** 206/571

---

## References Cited

### U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
935419	12/1908	Smith	N/A	N/A
2346636	12/1943	Porter	N/A	N/A
2659485	12/1952	Duley et al.	N/A	N/A
2874707	12/1958	Koppel	N/A	N/A
2947415	12/1959	Garth	N/A	N/A
3107786	12/1962	Adelman	N/A	N/A
3137387	12/1963	Overment	N/A	N/A
3138253	12/1963	Harautuneian	N/A	N/A
3144932	12/1963	Zerbo, Jr.	N/A	N/A
3166189	12/1964	Disston	N/A	N/A
3324855	12/1966	Heimlich	N/A	N/A
3329261	12/1966	Serany, Jr. et al.	N/A	N/A
3345988	12/1966	Vitello	N/A	N/A
3379339	12/1967	Asenbauer	N/A	N/A
3485352	12/1968	Pilger	N/A	N/A
D218077	12/1969	Gabriel	N/A	N/A
3542019	12/1969	Gittins	N/A	N/A
3580475	12/1970	Mobley	N/A	N/A
D222312	12/1970	Kurtz et al.	N/A	N/A
3642123	12/1971	Knox	N/A	N/A
3650393	12/1971	Reiss et al.	N/A	N/A
3726281	12/1972	Norton et al.	N/A	N/A
3762399	12/1972	Riedell	N/A	N/A

3770119	12/1972	Hultberg et al.	N/A	N/A
3802555	12/1973	Grasty et al.	N/A	N/A
3851649	12/1973	Villari	N/A	N/A
D234404	12/1974	Merril	N/A	N/A
3901235	12/1974	Patel et al.	N/A	N/A
D237315	12/1974	Nowakowski	N/A	N/A
D237317	12/1974	Nowakowski	N/A	N/A
3965900	12/1975	Boedecker	N/A	N/A
3967728	12/1975	Gordon et al.	N/A	N/A
3976195	12/1975	Cohen	N/A	N/A
3978983	12/1975	Brezette	N/A	N/A
3981398	12/1975	Boshoff	N/A	N/A
D242654	12/1975	Rawls	N/A	N/A
3998221	12/1975	Collins	N/A	N/A
D243798	12/1976	Swartz	N/A	N/A
4011944	12/1976	Cooley et al.	N/A	N/A
4053280	12/1976	Salisbury	N/A	N/A
4085845	12/1977	Perfect	N/A	N/A
D248871	12/1977	Forsman et al.	N/A	N/A
D249362	12/1977	Forsman et al.	N/A	N/A
4116227	12/1977	Eisenberg et al.	N/A	N/A
4140127	12/1978	Cianci et al.	N/A	N/A
4149635	12/1978	Stevens	N/A	N/A
4153160	12/1978	Leigh	N/A	N/A
4160505	12/1978	Rauschenberger	N/A	N/A
4170300	12/1978	Pick	N/A	N/A
4226328	12/1979	Beddow	N/A	N/A
4256225	12/1980	Jackson	N/A	N/A
4262800	12/1980	Nethercutt	N/A	N/A
4266669	12/1980	Watson	N/A	N/A
D262995	12/1981	Gaba et al.	N/A	N/A
4332322	12/1981	Jaeschke et al.	N/A	N/A
4334537	12/1981	Peterson	N/A	N/A
4366901	12/1982	Short	N/A	N/A
D268130	12/1982	Easton	N/A	N/A
4458705	12/1983	Cawood	N/A	N/A
D275886	12/1983	Sheward et al.	N/A	N/A
D276462	12/1983	Villarreal	N/A	N/A
D277508	12/1984	Clair	N/A	N/A
4501363	12/1984	Isbey, Jr.	N/A	N/A
4522302	12/1984	Paikoff	N/A	N/A
4523679	12/1984	Paikoff et al.	N/A	N/A
4530349	12/1984	Metzger	N/A	N/A
D280663	12/1984	Albon et al.	N/A	N/A
D280933	12/1984	McLaughlin	N/A	N/A
D283051	12/1985	Fichera	N/A	N/A
4595102	12/1985	Cianci et al.	N/A	N/A
D287760	12/1986	Discko, Jr.	N/A	N/A
4767008	12/1987	Warnecke et al.	N/A	N/A
4795441	12/1988	Bhatt	N/A	N/A

4811847	12/1988	Reif et al.	N/A	N/A
4828113	12/1988	Friedland et al.	N/A	N/A
4844259	12/1988	Glowczewskie, Jr. et al.	N/A	N/A
4858821	12/1988	Bickelhaupt	N/A	N/A
4925448	12/1989	Bazaral	N/A	N/A
4928830	12/1989	Brewer	N/A	N/A
4944427	12/1989	Yamada et al.	N/A	N/A
D310896	12/1989	Winjum	N/A	N/A
4989733	12/1990	Patry	N/A	N/A
5007535	12/1990	Meseke et al.	N/A	N/A
5024326	12/1990	Sandel et al.	N/A	N/A
5031768	12/1990	Fischer	N/A	N/A
5098391	12/1991	Pantages et al.	N/A	N/A
5163557	12/1991	Sokolowski	N/A	N/A
5170804	12/1991	Glassman	N/A	N/A
5174306	12/1991	Marshall	N/A	N/A
D334973	12/1992	Valentine et al.	N/A	N/A
D337830	12/1992	Coyne et al.	N/A	N/A
5242398	12/1992	Knoll et al.	N/A	N/A
D343687	12/1993	Houghton et al.	N/A	N/A
5306239	12/1993	Gurmarnik et al.	N/A	N/A
5318543	12/1993	Ross et al.	N/A	N/A
5322163	12/1993	Foos	N/A	N/A
5339955	12/1993	Horan et al.	N/A	N/A
D351661	12/1993	Fischer	N/A	N/A
D353078	12/1993	Davis et al.	N/A	N/A
5384103	12/1994	Miller	N/A	N/A
5392918	12/1994	Harrison	N/A	N/A
5394983	12/1994	Latulippe et al.	N/A	N/A
5449071	12/1994	Levy	N/A	N/A
5525314	12/1995	Hurson	N/A	N/A
5586163	12/1995	Goldstein	N/A	N/A
5590778	12/1996	Dutchik	N/A	N/A
D380272	12/1996	Partika et al.	N/A	N/A
D387177	12/1996	Davis	N/A	N/A
D387559	12/1996	Williamson	N/A	N/A
5704914	12/1997	Stocking et al.	N/A	N/A
5752234	12/1997	Withers	N/A	N/A
5779053	12/1997	Partika et al.	N/A	N/A
5810738	12/1997	Thomas, II	N/A	N/A
5931303	12/1998	Salvadori	N/A	N/A
5941241	12/1998	Weinstein et al.	N/A	N/A
5947284	12/1998	Foster	N/A	N/A
5947890	12/1998	Spencer et al.	N/A	N/A
5975295	12/1998	Diamond	N/A	N/A
6004136	12/1998	Ehrenpreis	N/A	N/A
6012586	12/1999	Misra	N/A	N/A
6068121	12/1999	McGlinch	N/A	N/A
6090075	12/1999	House	N/A	N/A

6121165	12/1999	Mackey et al.	N/A	N/A
6142152	12/1999	Gawarecki	N/A	N/A
6158437	12/1999	Vagley	N/A	N/A
D437941	12/2000	Frattini	N/A	N/A
D442697	12/2000	Hajianpour	N/A	N/A
D445198	12/2000	Frattini	N/A	N/A
D450130	12/2000	Goldstein	N/A	N/A
D450391	12/2000	Hunt et al.	N/A	N/A
6382212	12/2001	Borchard	N/A	N/A
6405863	12/2001	Dhindsa	N/A	N/A
6412639	12/2001	Hickey	N/A	N/A
6454097	12/2001	Blanco	N/A	N/A
6502699	12/2002	Watson	N/A	N/A
D471640	12/2002	McMichael et al.	N/A	N/A
D471641	12/2002	McMichael et al.	N/A	N/A
6579271	12/2002	Aruffo et al.	N/A	N/A
D480816	12/2002	McMichael et al.	N/A	N/A
6640976	12/2002	Franks-Farah et al.	N/A	N/A
6681933	12/2003	Demsien et al.	N/A	N/A
6716200	12/2003	Bracken et al.	N/A	N/A
6769546	12/2003	Busch	N/A	N/A
D495491	12/2003	Ramirez et al.	N/A	N/A
D495807	12/2003	Agbodoe et al.	N/A	N/A
6793078	12/2003	Roshdy	N/A	N/A
6840379	12/2004	Franks-Farah et al.	N/A	N/A
6896141	12/2004	McMichael et al.	N/A	N/A
6907992	12/2004	McMichael et al.	N/A	N/A
6910581	12/2004	McMichael et al.	N/A	N/A
6915901	12/2004	Feinberg et al.	N/A	N/A
6926708	12/2004	Franks-Farah et al.	N/A	N/A
6948742	12/2004	Buck	N/A	N/A
6959808	12/2004	Discko, Jr.	N/A	N/A
6991096	12/2005	Gottlieb et al.	N/A	N/A
7048120	12/2005	Pond	N/A	N/A
7066328	12/2005	Pulsifer	N/A	N/A
7100771	12/2005	Massengale et al.	N/A	N/A
D530920	12/2005	Snell	N/A	N/A
7131965	12/2005	Thornbury et al.	N/A	N/A
D547064	12/2006	Snell	N/A	N/A
D549454	12/2006	Åhman	N/A	N/A
7264869	12/2006	Tobita et al.	N/A	N/A
7278987	12/2006	Solazzo	N/A	N/A
D557047	12/2006	Dretzka	N/A	N/A
D561473	12/2007	Phillips et al.	N/A	N/A
D563673	12/2007	Dretzka	N/A	N/A
7401703	12/2007	McMichael et al.	N/A	N/A
7410053	12/2007	Bowen et al.	N/A	N/A
7434687	12/2007	Itou et al.	N/A	N/A
D579662	12/2007	Dretzka	N/A	N/A
7491176	12/2008	Mann	N/A	N/A

7494487	12/2008	Timm	N/A	N/A
D590596	12/2008	Dretzka	N/A	N/A
D596311	12/2008	Antons	N/A	N/A
7624869	12/2008	Primer	N/A	N/A
7634893	12/2008	Gottlieb et al.	N/A	N/A
D609819	12/2009	Tomes et al.	N/A	N/A
7662146	12/2009	House	N/A	N/A
D612153	12/2009	Liao	N/A	N/A
7671014	12/2009	Beals et al.	N/A	N/A
D613418	12/2009	Ryan et al.	N/A	N/A
D618821	12/2009	Larsen	N/A	N/A
7743918	12/2009	Itou et al.	N/A	N/A
7785312	12/2009	Thorne, Jr. et al.	N/A	N/A
D623765	12/2009	Tomes et al.	N/A	N/A
D631558	12/2010	Harmston et al.	N/A	N/A
D636894	12/2010	Tomes et al.	N/A	N/A
D638137	12/2010	Gross et al.	N/A	N/A
7993326	12/2010	Massengale et al.	N/A	N/A
D646796	12/2010	Walter	N/A	N/A
D650912	12/2010	Tomes et al.	N/A	N/A
8128595	12/2011	Walker et al.	N/A	N/A
8177064	12/2011	McCormick et al.	N/A	N/A
D662218	12/2011	Pittman	N/A	N/A
8240468	12/2011	Wilkinson et al.	N/A	N/A
8273312	12/2011	Porat	435/31	B01L 3/502
8282829	12/2011	Yu et al.	N/A	N/A
8448786	12/2012	Tomes et al.	N/A	N/A
D688461	12/2012	Ambrefe, Jr. et al.	N/A	N/A
8584849	12/2012	McCaffrey	N/A	N/A
8597505	12/2012	Fulkerson et al.	N/A	N/A
8628549	12/2013	To et al.	N/A	N/A
8631935	12/2013	Tomes et al.	N/A	N/A
8656929	12/2013	Miller et al.	N/A	N/A
8662306	12/2013	Agrawal	N/A	N/A
8678190	12/2013	Tomes et al.	N/A	N/A
8708999	12/2013	Hong et al.	N/A	N/A
D704856	12/2013	Tomes et al.	N/A	N/A
D707848	12/2013	Shigeno et al.	N/A	N/A
8746452	12/2013	Tomes et al.	N/A	N/A
D708347	12/2013	Lober	N/A	N/A
D708759	12/2013	Heyman et al.	N/A	N/A
8875940	12/2013	Danchisin et al.	N/A	N/A
D720470	12/2013	Lober	N/A	N/A
D720471	12/2013	Angel et al.	N/A	N/A
9084593	12/2014	Yakel et al.	N/A	N/A
D738491	12/2014	Foley et al.	N/A	N/A
9162781	12/2014	Lien	N/A	N/A
9186217	12/2014	Goyal	N/A	N/A
D751726	12/2015	Nishioka et al.	N/A	N/A
9283352	12/2015	Tomes et al.	N/A	N/A

9486604	12/2015	Murray et al.	N/A	N/A
9522001	12/2015	Bui et al.	N/A	N/A
9522753	12/2015	Tomes et al.	N/A	N/A
9693756	12/2016	Tomes et al.	N/A	N/A
9744333	12/2016	Terzibashian	N/A	N/A
9745088	12/2016	Tomes et al.	N/A	N/A
9795761	12/2016	Lockwood et al.	N/A	N/A
9808400	12/2016	Tomes et al.	N/A	N/A
9808596	12/2016	Tomes et al.	N/A	N/A
9872969	12/2017	Conway et al.	N/A	N/A
10022464	12/2017	Sarphati et al.	N/A	N/A
10039897	12/2017	Norris et al.	N/A	N/A
10106295	12/2017	Lockwood	N/A	N/A
10251812	12/2018	Tomes et al.	N/A	N/A
10512752	12/2018	Tomes et al.	N/A	N/A
10639120	12/2019	Turturro et al.	N/A	N/A
11490983	12/2021	Knapp	N/A	B65B 5/08
11738171	12/2022	Glithero et al.	N/A	
2002/0185406	12/2001	Massengale et al.	N/A	N/A
2003/0038475	12/2002	Stancil	N/A	N/A
2003/0060761	12/2002	Evans et al.	N/A	N/A
2003/0075474	12/2002	Moyer et al.	N/A	N/A
2003/0159966	12/2002	McMichael et al.	N/A	N/A
2003/0159967	12/2002	McMichael et al.	N/A	N/A
2003/0159968	12/2002	McMichael et al.	N/A	N/A
2003/0159969	12/2002	McMichael et al.	N/A	N/A
2003/0211627	12/2002	Koesterman et al.	N/A	N/A
2004/0004019	12/2003	Busch	N/A	N/A
2004/0055919	12/2003	Rowe et al.	N/A	N/A
2004/0060260	12/2003	Gottlieb et al.	N/A	N/A
2004/0111072	12/2003	McKissick	N/A	N/A
2004/0161732	12/2003	Stump et al.	N/A	N/A
2004/0180822	12/2003	Grafton	N/A	N/A
2004/0195145	12/2003	Roshdy	N/A	N/A
2004/0200754	12/2003	Hagemeier	N/A	N/A
2004/0238391	12/2003	Pond	N/A	N/A
2005/0022822	12/2004	Santilli et al.	N/A	N/A
2005/0098470	12/2004	Davis et al.	N/A	N/A
2005/0101905	12/2004	Merry	N/A	N/A
2005/0101941	12/2004	Hakky et al.	N/A	N/A
2005/0236940	12/2004	Rockoff	N/A	N/A
2005/0256453	12/2004	Nagamatsu	N/A	N/A
2005/0285385	12/2004	Bova et al.	N/A	N/A
2006/0009742	12/2005	Solazzo	N/A	N/A
2006/0086634	12/2005	Steppe	N/A	N/A
2006/0104857	12/2005	Pigott et al.	N/A	N/A
2006/0186010	12/2005	Warnack et al.	N/A	N/A
2006/0205996	12/2005	Presthus et al.	N/A	N/A
2006/0224086	12/2005	Harty	N/A	N/A
2006/0264822	12/2005	Nagamatsu	N/A	N/A

2006/0271019	12/2005	Stoller et al.	N/A	N/A
2006/0282045	12/2005	Wilkinson et al.	N/A	N/A
2007/0026472	12/2006	Prokash et al.	N/A	N/A
2007/0049806	12/2006	Adams et al.	N/A	N/A
2007/0060908	12/2006	Webster et al.	N/A	N/A
2007/0084742	12/2006	Miller et al.	N/A	N/A
2007/0088330	12/2006	House	N/A	N/A
2007/0095699	12/2006	Frieze et al.	N/A	N/A
2007/0142786	12/2006	Lampropoulos et al.	N/A	N/A
2007/0156099	12/2006	Fowler	N/A	N/A
2007/0161971	12/2006	House	N/A	N/A
2007/0197998	12/2006	Itou et al.	N/A	N/A
2007/0225687	12/2006	House	N/A	N/A
2007/0273258	12/2006	Ernst	N/A	N/A
2007/0299431	12/2006	Jakubowski et al.	N/A	N/A
2008/0045861	12/2007	Miller et al.	N/A	N/A
2008/0058725	12/2007	Scribner et al.	N/A	N/A
2008/0116106	12/2007	Lampropoulos et al.	N/A	N/A
2008/0121553	12/2007	Gobel	N/A	N/A
2008/0125722	12/2007	Hess et al.	N/A	N/A
2008/0172042	12/2007	House	N/A	N/A
2008/0221515	12/2007	Nagamatsu	N/A	N/A
2008/0249482	12/2007	Erez	N/A	N/A
2008/0272023	12/2007	McCormick et al.	N/A	N/A
2008/0283426	12/2007	Primer et al.	N/A	N/A
2008/0283433	12/2007	Primer	N/A	N/A
2009/0026146	12/2008	Carlisle et al.	N/A	N/A
2009/0076461	12/2008	Susi et al.	N/A	N/A
2009/0184026	12/2008	Massengale et al.	N/A	N/A
2009/0194453	12/2008	Thorne, Jr. et al.	N/A	N/A
2009/0208368	12/2008	Waldrep et al.	N/A	N/A
2009/0234346	12/2008	McBride, Jr. et al.	N/A	N/A
2009/0236259	12/2008	Hicks	N/A	N/A
2010/0274205	12/2009	Morelli et al.	N/A	N/A
2010/0307941	12/2009	Tomes et al.	N/A	N/A
2010/0307942	12/2009	Tomes et al.	N/A	N/A
2010/0311026	12/2009	Tomes et al.	N/A	N/A
2011/0107494	12/2010	Haines	N/A	N/A
2011/0120906	12/2010	Umholtz et al.	N/A	N/A
2011/0155599	12/2010	Yakel et al.	N/A	N/A
2011/0203957	12/2010	Zoland et al.	N/A	N/A
2011/0232234	12/2010	Lockwood et al.	N/A	N/A
2011/0233079	12/2010	Macinnes et al.	N/A	N/A
2011/0284410	12/2010	Lockwood	N/A	N/A
2011/0290260	12/2010	Tomes et al.	N/A	N/A
2011/0290262	12/2010	Tomes et al.	N/A	N/A
2011/0297147	12/2010	Lick et al.	N/A	N/A
2012/0145589	12/2011	Macinnes et al.	N/A	N/A
2012/0150123	12/2011	Lawrence et al.	N/A	N/A
2012/0222686	12/2011	Lockwood et al.	N/A	N/A



2012/0262039	12/2011	Daugbjerg et al.	N/A	N/A
2012/0271161	12/2011	Buckberry	N/A	N/A
2012/0298114	12/2011	Landsman et al.	N/A	N/A
2013/0037440	12/2012	Danchisin et al.	N/A	N/A
2013/0042576	12/2012	Sweeney	N/A	N/A
2013/0206623	12/2012	Spaargaren et al.	N/A	N/A
2013/0245496	12/2012	Wells et al.	N/A	N/A
2013/0269713	12/2012	Bui et al.	N/A	N/A
2013/0277248	12/2012	Tomes et al.	N/A	N/A
2013/0277262	12/2012	Nemard	N/A	N/A
2014/0021087	12/2013	Adler et al.	N/A	N/A
2014/0039349	12/2013	Moghe et al.	N/A	N/A
2014/0100551	12/2013	Holmstrom	N/A	N/A
2014/0142465	12/2013	Tomes et al.	N/A	N/A
2014/0231287	12/2013	Tomes et al.	N/A	N/A
2014/0231288	12/2013	Tomes et al.	N/A	N/A
2014/0262851	12/2013	Adler et al.	N/A	N/A
2014/0263595	12/2013	Pantelleria	N/A	N/A
2015/0048103	12/2014	Danchisin et al.	N/A	N/A
2015/0083627	12/2014	Gorman	N/A	N/A
2015/0151017	12/2014	Tipton et al.	N/A	N/A
2015/0258304	12/2014	Tomes et al.	N/A	N/A
2015/0283354	12/2014	Olson et al.	N/A	N/A
2015/0335855	12/2014	Tomes et al.	N/A	N/A
2016/0166800	12/2015	Tomes et al.	N/A	N/A
2016/0193444	12/2015	Tomes et al.	N/A	N/A
2016/0228676	12/2015	Glithero	N/A	A61M 25/002
2016/0243332	12/2015	Portela et al.	N/A	N/A
2017/0056122	12/2016	Ramsey	N/A	N/A
2017/0056125	12/2016	Garza et al.	N/A	N/A
2017/0086746	12/2016	Ofek et al.	N/A	N/A
2017/0106165	12/2016	Holmes	N/A	N/A
2017/0202699	12/2016	Zani et al.	N/A	N/A
2017/0216557	12/2016	Kearns et al.	N/A	N/A
2017/0216558	12/2016	Hughett et al.	N/A	N/A
2017/0231804	12/2016	Miller et al.	N/A	N/A
2017/0232226	12/2016	Loui et al.	N/A	N/A
2017/0296282	12/2016	Turturro et al.	N/A	N/A
2017/0296283	12/2016	Turturro et al.	N/A	N/A
2017/0296284	12/2016	Turturro et al.	N/A	N/A
2017/0319183	12/2016	Tomes et al.	N/A	N/A
2017/0349305	12/2016	Tomes et al.	N/A	N/A
2017/0368302	12/2016	Brooks et al.	N/A	N/A
2018/0001052	12/2017	Lockwood et al.	N/A	N/A
2018/0056030	12/2017	Tomes	N/A	A61B 50/30
2018/0057196	12/2017	Tomes et al.	N/A	N/A
2018/0071043	12/2017	Dacey et al.	N/A	N/A
2018/0206933	12/2017	Healey et al.	N/A	N/A
2018/0221564	12/2017	Patel et al.	N/A	N/A

2018/0263655	12/2017	Fjelland et al.	N/A	N/A
2019/0151195	12/2018	Tomes et al.	N/A	N/A
2019/0247137	12/2018	Gallagher	N/A	N/A
2020/0353204	12/2019	Glithero et al.	N/A	N/A
2020/0360103	12/2019	Knapp et al.	N/A	N/A
2020/0383743	12/2019	Howell et al.	N/A	N/A
2021/0100978	12/2020	Gohde	N/A	N/A
2021/0196922	12/2020	Hughett, Sr.	N/A	N/A
2023/0226310	12/2022	Hughett, Sr.	N/A	N/A
2023/0310795	12/2022	Hughett, Sr.	N/A	N/A
2023/0390522	12/2022	Glithero et al.	N/A	N/A
2024/0108857	12/2023	Gohde	N/A	N/A
2024/0198041	12/2023	Hughett, Sr.	N/A	N/A
2024/0226502	12/2023	Chapman	N/A	N/A
2024/0269427	12/2023	Legaspi et al.	N/A	N/A

## FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
1511014	12/2003	CN	N/A
201823147	12/2010	CN	N/A
2339724	12/1974	DE	N/A
102007003223	12/2008	DE	N/A
1595561	12/2004	EP	N/A
1731189	12/2005	EP	N/A
2780274	12/1998	FR	N/A
2873929	12/2005	FR	N/A
2365342	12/2001	GB	N/A
S50149175	12/1974	JP	N/A
2002136597	12/2001	JP	N/A
2005506110	12/2004	JP	N/A
2007229520	12/2006	JP	N/A
2007319535	12/2006	JP	N/A
2010200809	12/2009	JP	N/A
2011520578	12/2010	JP	N/A
9106255	12/1990	WO	N/A
9607364	12/1995	WO	N/A
02004942	12/2001	WO	N/A
02064078	12/2001	WO	N/A
2002083021	12/2001	WO	N/A
2004005157	12/2003	WO	N/A
2005027767	12/2004	WO	N/A
2006114466	12/2005	WO	N/A
2007045943	12/2006	WO	N/A
2008033873	12/2007	WO	N/A
2008139852	12/2007	WO	N/A
2015057999	12/2014	WO	N/A
2017147067	12/2016	WO	N/A
2018044772	12/2017	WO	N/A
2018057835	12/2017	WO	N/A

2018183752	12/2017	WO	N/A
2018190865	12/2017	WO	N/A
2019209867	12/2018	WO	N/A
2019246307	12/2018	WO	N/A
2020235995	12/2019	WO	N/A
2021081434	12/2020	WO	N/A
2022250994	12/2021	WO	N/A
2022265999	12/2021	WO	N/A

## OTHER PUBLICATIONS

“Arrow International, Inc. Introduces Maximal Barrier Precautions Tray”, Press release. Jan. 11, 2006. cited by applicant

“Uniting the best of Healthcare” <http://ghx.com/about/>, last accessed 2019. cited by applicant

Addison, R et al., “Catheter Care,” Royal College of Nursing, London (2008). cited by applicant

American Journal of Infection Control. vol. 46 (2018) SI6-67. cited by applicant

Arrow, “Arrow Trauma Products” brochure, 2000. cited by applicant

AU 2014337176 filed Mar. 15, 2016 Examination Report dated Aug. 1, 2018. cited by applicant

Bardex I.C. Complete Care StateLock Device 350 ml Urine Meter Foley Tray with Bacteriostatic Collection System, Directions for Use; Dated 2006. cited by applicant

Bardex I.C. Infection Control 350 ml Urine Meter Foley Tray, Directions for Use; Dated 2006. cited by applicant

Bardex I.C. Infection Control Foley Tray, Directions for Use; Dated 2006. cited by applicant

C. R. Bard Urological Drainage, <https://www.crbard.com/medical/Professionals/Product-Concentrations/Urological-Drainage>, last accessed 2019. cited by applicant

C.R. Bard, Inc; “A few important words about Catheter Care”; Dated 2001. cited by applicant

California Department of Public Health, “Catheter-Associated Urinary Tract Infection (CAUTI) Prevention” (2015). cited by applicant

CN 201480057141.5 filed Apr. 18, 2016 Office Action dated Dec. 4, 2018. cited by applicant

Dept. of Health and Human Services, “Action Plan to Prevent Healthcare-Associated Infections.” (2009). cited by applicant

Dobkin et al., “Myth and Measurement—The Case of Medical Bankruptcies,” 378 New Eng. J. Med., 1076-78 (2018). cited by applicant

Ellen Elpern, et al., “Prevention of Catheter-Associated Urinary Tract Infections in Adults,” 36 Critical Care Nurse, 9 (2016). cited by applicant

EP 14853869.7 filed Mar. 31, 2016 Extended European Search Report dated Aug. 4, 2017. cited by applicant

EP 14853869.7 filed Mar. 31, 2016 Office Action dated Mar. 13, 2019. cited by applicant

Foxman, B. “Epidemiology of Urinary Tract Infections: Incidence, Morbidity, and Economic Costs.” The American Journal of Medicine, 113 Suppl 1A (2002). cited by applicant

Gould et al., “Catheter-associated Urinary Tract Infection (CAUTI) Toolkit,” Centers for Disease Control and Prevention Division of Healthcare Quality Promotion. (2009). cited by applicant

Gould et al., “Guideline for Prevention of Catheter Associated Urinary Tract Infections,” Centers for Disease Control Healthcare Infection Control Practices Advisory Committee, (2009). cited by applicant

Greene, L. et al. “Guide to the Elimination of Catheter-Associated Urinary Tract Infections (CAUTIs): Developing and Applying Facility-Based Prevention Interventions in Acute and Long-Term Care Settings,” Association for Professionals in Infection Control and Epidemiology, (2008). cited by applicant

Jacobsen, S.M. et al., “Complicated Catheter-Associated Urinary Tract Infections Due to *Escherichia coli* and *Proteus mirabilis*”, 21 Clinical Microbiology Reviews 1, 26-59 (Jan. 2008).

cited by applicant  
Jennifer A Meddings, "Implementing Strategies to Reduce Hospital-Acquired Catheter-Associated Urinary Tract Infection," Wound, Ostomy and Continence Nurses Society, [www.catheterout.org](http://www.catheterout.org), (Jun. 2010). cited by applicant  
JP 2016-523921 filed Apr. 15, 2016 Office Action dated Jul. 11, 2018. cited by applicant  
Linda Kohn et al., eds., "To Err is Human: Building a Safer Health System," Institute of Medicine (US), (2000). cited by applicant  
Lo, E. et al., "Strategies to Prevent Catheter-Associated Urinary Tract Infections in Acute Care Hospitals," *Infection Control and Hospital Epidemiology*. 29, S41-S50 (2008). cited by applicant  
Madeo M. et al., "Reducing the risks associated with urinary catheters." *Nursing Standard*, vol. 23, No. 29, 47-55 (2009). cited by applicant  
Male Catheter Insertion Video, Uploaded to YouTube on Feb. 7, 2008, Parts 1 and 2.  
[https://www.youtube.com/watch?v=ISBAya\\_5clM](https://www.youtube.com/watch?v=ISBAya_5clM) (Last accessed Feb. 26, 2020). cited by applicant  
Norman, Donald A., *The Design of Everyday Things*, 2002 ed. (Excerpt). cited by applicant  
Ortega, R. et al. "Female Urethral Catheterization", *N Engl J Med* 2008; 358: e15. Apr. 3, 2008. cited by applicant  
PCT/US14/60963 filed Oct. 16, 2014 International Search Report and Written Opinion dated Jan. 14, 2015. cited by applicant  
PCT/US20/35371 filed May 29, 2020 International Search Report and Written Opinion dated Sep. 14, 2020. cited by applicant  
PCT/US2017/027628 filed Apr. 14, 2017 International Search Report and Written Opinion dated Jul. 17, 2017. cited by applicant  
PCT/US2018/025260 filed Mar. 29, 2018 International Search Report and Written Opinion dated Jun. 7, 2018. cited by applicant  
PCT/US2019/038051 filed Jun. 19, 2019 International Preliminary Report on Patentability dated Dec. 22, 2020. cited by applicant  
PCT/US2019/038051 filed Jun. 19, 2019 International Search Report and Written Opinion dated Aug. 29, 2019. cited by applicant  
PCT/US2022/029394 filed May 16, 2022 International Search Report and Written Opinion dated Sep. 21, 2022. cited by applicant  
PCT/US2022/033271 filed Jun. 13, 2022 International Search Report and Written Opinion dated Oct. 13, 2022. cited by applicant  
Raheem, "Application of Plastics and Paper as Food Packaging Materials" An Overview, 2017, *Emirates Journal of Food and Agriculture*, vol. 25, pp. 177-188 (Year: 2017). cited by applicant  
Request for Inter partes Review of U.S. Pat. No. 8,631,935, filed Dec. 30, 2014. cited by applicant  
Saint et al., "Catheter-Associated Urinary Tract Infection and the Medicare Rule Changes," *Annals of Internal Medicine*, Jun. 16, 2009. cited by applicant  
Steultjens, M.P.M. et al., "Range of joint motion and disability in patients with osteoarthritis of the knee or hip," *Rheumatology*, British Society for Rheumatology. (2000). cited by applicant  
The Joint Commission on National Patient Safety, "2012 National Patient Safety Goals: Hospital accreditation Program." (2012). cited by applicant  
Thomson et al. "Male Urethral Catheterization", *N Engl J Med* 2006; 354: e22. May 25, 2006. cited by applicant  
Urological Drainage website, <http://m.bardmedical.com/products/urological-drainage/>, last accessed 2019. cited by applicant  
U.S. Appl. No. 15/029,613, filed Apr. 14, 2016 Final Office Action dated Apr. 10, 2019. cited by applicant  
U.S. Appl. No. 15/029,613, filed Apr. 14, 2016 Non-Final Office Action dated Nov. 29, 2018. cited by applicant

U.S. Appl. No. 15/487,297, filed Apr. 13, 2017 Advisory Action dated Apr. 28, 2020. cited by applicant

U.S. Appl. No. 15/487,297, filed Apr. 13, 2017 Final Office Action dated Feb. 21, 2020. cited by applicant

U.S. Appl. No. 15/487,297, filed Apr. 13, 2017 Non-Final Office Action dated Apr. 5, 2019. cited by applicant

U.S. Appl. No. 15/487,297, filed Apr. 13, 2017 Notice of Allowance dated Oct. 2, 2020. cited by applicant

U.S. Appl. No. 15/487,297, filed Apr. 13, 2017 Restriction Requirement dated Jun. 11, 2020. cited by applicant

U.S. Appl. No. 15/487,297, filed Apr. 13, 2017 Restriction Requirement dated Nov. 29, 2018. cited by applicant

U.S. Appl. No. 16/497,770, filed Sep. 25, 2019 Advisory Action dated Dec. 12, 2022. cited by applicant

U.S. Appl. No. 16/497,770, filed Sep. 25, 2019 Advisory Action dated Jul. 27, 2023. cited by applicant

U.S. Appl. No. 16/497,770, filed Sep. 25, 2019 Final Office Action dated Jun. 7, 2023. cited by applicant

U.S. Appl. No. 16/497,770, filed Sep. 25, 2019 Final Office Action dated Sep. 23, 2022. cited by applicant

U.S. Appl. No. 16/497,770, filed Sep. 25, 2019 Non-Final Action dated Jan. 13, 2023. cited by applicant

U.S. Appl. No. 16/497,770, filed Sep. 25, 2019 Non-Final Office Action dated Jun. 1, 2022. cited by applicant

U.S. Appl. No. 16/497,770, filed Sep. 25, 2019 Notice of Allowance dated Sep. 22, 2023. cited by applicant

U.S. Appl. No. 16/639,059, filed Feb. 13, 2020 Non-Final Office Action dated Feb. 8, 2022. cited by applicant

U.S. Appl. No. 16/639,059, filed Feb. 13, 2020 Notice of Allowance dated Jul. 1, 2022. cited by applicant

U.S. Appl. No. 16/639,059, filed Feb. 13, 2020 Restriction Requirement dated Oct. 13, 2021. cited by applicant

U.S. Appl. No. 16/943,902, filed Jul. 30, 2020 Notice of Allowance dated Apr. 5, 2023. cited by applicant

U.S. Appl. No. 16/943,902, filed Jul. 30, 2020 Restriction Requirement dated Nov. 1, 2022. cited by applicant

U.S. Appl. No. 17/058,067, filed Nov. 23, 2020 Non-Final Office Action dated Jul. 7, 2022. cited by applicant

U.S. Appl. No. 17/058,067, filed Nov. 23, 2020 Notice of Allowance dated Nov. 23, 2022. cited by applicant

U.S. Appl. No. 17/982,288, filed Nov. 7, 2022 Advisory Action dated Jul. 28, 2023. cited by applicant

U.S. Appl. No. 17/982,288, filed Nov. 7, 2022 Final Office Action dated Jun. 9, 2023. cited by applicant

U.S. Appl. No. 17/982,288, filed Nov. 7, 2022 Non-Final Office Action dated Aug. 28, 2023. cited by applicant

U.S. Appl. No. 17/982,288, filed Nov. 7, 2022 Non-Final Office Action dated Feb. 22, 2023. cited by applicant

U.S. Appl. No. 17/982,288, filed Nov. 7, 2022 Notice of Allowance dated Nov. 15, 2023. cited by applicant

U.S. Appl. No. 18/126,879, filed Mar. 27, 2023 Notice of Allowance dated Nov. 2, 2023. cited by applicant  
U.S. Appl. No. 18/207,075, filed Jun. 7, 2023 Notice of Allowance dated Aug. 11, 2023. cited by applicant  
U.S. Appl. No. 18/236,331, filed Aug. 21, 2023 Non-Final Office Action dated Mar. 5, 2024. cited by applicant  
EP 24176270.7 filed May 16, 2024 Extended European Search Report dated Sep. 26, 2024. cited by applicant  
PCT/US2019/028784 filed Nov. 23, 2020 Extended European Search Report dated May 31, 2021. cited by applicant  
U.S. Appl. No. 18/236,331, filed Aug. 21, 2023 Notice of Allowance dated Aug. 7, 2024. cited by applicant  
U.S. Appl. No. 18/536,972, filed Dec. 12, 2023 Non-Final Office Action dated Jul. 19, 2024. cited by applicant  
U.S. Appl. No. 18/593,701, filed Mar. 1, 2024 Notice of Allowance dated Oct. 29, 2024. cited by applicant

---

*Primary Examiner:* Reynolds; Steven A.

*Attorney, Agent or Firm:* Rutan & Tucker LLP

---

## **Background/Summary**

PRIORITY (1) This application is a continuation of U.S. patent application Ser. No. 17/982,288, filed Nov. 7, 2022, now U.S. Pat. No. 11,937,955, which is a division of U.S. patent application Ser. No. 16/639,059, filed Feb. 13, 2020, now U.S. Pat. No. 11,490,983, which is a U.S. national stage application from International Application No. PCT/US2019/028784, filed Apr. 23, 2019, which claims the benefit of priority to U.S. Provisional Patent Application No. 62/662,095, filed Apr. 24, 2018, each of which is incorporated by reference in its entirety into this application.

### **BACKGROUND**

(1) Catheters suitable for draining a patient's bladder include indwelling catheters. Indwelling catheters include Foley catheters, which are typically indicated for surgical and medical patients that require, at least temporarily, assisted bladder voiding. Common indications include acute or chronic urinary retention, medical procedures that may at least temporarily limit a patient's movement, a need for accurate monitoring of fluid input and urine output such as in an intensive care unit ("ICU"), benign prostatic hyperplasia, incontinence, or the effects of various surgical interventions involving the bladder or the prostate.

(2) A standard Foley catheter design includes a balloon disposed at the distal end of the catheter to anchor the catheter in the bladder. The catheter includes at least one lumen to drain urine from the bladder and at least one lumen to inflate the balloon (e.g., with sterile water). The proximal end of the Foley catheter includes at least two ports in communication with the two lumens, a first port that is connected to the drainage lumen and has an interface with fittings for drainage and sampling, and a second port that is connected to the inflation lumen with a valve to ensure the inflation fluid remains within the lumen and balloon once filled. A tip of the standard Foley catheter extends beyond the sides of the balloon into the bladder and includes one or more apertures or "eyes" to drain fluids and debris from the bladder. This standard design has not changed in approximately 100 years, although catheters with various additions (e.g., mechanical anchors, etc.) and improvements have been proposed and investigated.

- (3) Catheters suitable for draining a patient's bladder also include intermittent catheters. A typical intermittent catheter differs from an indwelling catheter primarily in that the intermittent catheter does not have a retention balloon or an associated inflation lumen.
- (4) Rather, the intermittent catheter is typically a single-lumen device, with a plurality of drainage eyes at the distal end and a funnel at the proximal end. Intermittent catheterization is often performed in individuals with malfunctioning urinary systems (e.g., suffering from strictures and traumas), as well as disabled individuals (e.g., para- or quadriplegics) unable to voluntarily urinate. Such individuals will often self-catheterize with an intermittent catheter several times daily.
- (5) Intermittent catheters are generally catheters or tubes having a rounded, atraumatic distal tip that is inserted into the bladder of a patient. A molded funnel is typically connected to the proximal end that remains outside the body of the patient or user. The distal tip may include slots or openings on the shaft to facilitate drainage of urine therefrom once the tip is positioned inside the bladder.
- (6) Suitable non-limiting examples of urinary catheters, trays, insertion devices, and the like can be found in, for example, U.S. Pat. Nos. 8,328,792, 8,998,882, 10,758,705, and 10,905,848, the disclosures of which are incorporated herein by reference in their entirety.
- (7) Research suggests there is variation in all aspects of urine sampling including where the urine sample is taken from a collection system, how the urine-sampling area is cleaned, what device is used to take the urine sample, and how the urine sample is transferred to the lab. Nursing decision makers believe such variation and improper urine-sampling technique leads to an increased risk of contamination and, therefore, false-positive catheter-associated urinary tract infections (“CAUTIs”). Up to 70% of urine cultures reflect false-positive results leading to inaccurate CAUTI diagnoses and inappropriate antibiotic treatments, as well as artificially undermining the time and resources hospitals have dedicated toward reducing the risk of CAUTI by other means. This problem presents an ongoing challenge to those seeking to reduce CAUTI rates.
- (8) Disclosed herein are catheterization packages and methods thereof to facilitate catheterization and urine sampling in an effort to reduce CAUTIs and false-positive results leading to inaccurate CAUTI diagnoses.

#### SUMMARY

- (9) Disclosed herein is a catheterization package including, in some embodiments, catheterization-package components and a catheterization tray configured to facilitate a catheterization procedure. The catheterization-package components include a urinary catheter, a urine-drainage bag fluidly connected to the urinary catheter, and a sampling-port access device. The sampling-port access device is configured to fluidly connect to a urine-sampling port of the urinary catheter or the urine-drainage bag for aseptic collection of one or more urine samples. The catheterization tray includes a number of compartments configured to hold the catheterization-package components. A first compartment of the catheterization tray is configured to hold the urinary catheter. A second compartment of the catheterization tray is connected to the first compartment by an intercompartment connection. The second compartment is configured to hold the urine-drainage bag. A third compartment of the catheterization tray is configured to hold the sampling-port access device. Step-by-step instructions are incorporated into the catheterization tray to facilitate the catheterization procedure.
- (10) In some embodiments, the urine-drainage bag includes an inlet port and an outlet port. The outlet port includes the urine-sampling port integrated therein for the aseptic collection of the one or more urine samples with the sampling-port access device.
- (11) In some embodiments, the sampling-port access device includes a barrel, a tip at an end of the barrel, and a hollow needle coaxial with the barrel. The tip of the barrel is configured to fluidly connect the sampling-port access device to the urine-sampling port of the urinary catheter or the urine-drainage bag. The needle is fluidly connected to the tip of the barrel, but a tip of the needle is directed away from the tip of the barrel.
- (12) In some embodiments, the catheterization components further include one or more septum-

stoppered test tubes configured for use with the sampling-port access device.

(13) Each test tube of the one or more test tubes has an internal pressure less than atmospheric pressure. Each test tube is independently configured to include therein a formulation for urinalysis, a formulation for microbiological analysis, or no additives or preservatives.

(14) In some embodiments, the catheterization components further include one or more swabsticks, a package of an antiseptic skin cleanser, or a package of the one or more swabsticks in the antiseptic skin cleanser.

(15) In some embodiments, the catheterization tray further includes an isolated fourth compartment. The fourth compartment is configured to hold the one or more swabsticks, the package of the antiseptic skin cleanser, or the package of the one or more swabsticks in the antiseptic skin cleanser.

(16) In some embodiments, the fourth compartment includes a well and one or more channels with snap-in tabs configured to hold the one or more swabsticks respectively therein. The one or more channels are angled with respect to a top or a bottom of the catheterization tray such that one or more swab heads respectively of the one or more swabsticks are disposed in the well when snapped-in to the one or more channels.

(17) In some embodiments, the catheterization components further include a container containing a lubricant configured for lubricating the urinary catheter in accordance with the catheterization procedure.

(18) In some embodiments, the catheterization tray further includes a fifth compartment at least partially surrounded by the first compartment. The fifth compartment is configured to hold the container containing the lubricant. The fifth compartment is also configured to hold the lubricant dispensed therefrom.

(19) In some embodiments, the catheterization components further include a specimen container configured for at least clean collection of one or more urine samples from the urine-drainage bag.

(20) In some embodiments, the catheterization tray further includes a fifth compartment at least partially surrounded by the first compartment. The fifth compartment is configured to hold the specimen container.

(21) In some embodiments, the catheterization components further include a pair of examination gloves and an underpad.

(22) In some embodiments, the catheterization package further includes packaging for the catheterization package. The packaging includes a piece of paper or paperboard, central supply room ("CSR") wrap, and an outer packaging of the catheterization package. The piece of paper or paperboard is configured to cover the catheterization tray and the catheterization components therein. The CSR wrap is configured to preserve a sterile state of the contents of the catheterization package while the CSR wrap is wrapped around the catheterization tray and the catheterization components therein. The outer packaging is configured to prevent a loss of contents of the catheterization package from a point of assembling the catheterization package to a point of using the catheterization package. The outer packaging is also configured to prevent contamination of the contents of the catheterization package from a point of ethylene-oxide sterilization of the catheterization package to the point of using the catheterization package.

(23) Disclosed herein is a catheterization package including, in some embodiments, catheterization-package components and a molded catheterization tray configured to facilitate a catheterization procedure. The catheterization-package components include a urinary catheter, a urine-drainage bag fluidly connected to the urinary catheter, a sampling-port access device configured to fluidly connect to a urine-sampling port integrated in an outlet port of the urine-drainage bag for aseptic collection of one or more urine samples, one or more swabsticks configured for use with an antiseptic skin cleanser, and a container containing a lubricant configured for lubricating the urinary catheter. The catheterization tray includes a number of compartments configured to hold the catheterization-package components. A urinary-catheter compartment of the catheterization tray is



configured to hold the urinary catheter. A urine-drainage-bag compartment of the catheterization tray is connected to the urinary-catheter compartment by an intercompartment connection. The urine-drainage-bag compartment is configured to hold the urine-drainage bag. A sampling-port-access-device compartment of the catheterization tray is configured to hold the sampling-port access device. An isolated skin-cleansing compartment is configured to hold the one or more swabsticks. A catheter-lubrication compartment is substantially surrounded by the urinary-catheter compartment. The catheter-lubrication compartment is configured to hold the container containing the lubricant. The catheter-lubrication compartment is also configured to hold the lubricant dispensed from the container containing the lubricant. Step-by-step instructions to facilitate the catheterization procedure are embossed on the catheterization tray, printed on the catheterization tray, or embossed on the catheterization tray and printed on the catheterization tray. At least some of the step-by-step instructions for the catheterization procedure are revealed as the catheterization-package components are removed from the catheterization tray.

(24) Also disclosed herein is a method for manufacturing a catheterization package including molding a catheterization tray configured to facilitate a catheterization procedure; incorporating step-by-step instructions into the catheterization tray for the catheterization procedure; and placing catheterization-package components in the catheterization tray. The molding includes molding a urinary-catheter compartment; molding a urine-drainage-bag compartment connected to the urinary-catheter compartment with an intercompartment connection; and molding a sampling-port-access-device compartment. Placing the catheterization-package components in the catheterization tray includes placing a urinary catheter in the urinary-catheter compartment; placing a urine-drainage bag in the urine-drainage-bag compartment; and placing a sampling-port access device in the sampling-port-access-device compartment, wherein the sampling-port access device is configured to fluidly connect to a urine-sampling port of the urinary catheter or the urine-drainage bag for aseptic collection of one or more urine samples. The urine-drainage bag is fluidly connected to the urinary catheter such that when placing the urinary catheter and the urine-drainage bag respectively in the urinary-catheter compartment and the urine-drainage-bag compartment, the urinary catheter is placed across the intercompartment connection.

(25) In some embodiments, placing the catheterization-package components in the catheterization tray further includes placing one or more septum-stoppered test tubes configured for use with the sampling-port access device either over or under the urine-drainage bag in the urine-drainage-bag compartment.

(26) In some embodiments, molding the catheterization tray further includes molding an isolated skin-cleansing compartment.

(27) In some embodiments, placing the catheterization-package components in the catheterization tray further includes placing one or more swabsticks in the skin-cleansing compartment, a package of an antiseptic skin cleanser in the skin-cleansing compartment, or a package of the one or more swabsticks in the antiseptic skin cleanser in the skin-cleansing compartment.

(28) In some embodiments, molding the catheterization tray further includes molding a catheter-lubrication compartment at least partially surrounded by the urinary-catheter compartment.

(29) In some embodiments, placing the catheterization-package components in the catheterization tray further includes placing a container containing a lubricant in the catheter-lubrication compartment.

(30) In some embodiments, placing the catheterization-package components in the catheterization tray further includes placing a pair of examination gloves either in or over one or more of the compartments of the catheterization tray; and folding an underpad and placing the underpad over the pair of examination gloves.

(31) In some embodiments, the method further includes placing a piece of paper or paperboard over the catheterization tray including the catheterization components therein to form a paper- or paperboard-covered catheterization tray; wrapping CSR wrap around the paper- or paperboard-

covered catheterization tray to form a CSR-wrapped catheterization tray;  
(32) placing the CSR-wrapped catheterization tray in an outer packaging to form the catheterization package; and sterilizing the catheterization package by way of ethylene-oxide sterilization.  
(33) These and other features of the concepts provided herein will become more apparent to those of skill in the art in view of the accompanying drawings and following description, which disclose particular embodiments of such concepts in greater detail.

---

## **Description**

### **BRIEF DESCRIPTION OF DRAWINGS**

- (1) FIG. 1 illustrates at least a portion of a first catheterization package in accordance with some embodiments.
- (2) FIG. 2 illustrates some catheterization components removed from a catheterization tray of the first catheterization package in accordance with some embodiments.
- (3) FIG. 3 illustrates at least a portion of a second catheterization package in accordance with some embodiments.
- (4) FIG. 4 illustrates some catheterization components removed from a catheterization tray of the second catheterization package in accordance with some embodiments.
- (5) FIG. 5 illustrates at least a portion of a urine-drainage bag in accordance with some embodiments.
- (6) FIG. 6 illustrates an exploded view of a third catheterization package in accordance with some embodiments.
- (7) FIG. 7 illustrates at least a portion of the third catheterization package in accordance with some embodiments.
- (8) FIG. 8 illustrates at least a portion of a fourth catheterization package in accordance with some embodiments.

### **DESCRIPTION**

- (9) Before some particular embodiments are disclosed in greater detail, it should be understood that the particular embodiments disclosed herein do not limit the scope of the concepts provided herein. It should also be understood that a particular embodiment disclosed herein can have features that can be readily separated from the particular embodiment and optionally combined with or substituted for features of any of a number of other embodiments disclosed herein.
- (10) Regarding terms used herein, it should also be understood the terms are for the purpose of describing some particular embodiments, and the terms do not limit the scope of the concepts provided herein. Ordinal numbers (e.g., first, second, third, etc.) are generally used to distinguish or identify different features or steps in a group of features or steps, and do not supply a serial or numerical limitation. For example, “first,” “second,” and “third” features or steps need not necessarily appear in that order, and the particular embodiments including such features or steps need not necessarily be limited to the three features or steps. Labels such as “left,” “right,” “top,” “bottom,” “front,” “back,” and the like are used for convenience and are not intended to imply, for example, any particular fixed location, orientation, or direction. Instead, such labels are used to reflect, for example, relative location, orientation, or directions. Singular forms of “a,” “an,” and “the” include plural references unless the context clearly dictates otherwise.
- (11) With respect to “proximal,” a “proximal portion” or a “proximal end portion” of, for example, a catheter disclosed herein includes a portion of the catheter intended to be near a clinician when the catheter is used on a patient. Likewise, a “proximal length” of, for example, the catheter includes a length of the catheter intended to be near the clinician when the catheter is used on the patient. A “proximal end” of, for example, the catheter includes an end of the catheter intended to be near the clinician when the catheter is used on the patient. The proximal portion, the proximal

end portion, or the proximal length of the catheter can include the proximal end of the catheter; however, the proximal portion, the proximal end portion, or the proximal length of the catheter need not include the proximal end of the catheter. That is, unless context suggests otherwise, the proximal portion, the proximal end portion, or the proximal length of the catheter is not a terminal portion or terminal length of the catheter.

(12) With respect to “distal,” a “distal portion” or a “distal end portion” of, for example, a catheter disclosed herein includes a portion of the catheter intended to be near or in a patient when the catheter is used on the patient. Likewise, a “distal length” of, for example, the catheter includes a length of the catheter intended to be near or in the patient when the catheter is used on the patient. A “distal end” of, for example, the catheter includes an end of the catheter intended to be near or in the patient when the catheter is used on the patient. The distal portion, the distal end portion, or the distal length of the catheter can include the distal end of the catheter; however, the distal portion, the distal end portion, or the distal length of the catheter need not include the distal end of the catheter. That is, unless context suggests otherwise, the distal portion, the distal end portion, or the distal length of the catheter is not a terminal portion or terminal length of the catheter.

(13) Unless defined otherwise, all technical and scientific terms used herein have the same meaning as commonly understood by those of ordinary skill in the art.

(14) Disclosed herein are catheterization packages and methods thereof to facilitate catheterization and urine sampling in an effort to reduce CAUTIs and false-positive results leading to inaccurate CAUTI diagnoses.

#### Catheterization Packages

(15) FIG. 1 illustrates at least a portion of a first catheterization package **100** in accordance with some embodiments. FIG. 2 illustrates some catheterization components removed from a catheterization tray **110** of the first catheterization package **100** in accordance with some embodiments. FIG. 3 illustrates at least a portion of a second catheterization package **300** in accordance with some embodiments. FIG. 4 illustrates some catheterization components removed from a catheterization tray **310** of the second catheterization package **300** in accordance with some embodiments. FIG. 6 illustrates an exploded view of a third catheterization package **600** in accordance with some embodiments. FIG. 7 illustrates at least a portion of the third catheterization package **600** in accordance with some embodiments. FIG. 8 illustrates at least a portion of a fourth catheterization package **800** in accordance with some embodiments.

(16) As shown, the catheterization package **100**, **300**, **600**, or **800** includes the catheterization tray **110**, **310**, **610**, or **810** and the catheterization components set forth below, both of which are configured to facilitate a catheterization procedure. The catheterization package **100**, **300**, **600**, or **800** is configured to facilitate the catheterization procedure by way of the catheterization components included in the catheterization package **100**, **300**, **600**, or **800** how the catheterization components are arranged in the catheterization tray **110**, **310**, **610**, or **810**, and step-by-step instructions incorporated into the catheterization tray **110**, **310**, **610**, or **810**.

(17) Beginning with the catheterization tray **110**, **310**, **610**, or **810** the catheterization tray **110**, **310**, **610**, or **810** includes a number of compartments configured to hold the catheterization components as set forth below.

(18) A urinary-catheter compartment **112** of the catheterization tray **110**, **310**, **610**, or **810** is configured to hold a urinary catheter.

(19) A urine-drainage-bag compartment **114** of the catheterization tray **110**, **310**, **610**, or **810** is connected to the urinary-catheter compartment **112** by an intercompartment connection **113**. The urine-drainage-bag compartment **114** is configured to hold at least a urine-drainage bag.

(20) A sampling-port-access-device compartment **116** of the catheterization tray **110** or **310** is configured to hold a sampling-port access device. Alternatively, the sampling-port-access-device compartment **116** of the catheterization tray **310** is a catheter-lubrication compartment **320** configured to hold a container containing lubricant. The catheterization tray **610** or **810** includes a

catheter-lubrication compartment **620** or **820** configured to a hold a container containing lubricant instead of a separate sampling-port-access-device compartment. The catheter-lubrication compartment **320**, **620**, or **820** is also configured to hold the lubricant dispensed from the container containing the lubricant in a well **322**, **622**, or **822** shared with the urinary-catheter compartment **112**. Due to a lack of a sampling-port-access-device compartment in some embodiments of the catheterization tray **310**, **610**, or **810**, the urine-drainage-bag compartment **114** doubles as the sampling-port-access-device compartment for the catheterization tray **310**, **610**, or **810** when a sampling-port access device is included in the catheterization packages **300**, **600**, and **800**.

(21) A skin-cleansing compartment **118** of the catheterization tray **110**, **310**, **610**, or **810** is isolated from other compartments of the catheterization tray **110**, **310**, **610**, or **810**, which can be important in maintaining a sterile field about at least the urinary-catheter compartment **112**. The skin-cleansing compartment **118** is configured to hold one or more swabsticks configured for skin cleansing with an antiseptic skin cleanser, a package of the antiseptic skin cleanser, or a package of the one or more swabsticks in the antiseptic skin cleanser. The skin-cleansing compartment **118** includes a well **117** and one or more channels **119** with snap-in tabs **121** configured to hold the one or more swabsticks respectively therein. The one or more channels **119** are angled with respect to a top or a bottom of the catheterization tray **110**, **310**, **610**, or **810** such that one or more swab heads respectively of the one or more swabsticks are disposed in the well **117** when one or more stick members respectively of the one or more swabsticks are snapped-in to the one or more channels **119**. The one or more stick members angle upwardly when snapped-in to the one or more channels **119** such that the one or more stick members can be grabbed and the one or more swabsticks respectively removed from the one or more channels **119**. The well **117** is configured to hold the antiseptic skin cleanser therein. When the one or more swab heads are disposed in the well **117** including the antiseptic skin cleanser, the antiseptic skin cleanser saturates the one or more swab heads for antiseptic skin cleansing with the one or more swabsticks, respectively.

(22) A catheter-lubrication compartment **120** of the catheterization tray **110** is at least partially to substantially surrounded by the urinary-catheter compartment **112**. The catheter-lubrication compartment **120** is configured to a hold a container containing lubricant. The catheter-lubrication compartment **120** is also configured to hold the lubricant dispensed from the container containing the lubricant in a well **122** shared with the urinary-catheter compartment **112**.

(23) A specimen-container compartment **324** of the catheterization tray **310**, **610**, or **810** is also at least partially to substantially surrounded by the urinary-catheter compartment **112**. The specimen-container compartment **324** is configured to a hold a specimen container. Because of the specimen-container compartment **324** in the catheterization tray **310**, **610**, or **810**, the urinary-catheter compartment **112** doubles as the catheter-lubrication compartment for the catheterization tray **310**, **610**, or **810**, which includes the well **322**, **622**, or **822** configured to hold the lubricant; however, the well **322**, **622**, or **822** is diminished in size compared to the well **122** of the catheterization tray **110**.

(24) The step-by-step instructions incorporated into the catheterization tray **110**, **310**, **610**, or **810** for the catheterization procedure can be incorporated into any of the compartments of the catheterization tray **110**, **310**, **610**, or **810**, adjacent any of the compartments of the catheterization tray **110**, **310**, **610**, or **810**, or a combination thereof as best shown in FIGS. 2, 4, and 8. For example, a first step of the step-by-step instructions is directed to opening a container or package of an antiseptic skin cleanser such as a povidone-iodine solution, which first step is incorporated into the catheterization tray **110**, **310**, **610**, or **810** adjacent the skin-cleansing compartment **118**. A second step of the step-by-step instructions is directed to pouring the antiseptic skin cleanser in the well **117** of the skin-cleansing compartment **118**, which second step is incorporated into the skin-cleansing compartment **118**. A third step of the step-by-step instructions is directed to dispensing a lubricant in the well **122**, **322**, **622**, or **822**, which third step is incorporated into the well **122** of the catheter-lubrication compartment **120** of the catheterization tray **110**, the well **322** or **622** of the

urinary-catheter compartment **112** of the catheterization tray **310** or **610**, or adjacent the well **822** of the urinary-catheter compartment **112** of the catheterization tray **810**. A fourth step of the step-by-step instructions is directed to retracting genitalia of a patient, a fifth step of the step-by-step instructions is directed to preparing the patient with a swabstick saturated with the antiseptic skin cleanser, and a sixth step of the step-by-step instructions is directed to inserting a urinary catheter in the patient. Each step of the fourth step, the fifth step, and the sixth step of the step-by-step instructions is incorporated into the urine-drainage-bag compartment **114** of the catheterization tray **110**, **310**, or **610**; however, due to the relatively smaller size of the urine-drainage-bag compartment **114** of the catheterization tray **810**, each step of the fourth step, the fifth step, and the sixth step of the step-by-step instructions is incorporated between the skin-cleansing compartment **118** and the catheter-lubrication compartment **820** of the catheterization tray **810** for greater visibility.

(25) As shown between FIGS. **1** and **2** or FIGS. **3** and **4**, at least some of the step-by-step instructions for the catheterization procedure are revealed as the catheterization components are removed from the catheterization tray **110** or **310**. While not shown, at least some of the step-by-step instructions for the catheterization procedure are also revealed as the catheterization components are removed from the catheterization tray **610** or **810**. Revealing the instructions for the catheterization procedure in this way reduces procedural information to that imminently or immediately needed, which, in turn, reduces potential for informational overload, thereby simplifying the catheterization procedure.

(26) While the catheterization trays **110**, **310**, **610**, and **810** of FIGS. **1-4**, **6**, **7**, and **8** are particular to some catheterization-package embodiments, other embodiments can include a different combination of compartments configured to hold a different combination of catheterization components, fewer compartments configured to hold fewer catheterization components, or more compartments configured to hold more catheterization components. For example, a catheterization tray having more compartments than the catheterization tray **310** can include all three of the sampling-port-access-device compartment **116**, the catheter-lubrication compartment **320**, and the specimen-container compartment **324**. Such a configuration can include the catheterization tray **310** with the catheter-lubrication compartment **320** and the urine-drainage-bag compartment **114** shown in FIG. **3** but with an additional compartment (not shown) corresponding to the sampling-port-access-device compartment **116** between the catheter-lubrication compartment **320** and the urine-drainage-bag compartment **114**.

(27) The catheterization tray **110**, **310**, **610**, or **810** can be formed by way of, for example, injection molding, whereby each of the compartments are simultaneously formed in the catheterization tray **110**, **310**, **610**, or **810**; however, the catheterization tray **110**, **310**, **610**, or **810** is not limited to being formed by injection molding or even molding itself. If molding is used to form the catheterization tray **110**, **310**, **610**, or **810**, the step-by-step instructions can also be simultaneously formed in or on catheterization tray **110**, **310**, **610**, or **810** as embossed step-by-step instructions. The step-by-step instructions can also be printed on the catheterization tray **110**, **310**, **610**, or **810**, either in the absence of the embossed step-by-step instructions or over the embossed step-by-step instructions to improve a contrast of the step-by-step instructions with respect to the catheterization tray **110**, **310**, **610**, or **810**.

(28) Adverting to the catheterization components for which the catheterization tray **110**, **310**, **610**, or **610** is configured, the catheterization components can include, but are not limited to a urinary catheter **130**, a urine-drainage bag **140** or **640**, a sampling-port access device **150**, one or more septum-stoppered test tubes **160**, a specimen container **170**, one or more swabsticks **180**, a container containing a lubricant **190**, or a combination thereof as set forth below.

(29) The urinary catheter **130** can be an indwelling catheter such as a Foley catheter or an intermittent catheter as shown, description for each of which is set forth above. The urinary catheter **130** is optionally already fluidly connected to the urine-drainage bag **140** or **640** in the catheterization package **100**, **300**, **600**, or **800**, which simplifies the catheterization procedure and

reduces risk of inadvertently contaminating the urinary catheter **130** such as by connecting the urinary catheter **130** to the urine-drainage bag **140** or **640**.

(30) FIG. 5 illustrates at least a portion of the urine-drainage bag **140** in accordance with some embodiments.

(31) The urine-drainage bag **140** includes an inlet port **142** and an outlet port **144**. The outlet port **144** includes a urine-sampling port **146** integrated therein for aseptic collection of one or more urine samples with the sampling-port access device **150**. As shown in FIG. 5, the urine-drainage bag **140** also includes an optional channel **148** configured to receive an intermittent catheter such as the urinary catheter **130** following use thereof for disposing the intermittent catheter with the urine-drainage bag **140**.

(32) The urine-drainage bag **640** is different than the urine-drainage bag **140** with respect to at least the arrangement of the urine-sampling port, which is integrated in the inlet port of the urine-drainage bag **640** instead of the outlet port like the urine-drainage bag **140**. In addition, a tubing clamp **642** is integrated with the urine-drainage bag **640** such that the tubing clamp **642** is configured to clamp the inlet port between the urine-sampling port and a bag portion of the urine-drainage bag **640**, thereby preventing any urine already present in the urine-drainage bag **640** from being sampled through the urine-sampling port. Such a configuration for the urine-drainage bag **640** ensures urine samples from the urine-sampling port are fresh from the urinary catheter **130**.

(33) The sampling-port access device **150** is configured to fluidly connect to a urine-sampling port of the urinary catheter **130** (e.g., a urine-sampling port of a Foley catheter) or the urine-sampling port **146** of the urine-drainage bag **140** for the aseptic collection of one or more urine samples. The sampling-port access device **150** includes a barrel **152**, a tip **154** at an end of the barrel **152**, and a hollow needle **156** coaxial with the barrel **152**. The tip **154** of the barrel **152** is configured to fluidly connect the sampling-port access device **150** to the urine-sampling port of the urinary catheter or the urine-sampling port **146** of the urine-drainage bag **140**. (See FIG. 3 for the sampling-port access device **150** fluidly connected to the urine-sampling port **146** of the urine-drainage bag **140**.) The needle **156** is fluidly connected to the tip **154** of the barrel **152**, but a tip of the needle **156** is directed away from the tip **154** of the barrel **152**.

(34) The one or more septum-stoppered test tubes **160** are configured for use with the sampling-port access device **150**. Each test tube of the one or more test tubes **160** has an internal pressure less than atmospheric pressure such that urine from the urine-sampling port of the urinary catheter **130** or the urine-sampling port **146** of the urine-drainage bag **140** aspirates into the test tube when certain conditions are met. For example, urine aspirates into the test tube when the urine drainage bag **140** is at least partially filled with urine, the tip **154** of the sampling-port access device **150** is fluidly connected to the urine-sampling port **146** of the urine-drainage bag **140**, and a septum stopper of the test tube is punctured by the needle **156** of the sampling-port access device **150**. Each test tube is independently configured to include therein a formulation for urinalysis, a formulation for microbiological analysis, or no additives or preservatives.

(35) The specimen container **170** is configured for at least clean collection of one or more urine samples from the urine-drainage bag **140** or **640** such as through the outlet port **144** of the urine-drainage bag **140**, thereby providing an alternative to the aseptic collection of the one or more urine samples as wanted or needed. As shown in at least FIG. 6, the specimen container **170** includes a cap **172** configured to seal a urine sample in the specimen container **170**. A label **174** is optionally included in the catheterization package **100**, **300**, **600**, or **800** for labeling the specimen container **170** in accordance with any urine sample therein. The clean collection of the one or more urine samples makes use of the outlet port **144** of the urinary-drainage bag **140** and the specimen container **170** to reduce the transfer of microorganisms from health care personnel and the environment to the one or more urine samples. However, the aseptic collection of the one or more urine samples requires use of the sampling port of the urinary catheter or the sampling port **146** of the urine-drainage bag **140**, the sampling-port access device **150**, and the one or more test tubes

**160** to not only reduce but prevent the transfer of microorganisms from health care personnel and the environment to the one or more urine samples.

(36) The one or more swabsticks **180** are configured for skin cleansing with an antiseptic skin cleanser. The one or more swabsticks **180** are optionally already snapped-in to the one or more channels **119** of the skin-cleansing compartment **118** by the respective one or more stick members in the catheterization package **100, 300, 600, or 800**. While only shown in FIGS. **6** and **7**, the catheterization package **100, 300, 600, or 800** can include a package of an antiseptic skin cleanser **182**, the antiseptic skin cleanser being, for example, a povidone-iodine solution for pouring in the well **117** of the skin-cleansing compartment **118** to saturate one or more swab heads respectively of the one or more swabsticks **180** for the skin cleansing. Alternatively, the one or more swabsticks **180** are packaged in the package of the antiseptic skin cleanser **182**.

(37) The container containing the lubricant **190** can be a syringe of a lubricating jelly configured to facilitate lubricating the urinary catheter **130** in the well **122** of the catheter-lubrication compartment **120** of the catheterization tray **110** or the well **322, 622, or 822** of the urinary-catheter compartment **112** of the catheterization tray **310, 610, or 810** in accordance with the catheterization procedure.

(38) While not shown, the catheterization components for which the catheterization tray **110, 310, 610, or 810** is configured can further include, but are not limited to, one or more pairs of examination gloves and an underpad. The one or more pairs of gloves and the underpad are configured for use during the catheterization procedure such as during the skin cleansing with the antiseptic skin cleanser, lubricating the urinary catheter **130** with the lubricant in the container containing the lubricant **190**, insertion of the urinary catheter **130** in the patient, or the like. The one or more pairs of gloves can be disposed in or over any of the compartments of the catheterization tray **110, 310, 610, or 810**. The underpad can be folded and placed under the one or more pair of gloves, between the one or more pair of gloves, or over the one or more pairs of gloves.

(39) While not shown, the catheterization package **100, 300, 600, or 800** further includes packaging for the catheterization package **100, 300, 600, or 800**. The packaging includes a piece of paper or paperboard, CSR wrap, and an outer packaging of the catheterization package **100, 300, 600, or 800**.

(40) The piece of paper or paperboard is configured to cover the catheterization tray **110, 310, 610, or 810** and the catheterization components therein. FIGS. **1-4, 6, and 7** illustrate a lip around the catheterization tray **110, 310, 610, or 810**, upon which lip the piece of paper or paperboard is configured to sit. Optionally, the piece of paper or paperboard includes product information or additional instructions to the step-by-step instructions printed thereon.

(41) The CSR wrap is configured to preserve a sterile state of at least the catheterization components of the catheterization package **100, 300, 600, or 800** while the CSR wrap is wrapped around the catheterization tray **110, 310, 610, or 810** and the catheterization components therein.

(42) The outer packaging is configured to prevent a loss of contents of the catheterization package **100, 300, 600, or 800** from a point of assembling the catheterization package **100, 300, 600, or 800** to a point of using the catheterization package **100, 300, 600, or 800**. The outer packaging is also configured to prevent contamination of the contents of the catheterization package **100, 300, 600, or 800** from a point of ethylene-oxide sterilization of the catheterization package **100, 300, 600, or 800** to the point of using the catheterization package **100, 300, 600, or 800**.

## Methods

(43) A method for manufacturing the catheterization package **100, 300, 600, or 800** includes molding the catheterization tray **110, 310, 610, or 810**; incorporating the step-by-step instructions into the catheterization tray **110, 310, 610, or 810** for the catheterization procedure; and placing the catheterization components in the catheterization tray **110, 310, 610, or 810**. The molding includes molding the urinary-catheter compartment **112**; molding the urine-drainage-bag compartment **114** connected to the urinary-catheter compartment **112** with the intercompartment connection **113**; and,

for at least the catheterization tray **110** and some embodiments of the catheterization tray **310**, molding the sampling-port-access-device compartment **116**. Placing the catheterization components in the catheterization tray **110**, **310**, **610**, or **810** includes placing the urinary catheter **130** in the urinary-catheter compartment **112**; placing the urine-drainage bag **140** in the urine-drainage-bag compartment **114**; and placing the sampling-port access device **150** in the sampling-port-access-device compartment **116** if such a compartment exists. Otherwise, the sampling-port access device **150** can be placed in the urine-drainage-bag compartment **114** as needed. The urinary catheter **130** is fluidly connected to the urine-drainage bag **140** such that when placing the urinary catheter **130** and the urine-drainage bag **140** respectively in the urinary-catheter compartment **112** and the urine-drainage-bag compartment **114**, the urinary catheter **130** is placed across the intercompartment connection **113**.

(44) Placing the catheterization components in the catheterization tray **110**, **310**, **610**, or **810** can further include placing the one or more septum-stoppered test tubes **160** for use with the sampling-port access device **150** either over or under the urine-drainage bag **140** in the urine-drainage-bag compartment **114**.

(45) Molding the catheterization tray **110**, **310**, **610**, or **810** can further include molding the isolated skin-cleansing compartment **118**.

(46) Placing the catheterization components in the catheterization tray **110**, **310**, **610**, or **810** can further include placing the one or more swabsticks **180** in the skin-cleansing compartment **118**, a package of an antiseptic skin cleanser **182** in the skin-cleansing compartment **118**, or a package of the one or more swabsticks **180** in the antiseptic skin cleanser in the skin-cleansing compartment **118**.

(47) Molding the catheterization tray **110**, **310**, **610**, or **810** can further include molding the catheter-lubrication compartment **120** at least partially surrounded by the urinary-catheter compartment **112** or the catheter-lubrication compartment **320**, **620**, or **820** between the skin-cleansing compartment **118** and the urine-drainage-bag compartment **114**.

(48) Placing the catheterization components in the catheterization tray **110**, **310**, **610**, or **810** can further include placing the container containing the lubricant **190** in the catheter-lubrication compartment **120**, **320**, **620**, or **820**.

(49) Placing the catheterization components in the catheterization tray **110**, **310**, **610**, or **810** can further include placing the one or more pairs of examination gloves either in or over one or more of the compartments of the catheterization tray **110**, **310**, **610**, or **810**; and folding the underpad and placing the underpad over the one or more pairs of examination gloves.

(50) The method can further include placing a piece of paper or paperboard over the catheterization tray **110**, **310**, **610**, or **810** including the catheterization components therein to form a paper- or paperboard-covered catheterization tray; wrapping CSR wrap around the paper- or paperboard-covered catheterization tray to form a CSR-wrapped catheterization tray; placing the CSR-wrapped catheterization tray in an outer packaging to form the catheterization package **100**, **300**, or **600**; and sterilizing the catheterization package **100**, **300**, **600**, or **800** by way of ethylene-oxide sterilization.

(51) While some particular embodiments have been disclosed herein, and while the particular embodiments have been disclosed in some detail, it is not the intention for the particular embodiments to limit the scope of the concepts provided herein. Additional adaptations and/or modifications can appear to those of ordinary skill in the art, and, in broader aspects, these adaptations and/or modifications are encompassed as well. Accordingly, departures may be made from the particular embodiments disclosed herein without departing from the scope of the concepts provided herein.

## Claims



1. A method of performing a catheterization procedure, comprising: opening an intermittent catheter package, the intermittent catheter package comprising: a lubricant container including a lubricant disposed therein; a urinary catheter coupled to a urine-drainage bag; and a catheterization tray including surface instructions for performing the catheterization procedure, the catheterization tray comprising: a first compartment accommodating the lubricant container; a second compartment accommodating the urinary catheter, the second compartment wrapped around the first compartment; and a third compartment accommodating the urine-drainage bag, the third compartment connected to the second compartment; and acting according to the surface instructions for performing the catheterization procedure in an order corresponding to the surface instructions.
2. The method according to claim 1, wherein the catheterization tray comprises an isolated fifth compartment designed to accommodate a plurality of swabsticks, the isolated fifth compartment comprising a plurality of channels with snap-in tabs configured to hold the plurality of swabsticks respectively therein, and wherein the plurality of channels are angled with respect to a top or a bottom of the catheterization tray, the method further comprising removing one or more of the plurality of swabsticks from the plurality of channels.
3. The method according to claim 2, wherein the isolated fifth compartment includes a well, wherein each of the plurality of swabsticks includes a swab head, wherein each swab head is disposed in the well, and wherein acting according to the surface instructions comprises opening an iodine package and pouring it into the well to contact each swab head.
4. The method according to claim 3, further comprising cleansing an insertion area with one or more of the plurality of swabsticks prior to insertion of the urinary catheter.
5. The method according to claim 1, wherein the first compartment is sized to accommodate a specimen container, the method further comprising collecting a urine sample from the urine-drainage bag.
6. The method according to claim 1, wherein the intermittent catheter package further comprises a pair of examination gloves and an underpad, the method further comprising donning the examination gloves and positioning the underpad prior to acting according to the surface instructions.
7. The method according to claim 1, wherein the intermittent catheter package further comprises paperboard covering the catheterization tray, the method further comprising removing the paperboard from the catheterization tray to reveal the first compartment, the second compartment, the third compartment, and a fourth compartment.
8. The method according to claim 7, wherein the intermittent catheter package further comprises central supply room (“CSR”) wrap around the catheterization tray and the paperboard, the method further comprising removing the CSR wrap to reveal the catheterization tray and the paperboard.
9. The method according to claim 8, wherein the intermittent catheter package further comprises an outer packaging enclosing the catheterization tray, the paperboard, and the CSR wrap, the method further comprising opening the outer packaging and removing the catheterization tray, the paperboard, and the CSR wrap.
10. The method according to claim 1, wherein the first compartment comprises an area designed to receive lubricant, and wherein acting according to the surface instructions comprises removing the lubricant container from the first compartment and dispensing lube in the area designed to receive lubricant.
11. The method according to claim 1, wherein the surface instructions include directions under the urine-drainage bag, the method further comprising removing the urine-drainage bag from the third compartment of the catheterization tray to reveal the directions, wherein acting according to the surface instructions includes following the directions.
12. The method according to claim 11, wherein the directions include: retract genitalia (non-

dominant hand); prep patient w/swab (dominant hand); and insert catheter.

13. The method according to claim 1, wherein the surface instructions include a directive to consult the surface instructions for use in order to see complete instructions for performing the catheterization procedure.

14. The method according to claim 1, further comprising a sampling-port access device, wherein the catheterization tray further comprises a fourth compartment accommodating the sampling-port access device, the method further comprising fluidly connecting the sampling-port access device to a urine-sampling port of the urinary catheter or the urine-drainage bag.

15. The method according to claim 14, wherein the urine-drainage bag includes an inlet port and an outlet port, the outlet port including an integrated urine-sampling port, the method further comprising collecting a urine sample with the sampling-port access device via the integrated urine-sampling port.

16. The method according to claim 15, wherein the sampling-port access device includes a barrel, a tip at an end of the barrel configured to fluidly connect the sampling- port access device to the urine-sampling port of the urine-drainage bag, and a hollow needle coaxial with the barrel, the hollow needle fluidly connected to, but directed away from, the tip of the barrel, the method further comprising connecting the tip of the barrel to the sampling-port access device.

17. The method according to claim 16, wherein the intermittent catheter package further comprises one or more test tubes configured for use with the sampling-port access device, each of the one or more test tubes having an internal pressure less than atmospheric pressure, wherein each of the one or more test tubes includes a formulation for urinalysis, a formulation for microbiological analysis, or no additives or preservatives, the method further comprising coupling the one or more test tubes to the sampling-port access device.

---