

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent	12385362
Kind Code	B2
Date of Patent	August 12, 2025
Inventor(s)	Hinderliter; Brandon N. et al.

---

### High capacity power storage system for electric hydraulic fracturing

---

#### Abstract

A system for powering electric hydraulic fracturing equipment, the system including a power storage system and electric powered hydraulic fracturing equipment in selective electrical communication with the power storage system. The system further includes at least one circuit breaker between the power storage system and the electric powered hydraulic fracturing equipment, the circuit breaker configured to facilitate or prevent electrical communication between the power storage system and the electric powered hydraulic fracturing equipment.

---

**Inventors:** Hinderliter; Brandon N. (Houston, TX), Oehring; Jared (Houston, TX), Riley; Steven (Houston, TX)

**Applicant:** U.S. Well Services, LLC (Houston, TX)

**Family ID:** 1000008751721

**Assignee:** U.S. WELL SERVICES, LLC (Houston, TX)

**Appl. No.:** 18/092619

**Filed:** January 03, 2023

#### Prior Publication Data

Document Identifier	Publication Date
US 20230392479 A1	Dec. 07, 2023

#### Related U.S. Application Data

continuation parent-doc US 16943727 20200730 US 11542786 20230103 child-doc US 18092619  
us-provisional-application US 62881714 20190801

---

#### Publication Classification

**Int. Cl.:** E21B43/26 (20060101); E21B41/00 (20060101); E21B43/16 (20060101)

**U.S. Cl.:**

**CPC** E21B41/0085 (20130101); E21B43/2607 (20200501); E21B43/16 (20130101)

## Field of Classification Search

**CPC:** E21B (43/2607); E21B (43/26)

---

## References Cited

### U.S. PATENT DOCUMENTS

Patent No.	Issued Date	Patentee Name	U.S. Cl.	CPC
1656861	12/1927	Leonard	N/A	N/A
1671436	12/1927	Melott	N/A	N/A
2004077	12/1934	McCartney	N/A	N/A
2183364	12/1938	Bailey	N/A	N/A
2220622	12/1939	Homer	N/A	N/A
2248051	12/1940	Armstrong	N/A	N/A
2389328	12/1944	Stilwell	N/A	N/A
2407796	12/1945	Page	N/A	N/A
2416848	12/1946	Rothery	N/A	N/A
2610741	12/1951	Schmid	N/A	N/A
2753940	12/1955	Bonner	N/A	N/A
2976025	12/1960	Pro	N/A	N/A
3055682	12/1961	Bacher	N/A	N/A
3061039	12/1961	Peters	N/A	N/A
3066503	12/1961	Fleming	N/A	N/A
3302069	12/1966	Webster	N/A	N/A
3334495	12/1966	Jensen	N/A	N/A
3601198	12/1970	Ahearn	N/A	N/A
3722595	12/1972	Kiel	N/A	N/A
3764233	12/1972	Strickland	N/A	N/A
3773140	12/1972	Mahajan	N/A	N/A
3837179	12/1973	Barth	N/A	N/A
3849662	12/1973	Blaskowski	N/A	N/A
3878884	12/1974	Raleigh	N/A	N/A
3881551	12/1974	Terry	N/A	N/A
3978877	12/1975	Cox	N/A	N/A
4037431	12/1976	Sugimoto	N/A	N/A
4066869	12/1977	Apaloo	N/A	N/A
4100822	12/1977	Rosman	N/A	N/A
4151575	12/1978	Hogue	N/A	N/A
4226299	12/1979	Hansen	N/A	N/A
4265266	12/1980	Kierbow et al.	N/A	N/A
4411313	12/1982	Johnson et al.	N/A	N/A
4421975	12/1982	Stein	N/A	N/A
4432064	12/1983	Barker	N/A	N/A

4442665	12/1983	Fick et al.	N/A	N/A
4456092	12/1983	Kubozuka	N/A	N/A
4506982	12/1984	Smithers et al.	N/A	N/A
4512387	12/1984	Rodriguez	N/A	N/A
4529887	12/1984	Johnson	N/A	N/A
4538916	12/1984	Zimmerman	N/A	N/A
4601629	12/1985	Zimmerman	N/A	N/A
4676063	12/1986	Goebel et al.	N/A	N/A
4759674	12/1987	Schroder	N/A	N/A
4768884	12/1987	Elkin	N/A	N/A
4793386	12/1987	Sloan	N/A	N/A
4845981	12/1988	Pearson	N/A	N/A
4877956	12/1988	Priest	N/A	N/A
4922463	12/1989	Del Zotto et al.	N/A	N/A
5004400	12/1990	Handke	N/A	N/A
5006044	12/1990	Walker, Sr.	N/A	N/A
5025861	12/1990	Huber et al.	N/A	N/A
5050673	12/1990	Baldrige	N/A	N/A
5114239	12/1991	Allen	N/A	N/A
5130628	12/1991	Owen	N/A	N/A
5131472	12/1991	Dees et al.	N/A	N/A
5134328	12/1991	Johnatakis	N/A	N/A
5172009	12/1991	Mohan	N/A	N/A
5189388	12/1992	Mosley	N/A	N/A
5230366	12/1992	Marandi	N/A	N/A
5334898	12/1993	Skybyk	N/A	N/A
5334899	12/1993	Skybyk	N/A	N/A
5366324	12/1993	Arlt	N/A	N/A
5422550	12/1994	McClanahan	N/A	N/A
5433243	12/1994	Griswold	N/A	N/A
5439066	12/1994	Gipson	N/A	N/A
5517593	12/1995	Nenniger	N/A	N/A
5517822	12/1995	Haws et al.	N/A	N/A
5548093	12/1995	Sato	N/A	N/A
5590976	12/1996	Kilheffer et al.	N/A	N/A
5655361	12/1996	Kishi	N/A	N/A
5712802	12/1997	Kumar	N/A	N/A
5736838	12/1997	Dove et al.	N/A	N/A
5755096	12/1997	Holleyman	N/A	N/A
5790972	12/1997	Kohlenberger	N/A	N/A
5798596	12/1997	Lordo	N/A	N/A
5813455	12/1997	Pratt et al.	N/A	N/A
5865247	12/1998	Paterson	N/A	N/A
5879137	12/1998	Yie	N/A	N/A
5894888	12/1998	Wiemers	N/A	N/A
5907970	12/1998	Havlovick et al.	N/A	N/A
5950726	12/1998	Roberts	N/A	N/A
6007227	12/1998	Carlson	N/A	N/A
6035265	12/1999	Dister et al.	N/A	N/A
6059539	12/1999	Nyilas	N/A	N/A

6097310	12/1999	Harrell et al.	N/A	N/A
6116040	12/1999	Stark	N/A	N/A
6121705	12/1999	Hoong	N/A	N/A
6138764	12/1999	Scarsdale et al.	N/A	N/A
6142878	12/1999	Barin	N/A	N/A
6164910	12/1999	Mayleben	N/A	N/A
6167965	12/2000	Bearden	N/A	N/A
6202702	12/2000	Ohira	N/A	N/A
6208098	12/2000	Kume	N/A	N/A
6254462	12/2000	Kelton	N/A	N/A
6271637	12/2000	Kushion	N/A	N/A
6273193	12/2000	Hermann et al.	N/A	N/A
6315523	12/2000	Mills	N/A	N/A
6321860	12/2000	Reddoch	N/A	N/A
6442942	12/2001	Kopko	N/A	N/A
6477852	12/2001	Dodo	N/A	N/A
6484490	12/2001	Olsen	N/A	N/A
6486047	12/2001	Lee et al.	N/A	N/A
6491098	12/2001	Dallas	N/A	N/A
6529135	12/2002	Bowers et al.	N/A	N/A
6560131	12/2002	VonBrethorst	N/A	N/A
6585455	12/2002	Petersen et al.	N/A	N/A
6626646	12/2002	Rajewski	N/A	N/A
6719900	12/2003	Hawkins	N/A	N/A
6765304	12/2003	Baten et al.	N/A	N/A
6776227	12/2003	Beida	N/A	N/A
6786051	12/2003	Kristich	N/A	N/A
6788022	12/2003	Sopko	N/A	N/A
6802690	12/2003	Hansen	N/A	N/A
6808303	12/2003	Fisher	N/A	N/A
6857486	12/2004	Chitwood	N/A	N/A
6931310	12/2004	Shimizu et al.	N/A	N/A
6936947	12/2004	Leijon	N/A	N/A
6985750	12/2005	Vicknair et al.	N/A	N/A
7006792	12/2005	Wilson	N/A	N/A
7011152	12/2005	Soelvik	N/A	N/A
7082993	12/2005	Ayoub	N/A	N/A
7104233	12/2005	Ryczek et al.	N/A	N/A
7170262	12/2006	Pettigrew	N/A	N/A
7173399	12/2006	Sihler	N/A	N/A
7308933	12/2006	Mayfield	N/A	N/A
7312593	12/2006	Streicher et al.	N/A	N/A
7336514	12/2007	Amarillas	N/A	N/A
7445041	12/2007	O'Brien	N/A	N/A
7494263	12/2008	Dykstra et al.	N/A	N/A
7500642	12/2008	Cunningham	N/A	N/A
7525264	12/2008	Dodge	N/A	N/A
7563076	12/2008	Brunet	N/A	N/A
7581379	12/2008	Yoshida	N/A	N/A
7660648	12/2009	Dykstra	N/A	N/A

7675189	12/2009	Grenier	N/A	N/A
7683499	12/2009	Saucier	N/A	N/A
7717193	12/2009	Egilsson et al.	N/A	N/A
7755310	12/2009	West et al.	N/A	N/A
7795830	12/2009	Johnson	N/A	N/A
7807048	12/2009	Collette	N/A	N/A
7835140	12/2009	Mori	N/A	N/A
7845413	12/2009	Shampine et al.	N/A	N/A
7901314	12/2010	Salvaire	N/A	N/A
7926562	12/2010	Poitzsch	N/A	N/A
7949483	12/2010	Discenzo	N/A	N/A
7971650	12/2010	Yuratich	N/A	N/A
7977824	12/2010	Halen et al.	N/A	N/A
7984757	12/2010	Keast	N/A	N/A
8037936	12/2010	Neuroth	N/A	N/A
8054084	12/2010	Schulz et al.	N/A	N/A
8069710	12/2010	Dodd	N/A	N/A
8083504	12/2010	Williams	N/A	N/A
8091928	12/2011	Carrier	N/A	N/A
8096354	12/2011	Poitzsch	N/A	N/A
8096891	12/2011	Lochtefeld	N/A	N/A
8139383	12/2011	Efraimsson	N/A	N/A
8146665	12/2011	Neal	N/A	N/A
8154419	12/2011	Daussin et al.	N/A	N/A
8174853	12/2011	Kane	N/A	N/A
8232892	12/2011	Overholt et al.	N/A	N/A
8261528	12/2011	Chillar	N/A	N/A
8272439	12/2011	Strickland	N/A	N/A
8310272	12/2011	Quarto	N/A	N/A
8322239	12/2011	Isono et al.	N/A	N/A
8354817	12/2012	Yeh et al.	N/A	N/A
8379424	12/2012	Grbovic	N/A	N/A
8469097	12/2012	Gray	N/A	N/A
8474521	12/2012	Kajaria	N/A	N/A
8503180	12/2012	Nojima	N/A	N/A
8506267	12/2012	Gambier et al.	N/A	N/A
8534235	12/2012	Chandler	N/A	N/A
8534366	12/2012	Fielder et al.	N/A	N/A
8573303	12/2012	Kerfoot	N/A	N/A
8596056	12/2012	Woodmansee	N/A	N/A
8616005	12/2012	Cousino	N/A	N/A
8616274	12/2012	Belcher et al.	N/A	N/A
8622128	12/2013	Hegeman	N/A	N/A
8628627	12/2013	Sales	N/A	N/A
8646521	12/2013	Bowen	N/A	N/A
8650871	12/2013	Gentile	N/A	N/A
8692408	12/2013	Zhang et al.	N/A	N/A
8727068	12/2013	Bruin	N/A	N/A
8727737	12/2013	Seitter	N/A	N/A
8727783	12/2013	Chen	N/A	N/A

8760657	12/2013	Pope	N/A	N/A
8763387	12/2013	Schmidt	N/A	N/A
8774972	12/2013	Rusnak et al.	N/A	N/A
8789601	12/2013	Broussard	N/A	N/A
8789609	12/2013	Smith	N/A	N/A
8795525	12/2013	McGinnis et al.	N/A	N/A
8800652	12/2013	Bartko	N/A	N/A
8807960	12/2013	Stephenson	N/A	N/A
8838341	12/2013	Kumano	N/A	N/A
8851860	12/2013	Mail	N/A	N/A
8857506	12/2013	Stone, Jr.	N/A	N/A
8874383	12/2013	Gambier	N/A	N/A
8899940	12/2013	Leugemors	N/A	N/A
8905056	12/2013	Kendrick	N/A	N/A
8905138	12/2013	Lundstedt et al.	N/A	N/A
8997904	12/2014	Cryer	180/53.5	B60K 1/00
9018881	12/2014	Mao et al.	N/A	N/A
9051822	12/2014	Ayan	N/A	N/A
9051923	12/2014	Kuo	N/A	N/A
9061223	12/2014	Winborn	N/A	N/A
9062545	12/2014	Roberts et al.	N/A	N/A
9067182	12/2014	Nichols	N/A	N/A
9080412	12/2014	Wetzel	N/A	N/A
9103193	12/2014	Coli	N/A	N/A
9119326	12/2014	McDonnell	N/A	N/A
9121257	12/2014	Coli et al.	N/A	N/A
9140105	12/2014	Pattillo	N/A	N/A
9140110	12/2014	Coli et al.	N/A	N/A
9160168	12/2014	Chapel	N/A	N/A
9260253	12/2015	Naizer	N/A	N/A
9324049	12/2015	Thomeer	N/A	N/A
9340353	12/2015	Oren	N/A	N/A
9353593	12/2015	Lu et al.	N/A	N/A
9366114	12/2015	Coli et al.	N/A	N/A
9410410	12/2015	Broussard et al.	N/A	N/A
9450385	12/2015	Kristensen	N/A	N/A
9475020	12/2015	Coli et al.	N/A	N/A
9475021	12/2015	Coli et al.	N/A	N/A
9482086	12/2015	Richardson et al.	N/A	N/A
9499335	12/2015	McIver	N/A	N/A
9506333	12/2015	Castillo et al.	N/A	N/A
9513055	12/2015	Seal	N/A	N/A
9534473	12/2016	Morris et al.	N/A	N/A
9556721	12/2016	Jang	N/A	E21B 47/06
9562420	12/2016	Morris et al.	N/A	N/A
9587649	12/2016	Oehring	N/A	N/A
9611728	12/2016	Oehring	N/A	N/A
9650879	12/2016	Broussard et al.	N/A	N/A
9706185	12/2016	Ellis	N/A	N/A
9728354	12/2016	Skolozdra	N/A	N/A

9738461	12/2016	DeGaray	N/A	N/A
9739546	12/2016	Bertilsson et al.	N/A	N/A
9745840	12/2016	Oehring et al.	N/A	N/A
9790858	12/2016	Kanebako	N/A	N/A
9822631	12/2016	Ravi	N/A	N/A
9840897	12/2016	Larson	N/A	N/A
9840901	12/2016	Oehring et al.	N/A	N/A
9841026	12/2016	Stinessen	N/A	N/A
9863228	12/2017	Shampine et al.	N/A	N/A
RE46725	12/2017	Case	N/A	N/A
9893500	12/2017	Oehring	N/A	N/A
9909398	12/2017	Pham	N/A	N/A
9915128	12/2017	Hunter	N/A	N/A
9932799	12/2017	Symchuk	N/A	N/A
9945365	12/2017	Hernandez et al.	N/A	N/A
9963961	12/2017	Hardin	N/A	G05D 9/12
9970278	12/2017	Broussard	N/A	N/A
9976351	12/2017	Randall	N/A	N/A
9995218	12/2017	Oehring	N/A	N/A
10008880	12/2017	Vicknair	N/A	N/A
10020711	12/2017	Oehring	N/A	N/A
10036238	12/2017	Oehring	N/A	N/A
10107086	12/2017	Oehring	N/A	N/A
10119381	12/2017	Oehring	N/A	N/A
10167863	12/2018	Cook	N/A	N/A
10184465	12/2018	Enis	N/A	F02C 6/16
10196878	12/2018	Hunter	N/A	N/A
10221639	12/2018	Romer et al.	N/A	N/A
10227854	12/2018	Glass	N/A	N/A
10232332	12/2018	Oehring	N/A	N/A
10246984	12/2018	Payne	N/A	N/A
10254732	12/2018	Oehring	N/A	N/A
10260327	12/2018	Kajaria	N/A	N/A
10280724	12/2018	Hinderliter	N/A	N/A
10287873	12/2018	Filas	N/A	N/A
10302079	12/2018	Kendrick	N/A	N/A
10309205	12/2018	Randall	N/A	N/A
10337308	12/2018	Broussard	N/A	N/A
10371012	12/2018	Davis	N/A	N/A
10378326	12/2018	Morris	N/A	N/A
10393108	12/2018	Chong	N/A	N/A
10407990	12/2018	Oehring	N/A	N/A
10408030	12/2018	Oehring et al.	N/A	N/A
10408031	12/2018	Oehring et al.	N/A	N/A
10415332	12/2018	Morris et al.	N/A	N/A
10436026	12/2018	Ounadjela	N/A	N/A
10443660	12/2018	Harris	N/A	N/A
10627003	12/2019	Dale et al.	N/A	N/A
10648270	12/2019	Brunty et al.	N/A	N/A
10648311	12/2019	Oehring et al.	N/A	N/A

10669471	12/2019	Schmidt et al.	N/A	N/A
10669804	12/2019	Kotrla	N/A	N/A
10686301	12/2019	Oehring et al.	N/A	N/A
10695950	12/2019	Igo et al.	N/A	N/A
10711576	12/2019	Bishop	N/A	N/A
10731561	12/2019	Oehring et al.	N/A	N/A
10740730	12/2019	Altamirano et al.	N/A	N/A
10753153	12/2019	Fischer	N/A	H02J 7/0016
10767561	12/2019	Brady	N/A	N/A
10781752	12/2019	Kikkawa et al.	N/A	N/A
10794165	12/2019	Fischer et al.	N/A	N/A
10883352	12/2020	Headrick	N/A	E21B 41/0085
10988998	12/2020	Fischer et al.	N/A	N/A
10989180	12/2020	Yeung	N/A	F04B 17/05
11022526	12/2020	Yeung	N/A	F04B 17/05
11359462	12/2021	Morris	N/A	H02B 1/52
11542786	12/2022	Hinderliter	N/A	E21B 41/0085
2001/0000996	12/2000	Grimland et al.	N/A	N/A
2002/0169523	12/2001	Ross et al.	N/A	N/A
2003/0000759	12/2002	Schmitz	N/A	N/A
2003/0056514	12/2002	Lohn	N/A	N/A
2003/0079875	12/2002	Weng	N/A	N/A
2003/0138327	12/2002	Jones et al.	N/A	N/A
2004/0040746	12/2003	Niedermayr et al.	N/A	N/A
2004/0045703	12/2003	Hooper et al.	N/A	N/A
2004/0102109	12/2003	Cratty et al.	N/A	N/A
2004/0167738	12/2003	Miller	N/A	N/A
2005/0061548	12/2004	Hooper	N/A	N/A
2005/0116541	12/2004	Seiver	N/A	N/A
2005/0201197	12/2004	Duell et al.	N/A	N/A
2005/0274508	12/2004	Folk	N/A	N/A
2006/0052903	12/2005	Bassett	N/A	N/A
2006/0109141	12/2005	Huang	N/A	N/A
2007/0125544	12/2006	Robinson	N/A	N/A
2007/0131410	12/2006	Hill	N/A	N/A
2007/0151731	12/2006	Butler	N/A	N/A
2007/0187163	12/2006	Cone	N/A	N/A
2007/0201305	12/2006	Heilman et al.	N/A	N/A
2007/0204991	12/2006	Loree	N/A	N/A
2007/0226089	12/2006	DeGaray et al.	N/A	N/A
2007/0277982	12/2006	Shampine	N/A	N/A
2007/0278140	12/2006	Mallett et al.	N/A	N/A
2008/0017369	12/2007	Sarada	N/A	N/A
2008/0041596	12/2007	Blount	N/A	N/A
2008/0066911	12/2007	Luharuka	N/A	N/A
2008/0095644	12/2007	Mantei et al.	N/A	N/A
2008/0112802	12/2007	Orlando	N/A	N/A
2008/0137266	12/2007	Jensen	N/A	N/A
2008/0164023	12/2007	Dykstra et al.	N/A	N/A
2008/0187444	12/2007	Molotkov	N/A	N/A



2008/0208478	12/2007	Ella	N/A	N/A
2008/0217024	12/2007	Moore	N/A	N/A
2008/0257449	12/2007	Weinstein et al.	N/A	N/A
2008/0264625	12/2007	Ochoa	N/A	N/A
2008/0264649	12/2007	Crawford	N/A	N/A
2008/0277120	12/2007	Hickie	N/A	N/A
2008/0303469	12/2007	Nojima	N/A	N/A
2009/0045782	12/2008	Datta	N/A	N/A
2009/0065299	12/2008	Vito	N/A	N/A
2009/0072645	12/2008	Quere	N/A	N/A
2009/0078410	12/2008	Krenek et al.	N/A	N/A
2009/0093317	12/2008	Kajiwara et al.	N/A	N/A
2009/0095482	12/2008	Surjaatmadja	N/A	N/A
2009/0101410	12/2008	Egilsson	N/A	N/A
2009/0145611	12/2008	Pallini, Jr.	N/A	N/A
2009/0153354	12/2008	Daussin et al.	N/A	N/A
2009/0188181	12/2008	Forbis	N/A	N/A
2009/0194273	12/2008	Surjaatmadja	N/A	N/A
2009/0200035	12/2008	Bjerkreim et al.	N/A	N/A
2009/0260826	12/2008	Sherwood	N/A	N/A
2009/0308602	12/2008	Bruins et al.	N/A	N/A
2010/0000508	12/2009	Chandler	N/A	N/A
2010/0019574	12/2009	Baldassarre et al.	N/A	N/A
2010/0038077	12/2009	Heilman	N/A	N/A
2010/0038907	12/2009	Hunt	N/A	N/A
2010/0045109	12/2009	Arnold	N/A	N/A
2010/0051272	12/2009	Loree et al.	N/A	N/A
2010/0132949	12/2009	DeFosse et al.	N/A	N/A
2010/0146981	12/2009	Motakef	N/A	N/A
2010/0172202	12/2009	Borgstadt	N/A	N/A
2010/0250139	12/2009	Hobbs et al.	N/A	N/A
2010/0293973	12/2009	Erickson	N/A	N/A
2010/0300683	12/2009	Looper	N/A	N/A
2010/0303655	12/2009	Scekic	N/A	N/A
2010/0310384	12/2009	Stephenson	N/A	N/A
2010/0322802	12/2009	Kugelev	N/A	N/A
2011/0005757	12/2010	Hebert	N/A	N/A
2011/0017468	12/2010	Birch et al.	N/A	N/A
2011/0052423	12/2010	Gambier	N/A	N/A
2011/0061855	12/2010	Case et al.	N/A	N/A
2011/0079302	12/2010	Hawes	N/A	N/A
2011/0081268	12/2010	Ochoa et al.	N/A	N/A
2011/0085924	12/2010	Shampine	N/A	N/A
2011/0110793	12/2010	Leugemors et al.	N/A	N/A
2011/0166046	12/2010	Weaver	N/A	N/A
2011/0194256	12/2010	De Rijck	N/A	N/A
2011/0247831	12/2010	Smith	N/A	N/A
2011/0247878	12/2010	Rasheed	N/A	N/A
2011/0272158	12/2010	Neal	N/A	N/A
2012/0018016	12/2011	Gibson	N/A	N/A

2012/0049625	12/2011	Hopwood	N/A	N/A
2012/0063936	12/2011	Baxter et al.	N/A	N/A
2012/0067582	12/2011	Fincher	N/A	N/A
2012/0085541	12/2011	Love et al.	N/A	N/A
2012/0112757	12/2011	Vrankovic et al.	N/A	N/A
2012/0127635	12/2011	Grindeland	N/A	N/A
2012/0150455	12/2011	Franklin et al.	N/A	N/A
2012/0152549	12/2011	Koroteev	N/A	N/A
2012/0152716	12/2011	Kikukawa et al.	N/A	N/A
2012/0205112	12/2011	Pettigrew	N/A	N/A
2012/0205119	12/2011	Wentworth	N/A	N/A
2012/0205400	12/2011	DeGaray	N/A	N/A
2012/0222865	12/2011	Larson	N/A	N/A
2012/0232728	12/2011	Karimi et al.	N/A	N/A
2012/0247783	12/2011	Berner, Jr.	N/A	N/A
2012/0255734	12/2011	Coli et al.	N/A	N/A
2013/0009469	12/2012	Gillett	N/A	N/A
2013/0025706	12/2012	DeGaray et al.	N/A	N/A
2013/0051971	12/2012	Wyse et al.	N/A	N/A
2013/0064528	12/2012	Bigex	N/A	N/A
2013/0175038	12/2012	Conrad	N/A	N/A
2013/0175039	12/2012	Guidry	N/A	N/A
2013/0180722	12/2012	Olarte Caro	N/A	N/A
2013/0189629	12/2012	Chandler	N/A	N/A
2013/0199617	12/2012	DeGaray	N/A	N/A
2013/0233542	12/2012	Shampine	N/A	N/A
2013/0242688	12/2012	Kageler	N/A	N/A
2013/0255271	12/2012	Yu et al.	N/A	N/A
2013/0278183	12/2012	Liang	N/A	N/A
2013/0284278	12/2012	Winborn	N/A	N/A
2013/0284455	12/2012	Kajaria et al.	N/A	N/A
2013/0299167	12/2012	Fordyce	N/A	N/A
2013/0306322	12/2012	Sanborn et al.	N/A	N/A
2013/0317750	12/2012	Hunter	N/A	N/A
2013/0341029	12/2012	Roberts et al.	N/A	N/A
2013/0343858	12/2012	Flusche	N/A	N/A
2014/0000899	12/2013	Nevison	N/A	N/A
2014/0010671	12/2013	Cryer et al.	N/A	N/A
2014/0041730	12/2013	Naizer	N/A	N/A
2014/0054965	12/2013	Jain	N/A	N/A
2014/0060658	12/2013	Hains	N/A	N/A
2014/0095114	12/2013	Thomeer	N/A	N/A
2014/0096974	12/2013	Coli	N/A	N/A
2014/0124162	12/2013	Leavitt	N/A	N/A
2014/0127036	12/2013	Buckley	N/A	N/A
2014/0138079	12/2013	Broussard et al.	N/A	N/A
2014/0147310	12/2013	Hunt	N/A	N/A
2014/0174691	12/2013	Kamps	N/A	N/A
2014/0174717	12/2013	Broussard et al.	N/A	N/A
2014/0205475	12/2013	Dale	N/A	N/A

2014/0219824	12/2013	Burnette	N/A	N/A
2014/0238683	12/2013	Korach	N/A	N/A
2014/0246211	12/2013	Guidry et al.	N/A	N/A
2014/0251623	12/2013	Lestz et al.	N/A	N/A
2014/0255214	12/2013	Burnette	N/A	N/A
2014/0277772	12/2013	Lopez	N/A	N/A
2014/0290768	12/2013	Randle	N/A	N/A
2014/0332199	12/2013	Gilstad	N/A	N/A
2014/0379300	12/2013	Devine	N/A	N/A
2015/0027712	12/2014	Vicknair	N/A	N/A
2015/0053426	12/2014	Smith	N/A	N/A
2015/0068724	12/2014	Coli et al.	N/A	N/A
2015/0068754	12/2014	Coli et al.	N/A	N/A
2015/0075778	12/2014	Walters	N/A	N/A
2015/0078924	12/2014	Zhang	N/A	N/A
2015/0083426	12/2014	Lesko	N/A	N/A
2015/0097504	12/2014	Lamascus	N/A	N/A
2015/0114652	12/2014	Lestz	N/A	N/A
2015/0136043	12/2014	Shaaban	N/A	N/A
2015/0144336	12/2014	Hardin et al.	N/A	N/A
2015/0147194	12/2014	Foote	N/A	N/A
2015/0159911	12/2014	Holt	N/A	N/A
2015/0175013	12/2014	Cryer et al.	N/A	N/A
2015/0176386	12/2014	Castillo et al.	N/A	N/A
2015/0211512	12/2014	Wiegman	N/A	N/A
2015/0211524	12/2014	Broussard	N/A	N/A
2015/0217672	12/2014	Shampine	N/A	N/A
2015/0225113	12/2014	Lungu	N/A	N/A
2015/0233530	12/2014	Sandidge	N/A	N/A
2015/0252661	12/2014	Glass	N/A	N/A
2015/0300145	12/2014	Coli et al.	N/A	N/A
2015/0300336	12/2014	Hernandez	N/A	N/A
2015/0314225	12/2014	Coli et al.	N/A	N/A
2015/0330172	12/2014	Allmaras	N/A	N/A
2015/0354322	12/2014	Vicknair	N/A	N/A
2016/0006311	12/2015	Li	N/A	N/A
2016/0032703	12/2015	Broussard et al.	N/A	N/A
2016/0102537	12/2015	Lopez	N/A	N/A
2016/0105022	12/2015	Oehring	N/A	N/A
2016/0160889	12/2015	Hoffman et al.	N/A	N/A
2016/0177675	12/2015	Morris et al.	N/A	N/A
2016/0177678	12/2015	Morris	N/A	N/A
2016/0186531	12/2015	Harkless et al.	N/A	N/A
2016/0208592	12/2015	Oehring	N/A	N/A
2016/0208593	12/2015	Coli et al.	N/A	N/A
2016/0208594	12/2015	Coli et al.	N/A	N/A
2016/0208595	12/2015	Tang	N/A	N/A
2016/0221220	12/2015	Paige	N/A	N/A
2016/0230524	12/2015	Dumoit	N/A	N/A
2016/0230525	12/2015	Lestz et al.	N/A	N/A

2016/0230660	12/2015	Zeitoun et al.	N/A	N/A
2016/0258267	12/2015	Payne et al.	N/A	N/A
2016/0265457	12/2015	Stephenson	N/A	N/A
2016/0273328	12/2015	Oehring	N/A	N/A
2016/0273456	12/2015	Zhang et al.	N/A	N/A
2016/0281484	12/2015	Lestz	N/A	N/A
2016/0290114	12/2015	Oehring	N/A	N/A
2016/0290563	12/2015	Diggins	N/A	N/A
2016/0312108	12/2015	Lestz et al.	N/A	N/A
2016/0319650	12/2015	Oehring	N/A	N/A
2016/0326853	12/2015	Fred et al.	N/A	N/A
2016/0326854	12/2015	Broussard	N/A	N/A
2016/0326855	12/2015	Coli et al.	N/A	N/A
2016/0341281	12/2015	Brunvold et al.	N/A	N/A
2016/0348479	12/2015	Oehring	N/A	N/A
2016/0349728	12/2015	Oehring	N/A	N/A
2016/0369609	12/2015	Morris et al.	N/A	N/A
2017/0016433	12/2016	Chong	N/A	N/A
2017/0021318	12/2016	McIver et al.	N/A	N/A
2017/0022788	12/2016	Oehring et al.	N/A	N/A
2017/0022807	12/2016	Dursun	N/A	N/A
2017/0028368	12/2016	Oehring et al.	N/A	N/A
2017/0030177	12/2016	Oehring et al.	N/A	N/A
2017/0030178	12/2016	Oehring et al.	N/A	N/A
2017/0036178	12/2016	Coli et al.	N/A	N/A
2017/0036872	12/2016	Wallace	N/A	N/A
2017/0037717	12/2016	Oehring	N/A	N/A
2017/0037718	12/2016	Coli et al.	N/A	N/A
2017/0043280	12/2016	Vankouwenberg	N/A	N/A
2017/0051732	12/2016	Hemandez et al.	N/A	N/A
2017/0074076	12/2016	Joseph et al.	N/A	N/A
2017/0082033	12/2016	Wu et al.	N/A	N/A
2017/0096885	12/2016	Oehring	N/A	N/A
2017/0096889	12/2016	Blanckaert et al.	N/A	N/A
2017/0104389	12/2016	Morris et al.	N/A	N/A
2017/0114625	12/2016	Norris	N/A	N/A
2017/0130743	12/2016	Anderson	N/A	N/A
2017/0138171	12/2016	Richards et al.	N/A	N/A
2017/0145918	12/2016	Oehring	N/A	N/A
2017/0146189	12/2016	Herman	N/A	N/A
2017/0159570	12/2016	Bickert	N/A	N/A
2017/0159654	12/2016	Kendrick	N/A	N/A
2017/0175516	12/2016	Eslinger	N/A	N/A
2017/0204852	12/2016	Barnett	N/A	N/A
2017/0212535	12/2016	Shelman et al.	N/A	N/A
2017/0218727	12/2016	Oehring	N/A	N/A
2017/0218843	12/2016	Oehring	N/A	N/A
2017/0222409	12/2016	Oehring	N/A	N/A
2017/0226838	12/2016	Ciezobka et al.	N/A	N/A
2017/0226839	12/2016	Broussard	N/A	N/A

2017/0226842	12/2016	Omont et al.	N/A	N/A
2017/0234250	12/2016	Janik	N/A	N/A
2017/0241221	12/2016	Seshadri	N/A	N/A
2017/0259227	12/2016	Morris et al.	N/A	N/A
2017/0292513	12/2016	Haddad	N/A	N/A
2017/0302218	12/2016	Janik	N/A	N/A
2017/0313499	12/2016	Hughes et al.	N/A	N/A
2017/0314380	12/2016	Oehring	N/A	N/A
2017/0314979	12/2016	Ye	N/A	N/A
2017/0328179	12/2016	Dykstra	N/A	N/A
2017/0369258	12/2016	DeGaray	N/A	N/A
2017/0370639	12/2016	Bardon et al.	N/A	N/A
2018/0028992	12/2017	Stegemoeller	N/A	N/A
2018/0038216	12/2017	Zhang	N/A	N/A
2018/0045331	12/2017	Lopez	N/A	N/A
2018/0090914	12/2017	Johnson et al.	N/A	N/A
2018/0156210	12/2017	Oehring	N/A	N/A
2018/0181830	12/2017	Luharuka et al.	N/A	N/A
2018/0183219	12/2017	Oehring	N/A	N/A
2018/0216455	12/2017	Andreychuk	N/A	N/A
2018/0238147	12/2017	Shahri	N/A	N/A
2018/0245428	12/2017	Richards	N/A	N/A
2018/0258746	12/2017	Broussard	N/A	N/A
2018/0259080	12/2017	Dale et al.	N/A	N/A
2018/0266217	12/2017	Funkhouser et al.	N/A	N/A
2018/0266412	12/2017	Stokkevag	N/A	N/A
2018/0274446	12/2017	Oehring	N/A	N/A
2018/0284817	12/2017	Cook et al.	N/A	N/A
2018/0291713	12/2017	Jeanson	N/A	N/A
2018/0298731	12/2017	Bishop	N/A	N/A
2018/0312738	12/2017	Rutsch et al.	N/A	N/A
2018/0313677	12/2017	Warren et al.	N/A	N/A
2018/0320483	12/2017	Zhang	N/A	N/A
2018/0343125	12/2017	Clish	N/A	N/A
2018/0363437	12/2017	Coli	N/A	N/A
2018/0363640	12/2017	Kajita et al.	N/A	N/A
2018/0366950	12/2017	Pedersen et al.	N/A	N/A
2019/0003329	12/2018	Morris	N/A	N/A
2019/0010793	12/2018	Hinderliter	N/A	N/A
2019/0040727	12/2018	Oehring et al.	N/A	N/A
2019/0055827	12/2018	Coli	N/A	N/A
2019/0063309	12/2018	Davis	N/A	N/A
2019/0100989	12/2018	Stewart	N/A	N/A
2019/0112910	12/2018	Oehring	N/A	N/A
2019/0119096	12/2018	Haile	N/A	N/A
2019/0120024	12/2018	Oehring	N/A	N/A
2019/0128080	12/2018	Ross	N/A	N/A
2019/0128104	12/2018	Graham et al.	N/A	N/A
2019/0145251	12/2018	Johnson	N/A	N/A
2019/0154020	12/2018	Glass	N/A	N/A

2019/0162061	12/2018	Stephenson	N/A	N/A
2019/0169971	12/2018	Oehring	N/A	N/A
2019/0178057	12/2018	Hunter	N/A	N/A
2019/0178235	12/2018	Coskrey	N/A	N/A
2019/0203567	12/2018	Ross	N/A	N/A
2019/0203572	12/2018	Morris	N/A	N/A
2019/0211661	12/2018	Reckels	N/A	N/A
2019/0226317	12/2018	Payne	N/A	N/A
2019/0245348	12/2018	Hinderliter	N/A	N/A
2019/0249527	12/2018	Kraynek	N/A	N/A
2019/0257462	12/2018	Rogers	N/A	N/A
2019/0292866	12/2018	Ross	N/A	N/A
2019/0292891	12/2018	Kajaria	N/A	N/A
2020/0040878	12/2019	Morris	N/A	N/A
2020/0047141	12/2019	Oehring et al.	N/A	N/A
2020/0088152	12/2019	Alloin	N/A	F03B 15/00
2020/0088202	12/2019	Sigmar	N/A	E21B 43/26
2020/0194976	12/2019	Benussi	N/A	N/A
2020/0205301	12/2019	McGuire et al.	N/A	N/A
2020/0232454	12/2019	Chretien	N/A	N/A
2020/0325760	12/2019	Markham	N/A	N/A
2020/0350790	12/2019	Luft et al.	N/A	N/A
2022/0090477	12/2021	Zhang	N/A	F02C 7/24
2022/0127943	12/2021	El Tawy	N/A	E21B 43/2607

#### FOREIGN PATENT DOCUMENTS

Patent No.	Application Date	Country	CPC
734988	12/1996	AU	N/A
2011203353	12/2010	AU	N/A
2158637	12/1993	CA	N/A
2406801	12/2000	CA	N/A
2653069	12/2006	CA	N/A
2707269	12/2009	CA	N/A
2482943	12/2010	CA	N/A
3050131	12/2010	CA	N/A
2773843	12/2011	CA	N/A
2845347	12/2011	CA	N/A
2955706	12/2011	CA	N/A
2966672	12/2011	CA	N/A
3000322	12/2012	CA	N/A
2787814	12/2013	CA	N/A
2833711	12/2013	CA	N/A
2978706	12/2015	CA	N/A
2944980	12/2016	CA	N/A
3006422	12/2016	CA	N/A
3018485	12/2016	CA	N/A
2964593	12/2016	CA	N/A
2849825	12/2017	CA	N/A
3067854	12/2018	CA	N/A
2919649	12/2018	CA	N/A

2919666	12/2018	CA	N/A
2797081	12/2018	CA	N/A
2945579	12/2018	CA	N/A
101639059	12/2009	CN	N/A
20168751	12/2009	CN	N/A
101977016	12/2010	CN	N/A
201730812	12/2010	CN	N/A
201819992	12/2010	CN	N/A
201925157	12/2010	CN	N/A
202023547	12/2010	CN	N/A
202157824	12/2011	CN	N/A
102602322	12/2011	CN	N/A
202406331	12/2011	CN	N/A
202463670	12/2011	CN	N/A
202500735	12/2011	CN	N/A
202545207	12/2011	CN	N/A
103095209	12/2012	CN	N/A
104117308	12/2013	CN	N/A
102758604	12/2013	CN	N/A
104196613	12/2013	CN	N/A
205986303	12/2016	CN	N/A
108049999	12/2017	CN	N/A
112196508	12/2020	CN	N/A
3453827	12/2018	EP	N/A
3456915	12/2018	EP	N/A
2004264589	12/2003	JP	N/A
3626363	12/2004	JP	N/A
2008263774	12/2007	JP	N/A
2012-117371	12/2011	JP	N/A
20100028462	12/2009	KR	N/A
48205	12/2004	RU	N/A
98493	12/2009	RU	N/A
2421605	12/2010	RU	N/A
93/20328	12/1992	WO	N/A
98/53182	12/1997	WO	N/A
2008081368	12/2007	WO	N/A
2008/136883	12/2007	WO	N/A
2009/023042	12/2008	WO	N/A
2009046280	12/2008	WO	N/A
2011/127305	12/2010	WO	N/A
2012/122636	12/2011	WO	N/A
2012/137068	12/2011	WO	N/A
2014177346	12/2013	WO	N/A
2016/144939	12/2015	WO	N/A
2016/160458	12/2015	WO	N/A
2018044307	12/2017	WO	N/A
2018213925	12/2017	WO	N/A
2019210417	12/2018	WO	N/A

## OTHER PUBLICATIONS

Fluid Power, Clean Fleet Reduces Emissions by 99% at Hydraulic Fracturing Sites, Jan. 11, 2005, 3 pages. cited by applicant

Gardner Denver—Well Servicing Pump Model GD-2500Q, GD-2500Q-HD, Quintuplex Pumps, GWS Fluid End Parts List, Jul. 2011, 39 pages. cited by applicant

Gardner Denver C-2500 Quintuplex Well Service Pump 2003, 2 pages. cited by applicant

Gardner Denver GD-2500 Quintuplex Well Service Pump, 2003, 2 pages. cited by applicant

Gardner Denver GD-2500Q Quintuplex Well Service Pump Operating and Service Manual, Aug. 2005, 46 pages. cited by applicant

Gardner Denver GD-2500Q Quintuplex Well Service Pump Power End Parts List, Apr. 2007, 15 pages. cited by applicant

Gardner Denver GD-2500Q Well Service Pump, 2 pages. cited by applicant

Gardner Denver Pumps, Stimulation/Fracturing Pumps, Gd 2500Q Quintuplex Pump, Oct. 14, 2019, <http://www.gardnerdenver.com/en-us/pumps/quintuplex-pump-gd-2500q#menu>, 7 pages. cited by applicant

Gardner Denver Well Servicing Pump Model C2500Q Quintuplex Operating and Service Manual, Apr. 2011, 46 pages. cited by applicant

George E. King, “Hydraulic Fracturing 101: What Every Representative, Environmentalist, Regulator, Reporter, Investor, University Researcher, Neighbor and Engineer Should Know About Estimating Frac Risk and Improving Frac Performance in Unconventional Gas and Oil Wells,” Feb. 6-8, 2012, Society of Petroleum Engineers, 80 pages. cited by applicant

Goodwin, “High-voltage auxiliary switchgear for power stations,” Power Engineering Journal, 1989, 10 pages. cited by applicant

Griswold 811, ANSI Process Pump, Installation, Operation, and Maintenance Manual, 60 pages. cited by applicant

Guffey, “Field testing of variable-speed beam-pump computer control,” May 1991, SPE Production Engineering, pp. 155-160. cited by applicant

Honghua Group Customer Spreadsheet, 2 pages. cited by applicant

Honghua Group Limited, Complete Equipment and System Integrating by Using of Gas Power-gen and Power Grid and VFD System, 30 pages. cited by applicant

Honghua Group Limited, Is gas and electricity driven equipment the future trend for develop lithologic reservoirs, 2 pages. cited by applicant

Honghua Group, Honghua America, LLC, HHF—1600 Mud Pump, 2 pages. cited by applicant

Honghua Group, Honghua Shale Gas Solutions Power Point Slides, Feb. 2012, 41 pages. cited by applicant

International Search Report and Written Opinion dated Sep. 19, 2018 in related PCT Patent Application No. PCT/US2018/040683. cited by applicant

International Search Report and Written Opinion dated Jan. 2, 2019 in related PCT Patent Application No. PCT/US18/54542. cited by applicant

International Search Report and Written Opinion dated Jan. 2, 2019 in related PCT Patent Application No. PCT/US18/54548. cited by applicant

International Search Report and Written Opinion dated Dec. 31, 2018 in related PCT Patent Application No. PCT/US18/55913. cited by applicant

International Search Report and Written Opinion dated Jan. 4, 2019 in related PCT Patent Application No. PCT/US18/57539. cited by applicant

International Search Report and Written Opinion dated Mar. 5, 2019 in related PCT Patent Application No. PCT/US18/63970. cited by applicant

International Search Report and Written Opinion dated Feb. 15, 2019 in related PCT Patent Application No. PCT/US18/63977. cited by applicant

International Search Report and Written Opinion mailed Apr. 10, 2019 in corresponding PCT



Application No. PCT/US2019/016635. cited by applicant

International Search Report and Written Opinion mailed Sep. 11, 2019 in related PCT Application No. PCT/US2019/037493. cited by applicant

International Search Report and Written Opinion mailed Nov. 26, 2019 in related PCT Application No. PCT/US19/51018. cited by applicant

International Search Report and Written Opinion mailed Feb. 11, 2020 in related PCT Application No. PCT/US2019/055323. cited by applicant

International Search Report and Written Opinion mailed Jan. 2, 2020 in related PCT Application No. PCT/US19/55325. cited by applicant

International Search Report and Written Opinion mailed Jul. 22, 2020 in related PCT Application No. PCT/US20/00017. cited by applicant

International Search Report and Written Opinion mailed Jun. 2, 2020 in related PCT Application No. PCT/US20/23809. cited by applicant

International Search Report and Written Opinion Mailed Aug. 28, 2020 in PCT/US20/23821. cited by applicant

International Search Report and Written Opinion mailed Jun. 23, 2020 in related PCT Application No. PCT/US20/23912. cited by applicant

International Search Report and Written Opinion Mailed Sep. 3, 2020 in PCT/US2020/36932. cited by applicant

International Search Report and Written Opinion mailed Nov. 24, 2020 in corresponding PCT Application No. PCT/US20/44274. cited by applicant

International Search Report and Written Opinion mailed Dec. 14, 2020 in PCT/US2020/53980. cited by applicant

International Search Report and Written Opinion mailed Feb. 3, 2021 in PCT/US20/58899. cited by applicant

International Search Report and Written Opinion mailed Feb. 2, 2021 in PCT/US20/58906. cited by applicant

International Search Report and Written Opinion mailed Feb. 4, 2021 in PCT/US20/59834. cited by applicant

International Search Report and Written Opinion mailed in PCT/US2020/066543 mailed May 11, 2021. cited by applicant

International Search Report and Written Opinion mailed in PCT/US20/67146 mailed Mar. 29, 2021. cited by applicant

International Search Report and Written Opinion mailed in PCT/US20/67523 mailed Mar. 22, 2021. cited by applicant

International Search Report and Written Opinion mailed in PCT/US20/67526 mailed May 6, 2021. cited by applicant

International Search Report and Written Opinion mailed in PCT/US20/67528 mailed Mar. 19, 2021. cited by applicant

International Search Report and Written Opinion mailed in PCT/US20/67608 mailed Mar. 30, 2021. cited by applicant

Irvine, "The use of variable frequency drives as a final control in the petroleum industry," 2000, IEEE, pp. 2749-2758. cited by applicant

Joanne Liou, Hunghua Group introduces 6,000-hp integrated shale gas system, Drilling Matters, May 21, 2012, 2 pages. cited by applicant

Jon Gates, ASME Hydraulic Fracturing Conference, Mar. 24, 2015, <http://www.otrglobal.com/newsroom/cnotes/128720>, 6 pages. cited by applicant

Karim, "Duel Fuel Diesel Engines," (2015), Taylor & Francis, pp. 62-63, Retrieved from <https://app.knovel.com/hotlink/toc/id:kpDFDE0001/dual-fuel-diesel-engines/duel-fuel-diesel-engines>. cited by applicant

Woodbury et al., "Electrical Design Considerations for Drilling Rigs," IEEE Transactions on Industry Applications, vol. 1A-12, No. 4, Jul. /Aug. 1976, pp. 421-431. cited by applicant

Non-Final Office Action mailed Sep. 20, 2019 in related U.S. Appl. No. 16/443,273. cited by applicant

Non-Final Office Action Mailed Oct. 5, 2020 in U.S. Appl. No. 16/443,273. cited by applicant

Non-Final Office Action mailed May 22, 2020 in related U.S. Appl. No. 16/458,696. cited by applicant

Non-Final Office Action mailed Jan. 4, 2021 in U.S. Appl. No. 16/522,043. cited by applicant

Non-Final Office Action mailed Jan. 29, 2021 in U.S. Appl. No. 16/564,185. cited by applicant

Non-Final Office Action mailed Dec. 6, 2019 in related U.S. Appl. No. 16/564,186. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 16/564,186 mailed Oct. 15, 2021. cited by applicant

Non-Final Office Action mailed Dec. 23, 2019 in related U.S. Appl. No. 16/597,008. cited by applicant

Non-Final Office Action mailed Jan. 10, 2020 in related U.S. Appl. No. 16/597,014. cited by applicant

Non-Final Office Action mailed Jul. 23, 2020 in related U.S. Appl. No. 16/597,014. cited by applicant

Non-Final Office Action mailed Jun. 29, 2020 in related U.S. Appl. No. 16/728,359. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 16/871,328 mailed Dec. 9, 2021. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 16/871,928 mailed Aug. 25, 2021. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 16/901,774 mailed Sep. 14, 2021. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 16/943,727 mailed Aug. 3, 2021. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 16/943,935 mailed Oct. 21, 2021. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 17/060,647 mailed Sep. 20, 2021. cited by applicant

Notice of Allowance issued in corresponding U.S. Appl. No. 14/622,532 dated Mar. 27, 2017. cited by applicant

Notice of Allowance for U.S. Appl. No. 15/202,085, dated May 1, 2019. cited by applicant

Notice of Allowance issued in corresponding U.S. Appl. No. 15/217,040 dated Mar. 28, 2017. cited by applicant

Notice of Allowance mailed Apr. 23, 2019 in corresponding U.S. Appl. No. 15/653,028. cited by applicant

Notice of Allowance and Notice of Allowability issued in U.S. Appl. No. 15/829,419 mailed Jul. 26, 2021. cited by applicant

Notice of Allowance mailed Jan. 9, 2020 in related U.S. Appl. No. 16/570,331. cited by applicant

Final Office Action mailed Oct. 20, 2020 in related U.S. Appl. No. 16/268,030. cited by applicant

Offshore Technology Conference, Houston, TX, Apr. 30-May 3, 2012, Honghua Group Brochure and Pictures, 12 pages. cited by applicant

Onyx Industries Inc., Stack Light Engineering Reference Guide, Sep. 23, 2012, first page only. cited by applicant

Pemberton, "Strategies for Optimizing pump efficiency and LCC performance: process pumps are the largest consumers of energy in a typical pulp and paper mill—boosting their efficiency is a new

avenue to reduced plant operating costs,” Jun. 2003, Paper Age. pp. 28-32. cited by applicant

R. Ikeda et al., “Hydraulic fracturing technique: pore pressure effect and stress heterogeneity,” 1989, Int. J. Rock Mech. Min. Sci. & Geomech., vol. 26, No. 6, pp. 471-475. cited by applicant

R. Saidur, “Applications of variable speed drive (VSD) in electrical motors energy savings,” 2012, vol. 16, pp. 543-550. cited by applicant

Response to Non-Final Office Action dated Aug. 3, 2015 in related U.S. Appl. No. 13/679,689, 62 pages. cited by applicant

Robert B. Thompson, “Optimizing the production system using real-time measurements: a piece of the digital oilfield puzzle,” Nov. 11-14, 2007, SPE Annual Technical Conference and Exhibition, Anaheim, CA, pp. 1-10. cited by applicant

S.K. Subramaniam, “Production Monitoring System for Monitoring the Industrial Shop Floor Performance,” 2009, International Journal of Systems Applications, Engineering & Development, vol. 3, Issue 1, pp. 28-35. cited by applicant

Schlumberger, JET Manual 23, Jan. 31, 2007, 68 pages. cited by applicant

Steve Besore, MTU Detroit Diesel Inc., “How to select generator sets for today's oil and gas drill rigs: careful comparison and selection can improve performance and reduce costs,” May 5, 2010, 4 pages, [https://www.mtu-online.com/fileadmin/fm-dam/mtu-USA/mtuinnorthamerica/white-papers/WhitePaper\\_EDP.pdf](https://www.mtu-online.com/fileadmin/fm-dam/mtu-USA/mtuinnorthamerica/white-papers/WhitePaper_EDP.pdf). cited by applicant

Stewart & Stevenson, Stimulation Systems, 2012, 20 pages. cited by applicant

Stuart H. Loewenthal, Design of Power-Transmitting Shafts, NASA Reference Publication 1123, Jul. 1984, 30 pages. cited by applicant

TESS Record—Trademark for Clean Fleet registered Sep. 5, 2013, accessed Jan. 14, 2020, 2 pages. cited by applicant

TMEIC, TMEIC Industrial Motors Manual, 2012, 12 pages. cited by applicant

Toshiba 2011 Industrial Catalog, Drives, PAC, PLCs, 2011, 272 pages. cited by applicant

Toshiba H9 ASD Installation and Operation Manual, Mar. 2011, 287 pages. cited by applicant

Toshiba, G9 Brochure—G9 Series Adjustable Speed Drives, Jun. 2007, 6 pages. cited by applicant

Toshiba, Toshiba Q9 Asd Installation and Operation Manual, Apr. 2010, 233 pages. cited by applicant

U.S. Well Services, About U.S. Well Services, accessed Jan. 14, 2020, 14 pages. cited by applicant

U.S. Well Services, Game-changing hydraulic fracturing technology, reduces emissions by 99%: U.S. Well Services's patented clean fleet technology proven to cut emission, save fuel and allow for quieter operations on site, Oct. 1, 2014, 3 pages. cited by applicant

UK Power Networks—Transformers to Supply Heat to Tate Modern—from Press Releases May 16, 2013. cited by applicant

Unknown, “Andon (manufacturing),” last edited Sep. 8, 2019, [https://en.wikipedia.org/w/index.php?title=Andon\\_\(manufacturing\)&oldid=914575778](https://en.wikipedia.org/w/index.php?title=Andon_(manufacturing)&oldid=914575778), 2 pages. cited by applicant

Unknown, “Improving the Drilling Cycle,” Oilfield Technology, Dec. 2009, vol. 2, Issue 9, 5 pages. cited by applicant

Unknown, “U.S. Well Services for Antero Fracking,” Oct. 3, 2014, HHP Insight, <http://hhpinsight.com/epoperations/2014/10/u-s-well-services-for-antero-fracking/>, 3 pages. cited by applicant

Unknown, Evolution Well Services advances fracturing operations with an electrically powered system, Calgary PR Newsire, Jun. 4, 2012, 2 pages. cited by applicant

Warren Electric Corp., Hydraulic heaters maintain fluid quality and consistency, Hydraulics & Pneumatics, Dec. 30, 2010, 12 pages. cited by applicant

International Search Report and Written Opinion mailed Jul. 9, 2019 in corresponding PCT Application No. PCT/US2019/027584. cited by applicant

Kroposki et al., Making Microgrids Work, 6 IEEE Power and Energy Mag. 40, 41 (2008). cited by

applicant

Linda Kane, Energy pipeline: US Well Services brings clean fleet to Weld County, Nov. 4, 2015, Greeley Tribute, 7 pages. cited by applicant

Louisiana State University, Petroleum alumnus and team develop mobile fracturing unit that alleviates environmental impact, LSU School of EE & CS, Nov. 2012, 2 pages. cited by applicant

Luis Gamboa, "Variable Frequency Drives in Oil and Gas Pumping Systems," Pumps & Systems, Dec. 17, 2011, <https://www.pumpsandsystems.com/variable-frequency-drives-oil-and-gas-pumping-systems>, 5 pages. cited by applicant

Mactec, Fract Test with VFDs Final Report Hydraulic Fracturing Pilot Test Results and Preliminary Full Scale Design United Nuclera Church Rock Facility, Dec. 23, 2003, 73 pages. cited by applicant

Morris et al., U.S. Appl. No. 62/526,869; Hydration-Blender Transport and Electric Power Distribution for Fracturing Operation; Jun. 28, 2018; USPTO; see entire document. cited by applicant

Nikolich, "Compressors, pumps, refrigeration equipment: improvement and specialization of piston pumps for oil and gas well-drilling and production operations," 1996, Chemical and Petroleum Engineering, vol. 32, pp. 157-162. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 14/622,532 dated May 17, 2016. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 14/622,532 dated Aug. 5, 2015. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 14/881,535 dated Oct. 6, 2017. cited by applicant

Non-Final Office Action mailed May 20, 2020 in related U.S. Appl. No. 14/881,535. cited by applicant

Non-Final Office Action issued in U.S. Appl. No. 14/881,535 mailed Jul. 21, 2021. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 14/884,363 dated Sep. 5, 2017. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 15/145,414 dated Nov. 29, 2017. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 15/145,443 dated Feb. 7, 2017. cited by applicant

Non-Final Office Action mailed May 8, 2020 in related U.S. Appl. No. 15/145,443. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 15/145,491 on Sep. 12, 2016. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 15/145,491 dated May 15, 2017. cited by applicant

Non-Final Office Action dated Apr. 2, 2018 in related U.S. Appl. No. 15/183,387. cited by applicant

Non-Final Office Action issued Mar. 6, 2019 in related U.S. Appl. No. 15/183,387. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 15/217,040 dated Nov. 29, 2016. cited by applicant

Non-Final Office Action dated Oct. 4, 2018 in related U.S. Appl. No. 15/217,081. cited by applicant

Non-Final Office Action dated May 29, 2018 in related U.S. Appl. No. 15/235,716. cited by applicant

Non-Final Office Action issued in corresponding U.S. Appl. No. 15/235,788 dated Dec. 14, 2016.

cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 15/291,842 dated Jan. 6, 2017.  
cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 15/293,681 dated Feb. 16, 2017.  
cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 15/294,349 dated Mar. 14, 2017.  
cited by applicant  
Non-Final Office Action dated Apr. 10, 2018 in related U.S. Appl. No. 15/294,349. cited by applicant  
Non-Final Office Action mailed Aug. 19, 2019 in related U.S. Appl. No. 15/356,436. cited by applicant  
Non-Final Office Action Mailed Oct. 26, 2020 in U.S. Appl. No. 15/356,436. cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 15/486,970 dated Jun. 22, 2017.  
cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 15/487,656 dated Jun. 23, 2017.  
cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 15/487,694 dated Jun. 26, 2017.  
cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 15/644,487 dated Nov. 13, 2017.  
cited by applicant  
Non-Final Office Action dated Jul. 25, 2018 in related U.S. Appl. No. 15/644,487. cited by applicant  
Non-Final Office Action mailed Sep. 3, 2019 in related U.S. Appl. No. 15/994,772. cited by applicant  
Non-Final Office Action mailed Mar. 3, 2020 in related U.S. Appl. No. 16/152,695. cited by applicant  
Non-Final Office Action mailed Oct. 2, 2019 in related U.S. Appl. No. 16/152,732. cited by applicant  
Non-Final Office Action dated Dec. 12, 2018 in related U.S. Appl. No. 16/160,708. cited by applicant  
Non-Final Office Action Mailed Aug. 31, 2020 in U.S. Appl. No. 16/167,083. cited by applicant  
Non-Final Office Action issued Feb. 12, 2019 in related U.S. Appl. No. 16/170,695. cited by applicant  
Non-Final Office Action issued Feb. 25, 2019 in related U.S. Appl. No. 16/210,749. cited by applicant  
Non-Final Office Action issued in corresponding U.S. Appl. No. 16/268,030 dated May 10, 2019.  
cited by applicant  
Non-Final Office Action Mailed Sep. 2, 2020 in U.S. Appl. No. 16/356,263. cited by applicant  
Non-Final Office Action mailed Jun. 22, 2020 in related U.S. Appl. No. 16/377,861. cited by applicant  
Non-Final Office Action mailed Oct. 11, 2019 in related U.S. Appl. No. 16/385,070. cited by applicant  
Non-Final Office Action mailed Aug. 4, 2020 in related U.S. Appl. No. 16/385,070. cited by applicant  
Non-Final Office Action mailed Jun. 29, 2020 in related U.S. Appl. No. 16/404,283. cited by applicant  
Non-Final Office Action issued in U.S. Appl. No. 16/404,283 mailed Jul. 21, 2021. cited by applicant  
“Heat Exchanger” ([https://en.wikipedia.org/w/index.php?title=Heat\\_exchanger&oldid=89300146](https://en.wikipedia.org/w/index.php?title=Heat_exchanger&oldid=89300146))  
Dec. 18, 2019 Apr. 2019 (Apr. 18, 2019), entire document, especially para (0001)]. cited by

applicant

“Process Burner” (<https://www.cebassrt.com/products/loi-gas/process-burner>) 06 Sep. 6, 2018 (Sep. 6, 2018), entire document, especially para (Burners for refinery Heaters]. cited by applicant

“Water and Glycol Heating Systems” (<https://www.heat-inc.com/wg-series-water-glycol-systems/>) Jun. 18, 2018 (Jun. 18, 2018), entire document, especially WG Series Water Glycol Systems. cited by applicant

ABB Group, MV Drive benefits for shale gas applications, Powerpoint, Apr. 2012, 16 pages. cited by applicant

ABB, ABB Drive Ware User's Guide, DriveWindow Light 2, Oct. 15, 2013, 45 pages. cited by applicant

ABB, ABB Drive Ware User's Manual, DriveWindow 2, Dec. 31, 2012, 604 pages. cited by applicant

ABB, ABB drives in chemical, oil and gas Medium voltage drives for greater profitability and performance, 2011, 16 pages. cited by applicant

ABB, ABB drives in power generation: medium voltage drives for more efficient and reliable plant operation, 2006, 12 pages. cited by applicant

ABB, Drive PC Tools: Startup and maintenance, DriveWindow Light, 2014, 2 pages. cited by applicant

ABB, Global Center of Excellence DC Drives: DriveWindow light upgrade for DC drives Used for DWL 2.95 and DC DriveAP, Dec. 4, 2018, 1 page. cited by applicant

ABB, Industry Brochure—ABB drives in chemical, oil and gas medium voltage drives for greater profitability and performance, 2008, 16 pages. cited by applicant

Albone, “Mobile Compressor Stations for Natural Gas Transmission Service,” ASME 67-GT-33, Turbo Expo, Power for Land, Sea and Air, vol. 79887, p. 1-10, 1967. cited by applicant

Andrew Howard Nunn, “The feasibility of natural gas as a fuel source for modern land-based drilling,” Dec. 2011, 94 pages. cited by applicant

ASME, Hydraulic Fracturing's Greener Tint, Jan. 11, 2018, 2 pages. cited by applicant

Borets, “Borets Oil Equipment,” accessed Sep. 4, 2020, 150 pages. cited by applicant

Business Wire, Hunghua Group showcases shale gas, offshore and land drilling solutions at the 2013 Offshore Technology Conference, May 6, 2013, 2 pages. cited by applicant

Canadian Office Action dated Mar. 2, 2018 in related Canadian Patent Application No. 2,833,711. cited by applicant

Canadian Office Action mailed May 30, 2019 in corresponding CA Application No. 2,833,711. cited by applicant

Canadian Office Action dated Jun. 22, 2018 in related Canadian Patent Application No. 2,886,697. cited by applicant

Canadian Office Action issued Sep. 8, 2020 in Canadian Application No. 2,928,707. cited by applicant

Canadian Office Action dated Apr. 18, 2018 in related Canadian Patent Application No. 2,928,711. cited by applicant

Canadian Office Action mailed Aug. 18, 2020 in related CA Application No. 2,933,444. cited by applicant

Canadian Office Action mailed Jan. 30, 2019 in related Canadian Patent Application No. 2,936,997. cited by applicant

Canadian Office Action mailed Oct. 1, 2019 in related Canadian Patent Application No. 2,936,997. cited by applicant

Canadian Office Action mailed Mar. 1, 2019 in related Canadian Patent Application No. 2,943,275. cited by applicant

Canadian Office Action mailed Aug. 17, 2020 in related CA Application No. 2,944,968. cited by applicant

Canadian Office Action issued Aug. 31, 2020 in Canadian Application No. 2,944,980. cited by applicant

Canadian Office Action dated Sep. 28, 2018 in related Canadian Patent Application No. 2,945,281. cited by applicant

Canadian Office Action mailed Jun. 20, 2019 in corresponding CA Application No. 2,964,597. cited by applicant

Canadian Office Action issued Sep. 22, 2020 in Canadian Application No. 2,982,974. cited by applicant

Canadian Office Action issued in Canadian Application No. 3,094,768 mailed Oct. 28, 2021. cited by applicant

Charlotte Owen, "Chinese company launches new fracking rigs," May 2, 2012, Oil & Gas Technology Magazine, 2 pages. cited by applicant

U.S. Appl. No. 61/472,861, Coli Patent Application, "Mobile, modular, electrically powered system for use in fracturing underground formations," filed Apr. 7, 2011, 28 pages. cited by applicant

Coli, Mobile, modular, electrically powered system for use in fracturing underground formations using liquid petroleum gas, Oct. 5, 2012, U.S. Appl. No. 61/710,393, 59 pages. cited by applicant

Dan T. Ton & Merrill A. Smith, The U.S. Department of Energy's Microgrid Initiative, 25 The Electricity J. 84 (2012), p. 84-94. cited by applicant

Discenzo, "Next Generation Pump Systems Enable New Opportunities for Asset Management and Economic Optimization," accessed Sep. 4, 2020, 8 pages. cited by applicant

Final Office Action issued in corresponding U.S. Appl. No. 14/622,532 mailed Dec. 21, 2015. cited by applicant

Final Office Action issued in corresponding U.S. Appl. No. 14/622,532 mailed Dec. 7, 2016. cited by applicant

Final Office Action issued in corresponding U.S. Appl. No. 15/145,491 dated Sep. 6, 2017. cited by applicant

Final Office Action issued in corresponding U.S. Appl. No. 15/145,491 mailed Jan. 20, 2017. cited by applicant

Final Office Action issued in corresponding U.S. Appl. No. 15/294,349 dated Jul. 6, 2017. cited by applicant

Final Office Action mailed Mar. 31, 2020 in related U.S. Appl. No. 15/356,436. cited by applicant

Final Office Action issued in corresponding U.S. Appl. No. 16/170,695 dated Jun. 7, 2019. cited by applicant

Final Office Action issued in corresponding U.S. Appl. No. 16/210,749 dated Jun. 11, 2019. cited by applicant

Final Office Action mailed Sep. 11, 2019 in related U.S. Appl. No. 16/268,030. cited by applicant

Final Office Action issued in U.S. Appl. No. 16/356,263 mailed Oct. 7, 2021. cited by applicant

Final Office Action mailed Jan. 11, 2021 in U.S. Appl. No. 16/404,283. cited by applicant

Final Office Action mailed Jan. 21, 2021 in U.S. Appl. No. 16/458,696. cited by applicant

Final Office Action mailed Feb. 4, 2021 in U.S. Appl. No. 16/597,014. cited by applicant

Finger, "Sandia National Handbook Laboratories Report: Slimhole handbook: procedures and recommendations for slimhole drilling and testing in geothermal exploration," Oct. 1999, 164 pages. cited by applicant

---

*Primary Examiner:* Thompson; Kenneth L

*Attorney, Agent or Firm:* Abel Schillinger, LLP

---

## Background/Summary

CROSS REFERENCE TO RELATED APPLICATIONS (1) This application is a continuation of U.S. patent application Ser. No. 16/943,727 filed Jul. 30, 2020, titled HIGH CAPACITY POWER STORAGE SYSTEM FOR ELECTRIC HYDRAULIC FRACTURING, now U.S. Pat. No. 11,542,786, issued Jan. 3, 2023, which claims priority to and the benefit of U.S. Provisional Application No. 62/881,174, filed Aug. 1, 2019, titled HIGH CAPACITY POWER STORAGE SYSTEM FOR ELECTRIC HYDRAULIC FRACTURING, the full disclosures of which are hereby incorporated herein by reference in their entirety for all intents and purposes.

### BACKGROUND

#### 1. Field of Invention

(1) This invention relates in general to equipment used hydraulic fracturing operations, and in particular, to electricity storage at a hydraulic fracturing site.

#### 1. Description of the Prior Art

(2) Hydraulic Fracturing is a technique used to stimulate production from some hydrocarbon producing wells. The technique involves injecting hydraulic fracturing fluid into a wellbore at a pressure sufficient to generate fissures in the formation surrounding the wellbore. Hydrocarbons can then flow through the fissures to a production bore. The hydraulic fracturing fluid is typically injected into the wellbore using hydraulic fracturing pumps, which can be powered, in some cases, by electric motors. The electric motors can in turn be powered by generators.

(3) Preserving and extending the life and durability of power generators at an electric hydraulic fracturing site is a priority. This objective, however, can be undermined by overloading power generation equipment. Such overloading reduces the life span of the equipment, and can also create a hazardous environment at a wellsite due to malfunctions and overheating in close proximity with other hydraulic fracturing equipment.

(4) The fast response electricity storage system of the present technology is one viable option to assisting in power distribution, in particular at times when power generation equipment is overloaded. Not only does such a system provide a rapid and effective way to supply power when demand is high, but it also possesses other features that help provide continuous reliable power to hydraulic fracturing equipment.

### SUMMARY

(5) One embodiment of the present technology provides a hydraulic fracturing power system, including a power source, a power storage system, and electric powered hydraulic fracturing equipment in selective electrical communication with the power source, the power storage system, or both. The system further includes at least one circuit breaker between the power source, the power storage system, or both, and the electric powered hydraulic fracturing equipment, the circuit breaker having an open position that opens an electric circuit between the electric powered hydraulic fracturing equipment and the power source, the power storage system, or both, and a closed position that closes the electric circuit.

(6) In some embodiments, the power storage system can be at least one solid state battery selected from the group consisting of electrochemical capacitors, lithium ion batteries, nickel-cadmium batteries, and sodium sulfur batteries. Alternatively, the power storage system can be at least one flow battery selected from the group consisting of redox batteries, iron-chromium batteries, vanadium redox batteries, and zinc-bromine batteries. The at least one battery can be rechargeable.

(7) In certain embodiments, the at least one circuit breaker can include a first circuit breaker and a second circuit breaker, the first circuit breaker electrically connected to the power source, and the second circuit breaker electrically connected to the power storage system. Each of the first circuit breaker and the second circuit breaker can be electrically connected to the electric powered



hydraulic fracturing equipment via a common bus. Alternatively, the at least one circuit breaker can be a first circuit breaker, and both the power source and the power storage system can be electrically connected to the first circuit breaker.

(8) In some embodiments, at least one of the power source and the power storage system can be electrically connected to the at least one circuit break via a power line. In addition, the power storage system can be mounted on a trailer. Furthermore, the at least one circuit breaker can be substantially enclosed in a switchgear housing.

(9) Another embodiment of the present technology provides a system for powering electric hydraulic fracturing equipment, the system including a power storage system, electric powered hydraulic fracturing equipment in selective electrical communication with the power storage system, and at least one circuit breaker between the power storage system and the electric powered hydraulic fracturing equipment, the circuit breaker configured to facilitate or prevent electrical communication between the power storage system and the electric powered hydraulic fracturing equipment.

(10) In certain embodiments, the power storage system can be at least one solid state battery selected from the group consisting of electrochemical capacitors, lithium ion batteries, nickel-cadmium batteries, and sodium sulfur batteries. Alternatively, the power storage system can be at least one flow battery selected from the group consisting of redox batteries, iron-chromium batteries, vanadium redox batteries, and zinc-bromine batteries.

(11) In addition, certain embodiments of the technology can also include a power source. In such embodiments, the at least one circuit breaker can include a first circuit breaker and a second circuit breaker, the first circuit breaker electrically connected to the power source, and the second circuit breaker electrically connected to the power storage system. Alternatively, the at least one circuit breaker can be a first circuit breaker, and wherein both the power source and the power storage system are electrically connected to the first circuit breaker.

(12) Some embodiments can include a power source, wherein at least one of the power source and the power storage system are electrically connected to the at least one circuit breaker via a power line, and wherein the at least one circuit breaker is substantially enclosed in a switchgear housing. Furthermore, the power source can be rechargeable. Alternatively, the power source can be electrically connected to the at least one circuit breaker via a power line, and the power storage system can be located adjacent the switchgear housing and electrically coupled directly to the switchgear without a power line.

(13) Additionally, yet another embodiment can include software in communication with the power storage system, the software configured to monitor the state of the power storage system and to integrate control of the power storage system with other features of the system for powering electric hydraulic fracturing equipment.

---

## Description

### BRIEF DESCRIPTION OF THE DRAWINGS

(1) The present technology will be better understood on reading the following detailed description of non-limiting embodiments thereof, and on examining the accompanying drawings, in which:

(2) FIG. 1A is a schematic diagram of a hydraulic fracturing power system according to an embodiment of the present technology;

(3) FIG. 1B is a schematic diagram of a power storage system as used in the embodiment of the hydraulic fracturing power system of FIG. 1A;

(4) FIG. 2A is a schematic diagram of a hydraulic fracturing power system according to an alternate embodiment of the present technology;

(5) FIG. 2B is a schematic diagram of a power storage system as used in the embodiment of the

hydraulic fracturing power system of FIG. 2A;

(6) FIG. 3A is a schematic diagram of a hydraulic fracturing power system according to another alternate embodiment of the present technology;

(7) FIG. 3B is a schematic diagram of an alternate embodiment of the hydraulic fracturing power system of FIG. 3A;

(8) FIG. 4A is a schematic diagram of a hydraulic fracturing power system according to yet another alternate embodiment of the present technology; and

(9) FIG. 4B is a schematic diagram of an alternate embodiment of the hydraulic fracturing power system of FIG. 4A.

#### DETAILED DESCRIPTION OF THE INVENTION

(10) The foregoing aspects, features and advantages of the present technology will be further appreciated when considered with reference to the following description of preferred embodiments and accompanying drawings, wherein like reference numerals represent like elements. In describing the preferred embodiments of the technology illustrated in the appended drawings, specific terminology will be used for the sake of clarity. The invention, however, is not intended to be limited to the specific terms used, and it is to be understood that each specific term includes equivalents that operate in a similar manner to accomplish a similar purpose.

(11) According to one embodiment of the technology, a fast response electricity storage, or power storage system (PSS) can be provided to supply power to the power generation equipment of an electric hydraulic fracturing fleet when demand is high or in the event of a generator failure. The PSS system can include either solid state batteries or flow batteries. Solid state batteries can include, for example, electrochemical capacitors, lithium ion batteries, nickel-cadmium batteries, and sodium sulfur batteries. In addition, solid state batteries can charge or discharge based on electricity usage, and such charging and discharging can be paired with a software system, to monitor the state of the batteries and control the charging and discharging of the batteries. Flow batteries can, for example, include redox, iron-chromium, vanadium redox, and zinc-bromine batteries, and can be rechargeable batteries that store electricity directly in an electrolyte solution and respond quickly as needed. The flow batteries can also be paired with software, and the software associated with the both solid state and flow batteries can be designed to integrate with an operator's existing system so that monitoring and control can be integrated with other functions.

(12) FIG. 1A shows a hydraulic fracturing power system **100** according to an embodiment of the present technology. The hydraulic fracturing power system **100** includes a power source **110**, which can be, for example, a generator, and which can feed a first circuit breaker **120**. As shown, the hydraulic fracturing power system **100** can further include a PSS **130** that can feed a second circuit breaker **140**. In some embodiments, both the first circuit breaker **120** and the second circuit breaker **140** can be housed in the same switchgear housing **150**, or trailer. Both the first circuit breaker **120** and the second circuit breaker **140** can be connected to a common bus **160**, which in some embodiments can be a large copper bar used to share power evenly to downstream equipment from upstream generators.

(13) When the power source **110** is energized with both the first and second breakers **120**, **140** closed, hydraulic fracturing equipment **170** can be supplied power while the PSS **130** stores excess electricity. The hydraulic fracturing equipment can be hydraulic fracturing pumps, blenders data vans, wireline equipment, boost pumps, cranes, lighting, chemical trailers, etc. Once load requirements increase for the equipment **170**, the PSS **130** can release its stored power onto the common bus **160** in order to reduce the load on the power source **110**. The power source **110** and the PSS **130** can share the burden of supplying power during stages of high power demand until the end of the fracturing stage. Before the next fracturing stage begins, the PSS **130** can replenish stored electricity used previously until it is needed to discharge its power. This ability to recharge and discharge intermittently or continuously as needed ensures adequate power distribution to the system by the PSS **130** throughout an operation.

(14) Also shown in FIG. 1A are third circuit breaker **180** and fourth circuit breaker **190**. Each of the third and fourth circuit breakers **180, 190** can be electrically connected to equipment **170**. In the embodiment shown in FIG. 1A, each of the third and fourth circuit breakers **180, 190** are shown connected to pieces of equipment **170**, such as, for example, two hydraulic fracturing pumps. In practice, however, the present technology contemplates any appropriate ratio of circuit breakers to equipment, including connecting each circuit breaker to a single piece of equipment, or connecting each circuit breaker to more than two pieces of equipment.

(15) One advantage to the present technology is that it is a more efficient way of providing power at peak times than known systems, such as simply providing another generator on site. In addition, the entire PSS package can be much smaller than a second generator, thereby taking up less space on a pad. The storage system will also require significantly less rig up time due to having no fuel connections, crane lifts, or mechanical alignments.

(16) FIG. 1B is a schematic depiction of the PSS **130** of the embodiment of the hydraulic fracturing power system **100** of FIG. 1A. The PSS **130** can include a plurality of battery banks **131**, each connected to a common PSS bus **132** via an optional battery bank circuit breaker **133**. The common PSS bus **132** is also connected to a PSS circuit breaker **134** which is in turn electrically connected to circuit breaker **140** in the switchgear housing **150**.

(17) Each of the connections in the PSS **130**—between the battery banks **131** and battery bank circuit breakers **133**, the battery bank circuit breakers **133** and the common PSS bus **132**, the common PSS bus **132** and the PSS circuit breaker **134**, and the PSS circuit breaker **134** and the second circuit breaker **140**—are two way connections, as indicated by double headed arrows. This means that electricity flows in both directions between the various components. One advantage to this configuration is the ability of the battery banks **131** within the PSS **130** to constantly discharge and recharge as needed or allowed by the load demands of the system. Thus, when a heavy load is required, the PSS **130** can augment the power provided by power source **110** to help avoid overloading power source **110**. Conversely, when a light load is required, the PSS **130** can pull excess power from power source **110** to recharge battery banks **131**.

(18) Referring now to FIG. 2A, there is shown an alternate hydraulic fracturing power system **200** according to an alternate embodiment of the present technology, including a power source **210** and a PSS **230**. According to FIG. 2, the PSS **230** can be connected to the power source **210** in series before feeding power to a circuit breaker **215** in the switchgear housing **250**. Upon reaching full capacity, the PSS **230** can disconnect internal batteries from the power source **210**, thereby allowing it to bypass straight to the switchgear system.

(19) In the configuration shown in FIG. 2A, the circuit breaker **215** will then act as a feeder breaker for two additional circuit breakers **280, 290**. As shown, the circuit breaker **215** can be connected to circuit breakers **280, 290** via common bus **260**. Circuit breaker **215** can be rated for higher amperage than circuit breakers **280, 290**. Circuit breakers **280, 290** are in turn connected to hydraulic fracturing equipment **270**. Each of the additional circuit breakers **280, 290** can be electrically connected to equipment **270**. In the embodiment shown in FIG. 2A, each of the additional circuit breakers **280, 290** are shown connected to two pieces of equipment **270**, such as, for example, two hydraulic fracturing pumps. In practice, however, the present technology contemplates any appropriate ratio of circuit breakers to equipment, including connecting each circuit breaker to a single piece of equipment, or connecting each circuit breaker to more than two pieces of equipment.

(20) FIG. 2B is a schematic depiction of the PSS **230** of the embodiment of the hydraulic fracturing power system **200** of FIG. 2A. The PSS **230** can include a plurality of battery banks **231**, each connected to a common PSS bus **232** via a battery bank circuit breaker **233**. The common PSS bus **232** is also connected to an incoming PSS circuit breaker **235** and an outgoing PSS circuit breaker **236**. Outgoing PSS circuit breaker **236** is in turn electrically connected to circuit breaker **215** in the switchgear housing **250**.

(21) Many of the connections in the PSS **230**—between the battery banks **231** and battery bank circuit breakers **233**, and the battery bank circuit breakers **233** and the common PSS bus **232**—are two way connections, as indicated by double headed arrows. This means that electricity flows in both directions between the various components. One advantage to this configuration is the ability of the battery banks **231** within the PSS **230** to constantly discharge and recharge as needed. During a typical operation, power will discharge from the battery banks **231** to the circuit breaker **215** via the battery bank circuit breakers **233**, the common PSS bus **232**, and the outgoing PSS circuit breaker **236**. Simultaneously, or as needed, power from the power source will recharge the battery banks **231** via the incoming PSS circuit breaker **235**, the common bus **232**, and the battery bank circuit breakers **233**.

(22) As shown in FIG. 3A, in certain embodiments of the technology, the hydraulic fracturing power system **300A** can alternatively be powered by power transmission lines **305**, with the power source **310** and the PSS **330** providing parallel power to the switchgear **350**. In such an embodiment, the power source **310** and the PSS **330** can each be attached to circuit breakers within the switchgear housing, which are in turn connected to the hydraulic fracturing equipment **370**. This arrangement is similar to the embodiment shown in FIG. 1A, except that the power source **310** and the PSS **330** can be located at a remote location. The configuration of the circuit breakers within the switchgear housing **350** can be substantially similar to that of circuit breakers **120**, **140**, **180**, **190** in the embodiment shown in FIG. 1A. In addition, the PSS **330** can have a similar structure to that described above and shown in FIG. 1B.

(23) The arrangement shown in FIG. 3A, including the use of power transmission lines **305**, could be beneficial if, for example, space at a well site is restricted, and power generation has to be stationed some distance from the pad. In such an embodiment, cables can be sized properly due to distance, and additional protection can be installed for safety reasons, such as three phase reclosers **325** (small circuit breakers placed at distribution poles to clear faults on cables that are running long distances). In the embodiment of FIG. 3, the PSS **330** can be connected to the transmission lines for remote operations, but may still draw power from the power source **310**.

(24) FIG. 3B shows an embodiment of the hydraulic fracturing power system **300B** that shares characteristics of the embodiments of FIGS. 2A and 3A. That is, both the power source **310** and the PSS **330** are located at a remote location from the switchgear **350**, and they are connected to the switchgear **350** in series. One advantage to this embodiment is that it requires only one set of transmission lines **305** between the power source **310**/PSS **330** and the switchgear **350**. In this embodiment, the configuration of the circuit breakers within the switchgear housing **350** can be substantially similar to that of circuit breakers **215**, **280**, **290** in the embodiment shown in FIG. 2A. In addition, the PSS **330** can have a similar structure to that described above and shown in FIG. 2B.

(25) In yet another embodiment, shown in FIG. 4A, the hydraulic fracturing power system **400A** can include similar features to the embodiment shown in FIG. 3A, including a power source **410** and a PSS **430**. Moreover, the power source **410** is connected to the switchgear **450** via power transmission lines **405**, and the power transmission lines can include safety features, such as reclosers **425**. In the embodiment of FIG. 4A, the PSS **430** can also provide ancillary power. For example, if the power source **410** is a generator, and the generator shuts down during a fracturing stage, the PSS **430** can provide power to hydraulic fracturing equipment **470**, including pumps, in order to flush the well so that chemicals and sand previously being pumped through the well can be completely removed from the well.

(26) FIG. 4B shows an embodiment of the hydraulic fracturing power system **400B** that shares characteristics of the embodiments of FIGS. 2A and 4A. That is, the power source **410** is located at a remote location switchgear **350**, the PSS **430** is located at the well site, and the power source **410** and PSS **430** are connected to the switchgear **450** in series. One advantage to this embodiment is that the PSS **430** can provide power to the hydraulic fracturing equipment **470** even if the transmission lines **405** fail. Another advantage is that placing the PSS **430** at the wellsite allows for

the provision of power at the wellsite without any local emissions or appreciative noise. In this embodiment, the configuration of the circuit breakers within the switchgear housing **450** can be substantially similar to that of circuit breakers **215, 280, 290** in the embodiment shown in FIG. 2A. In addition, the PSS **430** can have a similar structure to that described above and shown in FIG. 2B.

(27) Another alternative embodiment of the present technology provides a hydraulic fracturing power system where the PSS can be used as black start for a power source that is a generator. Black starting is the process of supplying power to a generator that has been completely shut down to get it back up and running. Black start power can be used to power many different systems internal to a primary generator, including, for example, lighting, controls, blowers, cooling systems, lube pumps, oil pumps, starting motors, etc, until the generator is up and running and can provide its own power for these ancillary systems. Diesel generators can usually do this with battery power, but turbine generators require a larger power source, especially if gas compressors need to be operating before the engine can be fired. The configuration of the PSS relative to the switchgear and equipment in such a case can be similar to the embodiments shown in FIGS. 1A-4B. If enough power is stored in the batteries, the PSS system could support black starting operations without the need for a smaller standby generator to act as the black start power source. However, it could also utilize an external power source, such as solar panels, to recharge the storage system.

(28) Use of the PSS in hydraulic fracturing power system of the present technology provides numerous advantages over known systems, including load leveling, frequency regulation, power quality control, emergency power, black start power, load bank capabilities, equipment reduction, reduced maintenance, and a simplified fuel supply. Each of these features is discussed in detail herein below.

(29) First, with regard to load leveling, the PSS of the present technology has the ability to store electricity in times of low demand, and then to release that electricity in times of high power demand. As applied to electric powered hydraulic fracturing, stages that require relatively less load can provide a time for the PSS to charge up, or store electricity. In addition, the PSS can charge between stages or at the beginning of stages before full pump rate is achieved. Thereafter, power can be released in the stages of higher load requirements. This helps in increasing the lifespan of a power generating asset by decreasing its workload.

(30) With regard to frequency regulation, the PSS can charge and discharge in response to an increase or decrease of microgrid frequency to maintain stored electricity within prescribed limits. This increases grid stability. In other words, the PSS can ramp up or down a generating asset in order to synchronize the generator with microgrid operation.

(31) With regard to power quality control, the PSS can protect downstream loads such as sensitive electronic equipment and microprocessor based controls against short-duration disturbances in the microgrid that might affect their operation.

(32) With regard to emergency power, in the event of a generator failure (due to, for example, a mechanical fault, electric fault, or due to a fuel supply loss), the PSS can provide sufficient electric power to flush the wellbore. This feature can prevent a “screen out” where the loss of fluid velocity causes the proppant in the hydraulic fracturing fluid or slurry to drop out and settle in the wellbore. Such a screen out can plug off the perforations and cause several days of downtime to clear. A screen out is a major concern in hydraulic fracturing and is considered a failure. The PSS can allow an electric hydraulic fracturing fleet to properly flush the well by being able to power the electric blender as well as sufficient hydraulic fracturing pumps to displace the proppant-laden slurry completely into the formation without generator power.

(33) With regard to black start power, normally a small generator can be used to provide power to ancillary systems such as heaters, blowers, sensors, lighting, programmable logic controllers, electric over hydraulic systems, and electric over air systems for the larger generators. Such a generator can also be used to power the starters for these larger generators, which are often electric starters with a variable frequency drive or soft starter, or can be hydraulic starters with electric

motors powering the hydraulic pumps. If the PSS is properly charged, it can replace the black start generator to allow the larger generators (often turbines) to start from a black out condition.

(34) With regard to load bank capabilities, the PSS can be used to test and verify generator performance during commissioning or after mobilization. It can also work for load rejections, to dissipate power during sudden shut downs, such as if the wellhead exceeds the maximum pressure and every frac pump needs to shut down simultaneously without warning.

(35) With regard to equipment reduction, using an electricity storage system can allow electric fracturing operations to eliminate or reduce the use of a black start generator or supplemental generator, or a standby generator. Many times more than one large turbine generator is desired to provide power during peak demand during a hydraulic fracturing stage. Other times, a secondary generator can be held electrically isolated in standby in the event of a primary generator failure. Such secondary turbines can be replaced by the PSS, resulting in lower noise levels, less equipment on a pad, and faster mobilization times between well sites.

(36) With regard to the reduced maintenance requirements, in some embodiments the PSS can be comprised of a solid state battery bank having very few moving parts. Thus, the PSS will require less maintenance than a generator utilizing a turbine or reciprocating engine.

(37) With regard to the simplified fuel supply, in embodiments where the PSS is replacing a secondary or standby generator, the PSS will not require any fuel supply as it can be energized by a power grid. Therefore, any fuel connections for liquid or gas fuel can be removed from the system. This allows for a reduction in the number of connections and manifolds, as well as a reduction in the fuel volumes required during peak demand. In embodiments where the PSS replaces, for example, one of two turbines, all of the fuel equipment, hoses, and manifolding can be greatly reduced and simplified.

(38) Although the technology herein has been described with reference to particular embodiments, it is to be understood that these embodiments are merely illustrative of the principles and applications of the present technology. It is therefore to be understood that numerous modifications may be made to the illustrative embodiments and that other arrangements may be devised without departing from the spirit and scope of the present technology as defined by the appended claims.

## Claims

1. A hydraulic fracturing power system, comprising: a power source; a power storage system; an electric powered hydraulic fracturing pump in selective electrical communication with the power storage system; and a circuit breaker between the power storage system and the electric powered hydraulic fracturing pump, the circuit breaker having an open position that opens an electric circuit between the electric powered hydraulic fracturing pump and the power storage system, and a closed position that closes the electric circuit, the circuit breaker varying between the open position and the closed position as required to power the electric powered hydraulic fracturing pump while the electric powered hydraulic fracturing pumps are in place at a wellsite, wherein the circuit breaker comprises a first circuit breaker, and the hydraulic fracturing power system further comprising: a power source in selective electric al communication with the electric powered hydraulic fracturing pump, and a second circuit breaker, wherein the second circuit breaker is electrically connected to the power source, and wherein the first circuit breaker is electrically connected to the power storage system.
2. The system of claim 1, wherein the power storage system is at least one solid state battery selected from the group consisting of electrochemical capacitors, lithium ion batteries, nickel-cadmium batteries, and sodium sulfur batteries.
3. The system of claim 2, wherein the power storage system is at least one flow battery selected from the group consisting of redox batteries, iron-chromium batteries, vanadium redox batteries, and zinc-bromine batteries.

4. The system of claim 3, wherein the at least one solid state battery or the at least one flow battery is rechargeable.
5. The system of claim 1, wherein each of the first circuit breaker and the second circuit breaker is electrically connected to the electric powered hydraulic fracturing pump via a common bus.
6. The system of claim 1, wherein the circuit breaker comprises a first circuit breaker, and further comprising: a power source in selective electrical communication with the electric powered hydraulic fracturing pump, wherein both the power source and the power storage system are electrically connected to the first circuit breaker.
7. The system of claim 1, wherein the power storage system is electrically connected to the circuit breaker via a power line.
8. The system of claim 1, wherein the power storage system is mounted to a trailer.
9. The system of claim 1, wherein the circuit breaker is substantially enclosed in a switchgear housing.
10. A system for powering an electric hydraulic fracturing pump, comprising: a power storage system having; an electric powered hydraulic fracturing pump in selective electrical communication with the power storage system; and a circuit breaker between the power storage system and the electric powered hydraulic fracturing pump, the circuit breaker configured to facilitate or prevent electrical communication between the power storage system and the electric powered hydraulic fracturing pump while the electric powered hydraulic fracturing pumps are in place at a wellsite, wherein the circuit breaker comprises a first circuit breaker, and further comprising: a power source, and a second circuit breaker, wherein the second circuit breaker is electrically connected to the power source, and the second circuit breaker is electrically connected to the power storage system.
11. The system of claim 10, further comprising: a power source, wherein both the power source and the power storage system are electrically connected to the circuit breaker, and the circuit breaker facilitates or prevents communication between the power storage system, the power source, and the electric powered hydraulic fracturing pump as required to power the electric powered hydraulic fracturing pump and maintain a charge in the power storage system.
12. The system of claim 11, wherein at least one of the power source and the power storage system are electrically connected to the first circuit breaker or the second circuit breaker via a power line.
13. The system of claim 10, wherein the circuit breaker is substantially enclosed in a switchgear housing.
14. The system of claim 13, further comprising: software in communication with the power storage system, the software configured to monitor a state of the power storage system and to integrate control of the power storage system with other features of the system for powering electric hydraulic fracturing equipment.
15. The system of claim 10, wherein the power storage system is rechargeable.
16. The system of claim 10, wherein the power source is electrically connected to the first circuit breaker via a power line, and wherein the power storage system is located adjacent a switchgear housing and electrically coupled directly to the switchgear housing without a power line.
17. A system for powering an electric hydraulic fracturing pump, comprising: a power storage system having: an electric powered hydraulic fracturing pump in selective electrical communication with the power storage system; and a circuit breaker between the power storage system and the electric powered hydraulic fracturing pump, the circuit breaker configured to facilitate or prevent electrical communication between the power storage system and the electric powered hydraulic fracturing pump while the electric powered hydraulic fracturing pumps are in place at a wellsite, wherein the power storage system is at least one solid state battery selected from the group consisting of electrochemical capacitors, lithium ion batteries, nickel-cadmium batteries, and sodium sulfur batteries.
18. The system of claim 17, wherein the power storage system is at least one flow battery selected

from the group consisting of redox batteries, iron-chromium batteries, vanadium redox batteries, and zinc-bromine batteries.

---