

# US Patent & Trademark Office

## Patent Public Search | Text View

---

United States Patent Application Publication	20250255355
Kind Code	A1
Publication Date	August 14, 2025
Inventor(s)	Marsh; Katrina

---

### Garment

---

#### Abstract

A garment for positioning a menstruation pad below a crotch of a user includes a hip portion, a crotch portion, and a pair of leg portions for covering hips, the crotch, and the legs respectively of the user. A panel is mounted in the hip portion and has a pair of free lateral edges which allow wings of the menstruation pad to fold around the panel to connect the menstruation pad to the panel.

---

<b>Inventors:</b>	<b>Marsh; Katrina (Greensboro, NC)</b>
<b>Applicant:</b>	<b>Marsh; Katrina (Greensboro, NC)</b>
<b>Family ID:</b>	<b>1000007695690</b>
<b>Appl. No.:</b>	<b>18/440219</b>
<b>Filed:</b>	<b>February 13, 2024</b>

---

#### Publication Classification

<b>Int. Cl.:</b>	<b>A41D1/22 (20180101)</b>
<b>U.S. Cl.:</b>	
<b>CPC</b>	<b>A41B9/004 (20130101); A41D1/22 (20130101)</b>

---

#### Background/Summary

##### CROSS-REFERENCE TO RELATED APPLICATIONS

[0001] Not Applicable

##### STATEMENT REGARDING FEDERALLY SPONSORED RESEARCH OR DEVELOPMENT

[0002] Not Applicable

# THE NAMES OF THE PARTIES TO A JOINT RESEARCH AGREEMENT

[0003] Not Applicable

INCORPORATION-BY-REFERENCE OF MATERIAL SUBMITTED ON A COMPACT DISC  
OR AS A TEXT FILE VIA THE OFFICE ELECTRONIC FILING SYSTEM

[0004] Not Applicable

STATEMENT REGARDING PRIOR DISCLOSURES BY THE INVENTOR OR JOINT  
INVENTOR

[0005] Not Applicable

## BACKGROUND OF THE INVENTION

### (1) Field of the Invention

[0006] The disclosure relates to garments and more particularly pertains to a new garment which may be worn on its own and may be used to positioning a menstruation pad below a crotch of a user.

### (2) Description of Related Art Including Information Disclosed Under 37 CFR 1.97 and 1.98

[0007] The prior art relates to garments and includes at least one garment which has a raised crotch portion with free edges such that a menstruation pad may be folded around the free edges of the raised crotch portion. However, the prior art fails to describe such an apparatus which includes leg portions that extend around the legs of the user. Such a garment would be advantageous over the prior art because the leg portions cover greater areas of the user's body compared to those of the prior art, thereby more securely positioning the menstruation pad below the user's crotch and providing greater comfort to the user.

## BRIEF SUMMARY OF THE INVENTION

[0008] An embodiment of the disclosure meets the needs presented above by generally comprising a hip portion with a top edge of the hip portion which defines a waist opening. A crotch portion is coupled to and extends downwardly from the hip portion, and a pair of leg portions is coupled to and extends away from the hip portion and the crotch portion. The pair of leg portions are positioned opposite each other across the crotch portion. When worn, the hip portion extends around a pair of hips of a user, the crotch portion covers a crotch of the user, and the pair of leg portions are worn around a pair of legs of the user. A panel is mounted in the hip portion and extends from a front interior surface of the hip portion along the crotch portion to a rear interior surface of the hip portion. The panel has a pair of end sections and a central section which is coupled to and extends between the pair of end sections. The central section has a pair of free lateral edges which are positioned inwardly from the crotch portion and the pair of leg portions.

[0009] There has thus been outlined, rather broadly, the more important features of the disclosure in order that the detailed description thereof that follows may be better understood, and in order that the present contribution to the art may be better appreciated. There are additional features of the disclosure that will be described hereinafter and which will form the subject matter of the claims appended hereto.

[0010] The objects of the disclosure, along with the various features of novelty which characterize the disclosure, are pointed out with particularity in the claims annexed to and forming a part of this disclosure.

---

## Description

### BRIEF DESCRIPTION OF SEVERAL VIEWS OF THE DRAWING(S)

[0011] The disclosure will be better understood and objects other than those set forth above will become apparent when consideration is given to the following detailed description thereof. Such description makes reference to the annexed drawings wherein:

[0012] FIG. 1 is a perspective view of a garment according to an embodiment of the disclosure.

[0013] FIG. 2 is a front view of an embodiment of the disclosure.

[0014] FIG. 3 is a rear view of an embodiment of the disclosure.

[0015] FIG. 4 is a front view of an embodiment of the disclosure turned inside out.

[0016] FIG. 5 is a rear view of an embodiment of the disclosure turned inside out.

[0017] FIG. 6 is a top exploded in-use view of an embodiment of the disclosure.

[0018] FIG. 7 is a top in-use view of an embodiment of the disclosure.

#### DETAILED DESCRIPTION OF THE INVENTION

[0019] With reference now to the drawings, and in particular to FIGS. 1 through 7 thereof, a new garment embodying the principles and concepts of an embodiment of the disclosure and generally designated by the reference numeral **10** will be described.

[0020] As best illustrated in FIGS. 1 through 7, the garment **10** generally comprises a hip portion **12** with a top edge **14** which defines a waist opening **16**. A crotch portion **18** is coupled to and extends downwardly from the hip portion **12**. A pair of leg portions **20** is coupled to and extends away from the hip portion **12** and the crotch portion **18**, the pair of leg portions **20** being positioned opposite each other across the crotch portion **18**. When a user wears the garment **10**, the top edge **14** of the hip portion **12** surrounds a waist of the user, the hip portion **12** contains a pair of hips of the user, and each leg portion **20** is worn around an associated leg of the user. The garment **10** is shaped like a boxer short or the like which typically covers at least 25% of a user's thigh when worn. However, embodiments in which the leg portions **20** cover less than 25% of the user's thighs are contemplated. Embodiments may include elastic bands which may line the top edge **14** of the waist opening **16** and leg openings **24** at bottom edges **22** of the leg portions **20** such that the elastic bands constrict around the user to keep the garment **10** fixed around the waist, hips, and legs of the user. Some embodiments may include elastic material throughout the garment **10** such that the entirety of the garment **10** compresses around the user.

[0021] A panel **26** is mounted in the hip portion **12** and extends from a front interior surface **28** of the hip portion **12** along the crotch portion **18** to a rear interior surface **30** of the hip portion **12**. Greater than 75% of the panel **26** along a length of the panel **26** is positioned over the crotch portion **18**, while the remaining less than 25% of the panel **26** is positioned against the front interior surface **28** and the rear interior surface **30** of the hip portion **12**. The panel **26** has a pair of end sections **32** and a central section **34**. The central section **34** is coupled to and extends between the pair of end sections **32**. The central section **34** has a pair of free lateral edges **36** which are positioned inwardly from the crotch portion **18** and the pair of leg portions **20**. The central section **34** is unattached to the crotch portion **18**. Each end section **32** of the pair of end sections **32** tapers toward the central section **34**. The panel **26** provides a location to attach a menstruation pad **50** while also providing the leg portions **20** which extend around the legs of the user. Menstruation pads will typically be bonded to the panel **26** via an adhesive, but other suitable fasteners may be used. In some embodiments, the central section **34** of the panel **26** may be attached to the crotch portion **18** so long as the free lateral edges **36** remain open to attachment to wings **52** of the menstruation pad **50** as further described below. The leg portions **20** extend away from the hip portion **12** and the crotch portion **18** in part to cover the lateral edges **36** of the central section **34** of the panel **26** when worn by the user. Without the leg portions **20**, the lateral edges **36** would be visible in at least some embodiments where the crotch portion **18** is not as wide as the central section **34** of the panel **26**.

[0022] A pair of connectors **42** couple the panel **26** to the hip portion **12**. Each connector **42** of the pair of connectors **42** is positioned on an associated end section **32** of the pair of end sections **32** of the panel **26**. Each connector **42** of the pair of connectors **42** comprises stitching **44** with an end portion **46** which extends along an end edge **38** of the associated end section **32** of the panel **26** and a pair of lateral portions **48**. Each lateral portion **48** extends from the end edge **38** of the associated end section **32** of the panel **26** toward the central section **34** of the panel **26** along an associated lateral edge **40** of a pair of lateral edges **40** of the associated end section **32**.

[0023] In use, the garment **10** is worn around the hips, crotch, and legs of the user as described above. The panel **26** provides a mounting location for the menstruation pad **50** while also extending over the legs of the user. A menstruation pad **50** with wings **52** may be adhered to the panel **26** by folding the wings **52** around the free lateral edges **36** of the panel **26** and adhering the wings **52** to the panel **26**. Menstruation pads without wings may also be adhered to an inner surface of the panel **26** without folding around the free lateral edges **36** of the panel **26**. The garment **10** may also be worn on its own without a menstruation pad.

[0024] With respect to the above description then, it is to be realized that the optimum dimensional relationships for the parts of an embodiment enabled by the disclosure, to include variations in size, materials, shape, form, function and manner of operation, assembly and use, are deemed readily apparent and obvious to one skilled in the art, and all equivalent relationships to those illustrated in the drawings and described in the specification are intended to be encompassed by an embodiment of the disclosure.

[0025] Therefore, the foregoing is considered as illustrative only of the principles of the disclosure. Further, since numerous modifications and changes will readily occur to those skilled in the art, it is not desired to limit the disclosure to the exact construction and operation shown and described, and accordingly, all suitable modifications and equivalents may be resorted to, falling within the scope of the disclosure. In this patent document, the word “comprising” is used in its non-limiting sense to mean that items following the word are included, but items not specifically mentioned are not excluded. A reference to an element by the indefinite article “a” does not exclude the possibility that more than one of the element is present, unless the context clearly requires that there be only one of the elements.

## Claims

1. A garment comprising: a hip portion, a top edge of the hip portion defining a waist opening, the waist opening having a size such that the top edge is configured to surround a waist of a user, an interior dimension of the hip portion having a size such that the hip portion is configured to be worn around a pair of hips of the user; a crotch portion being coupled to and extending downwardly from the hip portion wherein the crotch portion is configured to be worn over a crotch of the user; a pair of leg portions being coupled to and extending away from the hip portion and the crotch portion, the pair of leg portions being positioned opposite each other across the crotch portion, an interior dimension of each leg portion of the pair of leg portions having a size such that each leg portion is configured to be worn around an associated leg of a pair of legs of a user; and a panel being mounted in the hip portion, the panel extending from a front interior surface of the hip portion along the crotch portion to a rear interior surface of the hip portion, the panel having a pair of end sections and a central section, the central section being coupled to and extending between the pair of end sections, the central section having a pair of free lateral edges, the pair of free lateral edges being positioned inwardly from the crotch portion and the pair of leg portions.
2. The garment of claim 1, wherein the central section is unattached to the crotch portion.
3. The garment of claim 1, wherein each end section of the pair of end sections tapers toward the central section.
4. The garment of claim 1, further comprising a pair of connectors being coupled to the panel and the hip portion, each connector of the pair of connectors coupling an associated end section of the pair of end sections of the panel to the hip portion.
5. The garment of claim 1, wherein each connector of the pair of connectors comprises stitching, the stitching having an end portion which extends along an end edge of the associated end section of the panel.
6. The garment of claim 5, wherein the stitching has a pair of lateral portions, each lateral portion of the pair of lateral portions extending from the end edge of the associated end section of the panel

toward the central section of the panel along an associated lateral edge of a pair of lateral edges of the associated end section.

7. A garment comprising: a hip portion, a top edge of the hip portion defining a waist opening, the waist opening having a size such that the top edge is configured to surround a waist of a user, an interior dimension of the hip portion having a size such that the hip portion is configured to be worn around a pair of hips of the user; a crotch portion being coupled to and extending downwardly from the hip portion wherein the crotch portion is configured to be worn over a crotch of the user; a pair of leg portions being coupled to and extending away from the hip portion and the crotch portion, the pair of leg portions being positioned opposite each other across the crotch portion, an interior dimension of each leg portion of the pair of leg portions having a size such that each leg portion is configured to be worn around an associated leg of a pair of legs of a user; a panel being mounted in the hip portion, the panel extending from a front interior surface of the hip portion along the crotch portion to a rear interior surface of the hip portion, the panel having a pair of end sections and a central section, the central section being coupled to and extending between the pair of end sections, the central section having a pair of free lateral edges, the pair of free lateral edges being positioned inwardly from the crotch portion and the pair of leg portions, the central section being unattached to the crotch portion, each end section of the pair of end sections tapering toward the central section; and a pair of connectors being coupled to the panel and the hip portion, each connector of the pair of connectors coupling an associated end section of the pair of end sections of the panel to the hip portion, each connector of the pair of connectors comprising stitching, the stitching having an end portion which extends along an end edge of the associated end section of the panel, the stitching having a pair of lateral portions, each lateral portion of the pair of lateral portions extending from the end edge of the associated end section of the panel toward the central section of the panel along an associated lateral edge of a pair of lateral edges of the associated end section.

---