

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809

GEN\_SOF Number 59168

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product information

**Product name** : GLADE® Cashmere Woods® Spray

**Recommended use** : Air Freshener

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

## 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

#### Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 2	Flammable aerosol.
Gases under pressure	Liquefied gas	Contains gas under pressure; may explode if heated.

### Labelling

#### Hazard symbols

Flame  
Gas cylinder

#### Signal word

Warning

#### Hazard statements

Flammable aerosol.  
Contains gas under pressure; may explode if heated.

#### Precautionary statements

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809  
GEN\_SOF Number 59168

Protect from sunlight. Store in a well-ventilated place.  
Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
Do not spray on an open flame or other ignition source.  
Do not pierce or burn, even after use.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Isobutane	75-28-5	10.00 - 30.00
Propane	74-98-6	5.00 - 10.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

### 4. FIRST AID MEASURES

**Eye contact** : No special requirements  
**Skin contact** : No special requirements  
**Inhalation** : No special requirements.  
**Ingestion** : No special requirements

### 5. FIREFIGHTING MEASURES

**Suitable extinguishing media** : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  
**Specific hazards during firefighting** : Aerosol Product - Containers may rocket or explode in heat of fire.  
**Further information** : Fight fire from maximum distance or protected area. Cool and use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809  
GEN\_SOF Number 59168

self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

#### 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions** : Remove all sources of ignition.  
Wash thoroughly after handling.
- Environmental precautions** : Outside of normal use, avoid release to the environment.
- Methods and materials for containment and cleaning up** : If damage occurs to aerosol can:  
Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).  
Use only non-sparking equipment.  
Dike large spills.  
Clean residue from spill site.

#### 7. HANDLING AND STORAGE

##### Handling

- Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more information visit [www.inhalant.org](http://www.inhalant.org).  
Use only as directed.  
KEEP OUT OF REACH OF CHILDREN AND PETS.  
Pressurized container.  
Do not pierce or burn, even after use.

- Advice on protection against fire and explosion** : Keep away from sources of ignition - No smoking.  
Do not spray on an open flame or other ignition source.

##### Storage

- Requirements for storage** : Protect from sunlight. Do not expose to temperatures

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809

GEN\_SOF Number 59168

**areas and containers**                      exceeding 50 °C/ 122 °F.  
Keep in a dry, cool and well-ventilated place.  
Protect from sunlight.  
Store in a well-ventilated place.

**Other data**                                      : Stable under normal conditions.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non-standard units	Basis
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	1,800 mg/m3	1,000 ppm	-	OSHA TWA
Propane	74-98-6	-	-	-	ACGIH TWA

### Personal protective equipment

**Respiratory protection**                      : No special requirements.

**Hand protection**                                : No special requirements.

**Eye protection**                                 : No special requirements.

**Skin and body protection**                    : No special requirements.

**Hygiene measures**                            : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form**    : aerosol

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809  
GEN\_SOF Number 59168

<b>Color</b>	: clear
<b>Odor</b>	: sweet
<b>Odour Threshold</b>	: Test not applicable for this product type
<b>pH</b>	: 8.5
<b>Melting point/freezing point</b>	: Test not applicable for this product type
<b>Initial boiling point and boiling range</b>	: Test not applicable for this product type
<b>Flash point</b>	: < -6.8 °C < 19.76 °F Propellant > 60 °C > 140 °F liquid
<b>Evaporation rate</b>	: Test not applicable for this product type
<b>Flammability (solid, gas)</b>	: Sustains combustion
<b>Upper/lower flammability or explosive limits</b>	: Test not applicable for this product type
<b>Vapour pressure</b>	: Test not applicable for this product type
<b>Vapour density</b>	: Test not applicable for this product type
<b>Relative density</b>	: 0.86 g/cm <sup>3</sup> at 24 °C

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809  
GEN\_SOF Number 59168

<b>Solubility(ies)</b>	: partly miscible	
<b>Partition coefficient: n-octanol/water</b>	: Test not applicable for this product type	
<b>Auto-ignition temperature</b>	: Test not applicable for this product type	
<b>Decomposition temperature</b>	: Test not applicable for this product type	
<b>Viscosity, dynamic</b>	: Test not applicable for this product type	
<b>Viscosity, kinematic</b>	: Test not applicable for this product type	
<b>Oxidizing properties</b>	:	
<b>Volatile Organic Compounds Total VOC (wt. %)*</b>	: 19.6 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
<b>Other information</b>	: None identified	:

#### 10. STABILITY AND REACTIVITY

<b>Possibility of hazardous reactions</b>	: Stable under recommended storage conditions.
<b>Possibility of hazardous reactions</b>	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
<b>Conditions to avoid</b>	: Heat, flames and sparks.
<b>Incompatible materials</b>	: Strong oxidizing agents Do not mix with bleach or any other household cleaners.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809  
GEN\_SOF Number 59168

Strong bases

**Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

#### 11. TOXICOLOGICAL INFORMATION

**Emergency Overview** : Warning

**Acute oral toxicity** : LD50 > 5,000 mg/kg

**Acute inhalation toxicity** : LC50 > 10 mg/L

**Acute dermal toxicity** : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® Cashmere Woods® Spray**

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809  
GEN\_SOF Number 59168

Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.**12. ECOLOGICAL INFORMATION****Product** : The product itself has not been tested.**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h
Propane	LC50	Fish	27.98 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Isobutane	LC50 QSAR	Daphnid	16.33 mg/l	48 h



**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® Cashmere Woods® Spray**

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809

GEN\_SOF Number 59168

Propane	LC50	Daphnid	14.22 mg/l	48 h

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h
Propane	No data available			

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Isobutane	70 %	< 10 d	Readily biodegradable
Propane	70 %	< 10 d	Readily biodegradable

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Isobutane	1.57 - 1.97	2.8
Propane	No data available	2.36

**Mobility**

Component	End point	Value
Isobutane	No data available	
Propane	No data available	

**PBT and vPvB assessment**

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### GLADE® Cashmere Woods® Spray

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809

GEN\_SOF Number 59168

Component	Results
Isobutane	Not fulfilling PBT and vPvB criteria
Propane	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

#### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

#### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
<b>UN number</b>	1950	1950	1950
<b>UN proper shipping name</b>	AEROSOLS, Flammable	AEROSOLS, Flammable	AEROSOLS, Flammable
<b>Transport hazard class(es)</b>	2.1	2	2.1
<b>Packing group</b>	-	-	-
<b>Environmental hazards</b>	-	-	-
<b>Special precautions for user</b>	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.

#### 15. REGULATORY INFORMATION

**Notification status** : All ingredients of this product are listed or are excluded from

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® Cashmere Woods® Spray**

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809

GEN\_SOF Number 59168

listing on the U.S. Toxic Substances Control Act (TSCA)  
Chemical Substance Inventory.

**16. OTHER INFORMATION****HMIS Ratings**

<b>Health</b>	2
<b>Flammability</b>	4
<b>Reactivity</b>	0

**NFPA Ratings**

<b>Health</b>	2
<b>Fire</b>	4
<b>Reactivity</b>	0
<b>Special</b>	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

**Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**GLADE® Cashmere Woods® Spray**

Version 2.0

Print Date 03/02/2018

Revision Date 11/03/2016

SDS Number 350000021809

GEN\_SOF Number 59168