according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935

GEN SOF Number 54532

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : KIWI® SHOE POLISH - WHITE

Recommended use : Shoe Polish

Manufacturer, importer, :

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

Telephone : +18005585252

Emergency telephone

number

24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887 24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable solids	Category 1	Flammable solid.

Labelling

Hazard symbols

Flame

Signal word

Danger

Hazard statements

Flammable solid.

Precautionary statements

In case of fire: Use foam for extinction.

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Ground/bond container and receiving equipment.

Wear protective gloves.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935

GEN_SOF Number 54532

Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Distillates (petroleum), hydrotreated light	64742-47-8	30.00 - 60.00
Paraffin waxes and Hydrocarbon waxes	8002-74-2	10.00 - 30.00
Titanium Dioxide	13463-67-7	10.00 - 30.00
Benzene, 1-Chloro-4 (Trifluoromethyl)-	98-56-6	5.00 - 10.00
N-NONANE	111-84-2	1.00 - 5.00
Silica	7631-86-9	1.00 - 5.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : No special requirements

Skin contact : No special requirements

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Do not use a solid water stream as it may scatter and spread

fire.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935

GEN_SOF Number 54532

Further information : Cool and use caution when approaching or handling fire-

exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire

and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.

Wear personal protective equipment. Wash thoroughly after handling.

Environmental

precautions

: Outside of normal use, avoid release to the environment.

Methods and materials

for containment and

cleaning up

Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

7. HANDLING AND STORAGE

Handling

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing. For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Advice on protection

against fire and explosion

Keep away from sources of ignition - No smoking. Ground/bond container and receiving equipment.

Use explosion-proof equipment.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935

GEN_SOF Number 54532

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Distillates (petroleum), hydrotreated light	64742-47-8	1,200 mg/m3	152 ppm	ı	SUPPLIER
Paraffin waxes and Hydrocarbon waxes	8002-74-2	2 mg/m3	-	-	ACGIH TWA
Titanium Dioxide	13463-67-7	15 mg/m3	-	-	OSHA TWA
Titanium Dioxide	13463-67-7	10 mg/m3	-	-	ACGIH TWA
N-NONANE	111-84-2	-	200 ppm	-	ACGIH TWA

Personal protective equipment

Respiratory protection : No special requirements.

Hand protection : No special requirements.

Eye protection : No special requirements.

Skin and body protection : No special requirements.

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : paste

Color : white

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935

GEN_SOF Number 54532

Odor solvent-like

Odour Threshold : Test not applicable for this product type

pН : Test not applicable for this product type

Melting point/freezing point : Test not applicable for this product type

Initial boiling point and

boiling range

: Test not applicable for this product type

: 35.6 °C Flash point

96.08 °F

Method: ASTM D 56

Evaporation rate : Test not applicable for this product type

Flammability (solid, gas) : The substance or mixture is a flammable solid with the

category 1.

explosive limits

Upper/lower flammability or : Test not applicable for this product type

Vapour pressure : Test not applicable for this product type

Vapour density : Test not applicable for this product type

Relative density : 0.8 g/cm3 at 25 °C

Solubility(ies) : negligible

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935

GEN_SOF Number 54532

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

Auto-ignition temperature : not auto-flammable

Decomposition temperature : Test not applicable for this product type

Viscosity, dynamic : Test not applicable for this product type

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds

Compounds

: 2.8 % - additional exemptions may apply

*as defined by US Federal and State Consumer Product

Total VOC (wt. %)* Regulations

Other information : None identified :

10. STABILITY AND REACTIVITY

Possibility of hazardous

: None known.

reactions

If accidental mixing occurs and toxic gas is formed, exit area

immediately. Do not return until well ventilated.

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935 GEN_SOF Number 54532

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Danger

Acute oral toxicity : LD50

> 5,000 mg/kg

Acute inhalation toxicity : LC50

> 5 mg/l

Acute dermal toxicity : LD50

> 5,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935 GEN_SOF Number 54532

Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical

Condition

: None known.

12. ECOLOGICAL INFORMATION

Product : The product itself has not been tested.

Toxicity

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Distillates (petroleum), hydrotreated light	static test LC50	Lepomis macrochirus	2.2 mg/l	96 h
Paraffin waxes and Hydrocarbon waxes	LC50	Fish	> 100 mg/l	
Titanium Dioxide	No data available			
Benzene, 1-Chloro-4 (Trifluoromethyl)-	No data available			

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935 GEN_SOF Number 54532

N-NONANE	No data available			
Silica	static test LC50	Danio rerio (zebra fish)	5,000 mg/l	96 h

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Distillates (petroleum), hydrotreated light	No data available			
Paraffin waxes and Hydrocarbon waxes	EC50 No data available	Daphnid	> 10,000 mg/l	
	NOEC	Daphnia	10 mg/l	
Titanium Dioxide	No data available			
Benzene, 1-Chloro-4 (Trifluoromethyl)-	EC50	Daphnia magna (Water flea)	3.68 mg/l	48 h
N-NONANE	No data available			
Silica	EC50	Ceriodaphnia dubia	7,600 mg/l	48 h

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935 GEN_SOF Number 54532

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Distillates (petroleum), hydrotreated light	No data available			
Paraffin waxes and Hydrocarbon waxes	NOEC No data available	Algae	> 100 mg/l	
Titanium Dioxide	static test EC50	Pseudokirchneriella subcapitata	61 mg/l	72 h
Benzene, 1-Chloro-4 (Trifluoromethyl)-	No data available			
N-NONANE	No data available			
Silica	EC50	Selenastrum capricornutum, Skeletonema costatum	440 mg/l	72 h

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Distillates (petroleum), hydrotreated light	No data available		
Paraffin waxes and Hydrocarbon waxes	No data available		Not readily biodegradable.
Titanium Dioxide	No data available		
Benzene, 1-Chloro-4 (Trifluoromethyl)-	No data available		
N-NONANE	No data available		
Silica	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Distillates (petroleum),	61 - 159	No data available
hydrotreated light		

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935 GEN_SOF Number 54532

Paraffin waxes and Hydrocarbon waxes	No data available	No data available
Titanium Dioxide	No data available	No data available
Benzene, 1-Chloro-4 (Trifluoromethyl)-	121.8 - 202 Measured	3.7
N-NONANE	No data available	No data available
Silica	No data available	0.53

Mobility

Component	End point	Value
Distillates (petroleum), hydrotreated light	No data available	
Paraffin waxes and Hydrocarbon waxes	No data available	
Titanium Dioxide	No data available	
Benzene, 1-Chloro-4 (Trifluoromethyl)-	No data available	
N-NONANE	No data available	
Silica	No data available	

PBT and vPvB assessment

Component	Results
Distillates (petroleum),	Not fulfilling PBT and vPvB criteria
hydrotreated light	
Paraffin waxes and	Not fulfilling PBT and vPvB criteria
Hydrocarbon waxes	
Silica	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935

GEN_SOF Number 54532

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

	Land transport	Sea transport	Air transport
UN number	1325	1325	1325
UN proper	UN 1325 FLAMMABLE	UN 1325	UN 1325 FLAMMABLE
shipping name	SOLID, ORGANIC,	FLAMMABLE SOLID,	SOLID, ORGANIC,
	N.O.S. (Petroleum	ORGANIC, N.O.S.	N.O.S. (Petroleum
	Distillates), 4.1, II	(Petroleum	Distillates), 4.1, II
		Distillates), 4.1, II	
Transport hazard	4.1	4.1	4.1
class(es)			
Packing group	II	II	II
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport documents.	transport documents.

15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

according to Hazard Communication Standard; 29 CFR 1910.1200



KIWI® SHOE POLISH - WHITE

Version 1.0 Print Date 05/14/2018

Revision Date 04/14/2015 SDS Number 350000027935 GEN_SOF Number 54532

16. OTHER INFORMATION

HMIS Ratings

riiviio italiilys		
Health	1	
Flammability	3	
Reactivity	0	

NFPA Ratings

Health	1	
Fire	3	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)