

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

1. PRODUCT AND COMPANY IDENTIFICATION

Product information

Product name : GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Recommended use : Air Freshener

Manufacturer, importer, supplier : S.C. Johnson & Son, Inc.
1525 Howe Street
Racine WI 53403-2236

Telephone : +18005585252
Emergency telephone number : 24 Hour Medical Emergency Phone: (866)231-5406
24 Hour International Emergency Phone: (703)527-3887
24 Hour Transport Emergency Phone: (800)424-9300

2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 4	Combustible liquid.
Eye irritation	Category 2B	Causes serious eye irritation.
Skin sensitisation	Category 1	May cause an allergic skin reaction.

Labelling

Hazard symbols

Exclamation mark

Signal word

Warning

Hazard statements

Combustible liquid.
Causes eye irritation.
May cause an allergic skin reaction.

Precautionary statements

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
In case of fire: Use .? for extinction.
Specific treatment (see supplemental first aid instructions on this label).
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/ attention.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/ attention.
Wash contaminated clothing before reuse.
Store in a well-ventilated place. Keep cool.
Dispose of contents/ container to an approved incineration plant.
Keep away from heat/sparks/open flames/hot surfaces. No smoking.
Wear protective gloves.
Avoid breathing spray.
Wash hands thoroughly after handling.
Contaminated work clothing should not be allowed out of the workplace.
Other hazards : None identified

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Fragrance - Trade Secret	Mixture	60.00 - 100.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

4. FIRST AID MEASURES

Eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : Wash off with plenty of water. If skin irritation or rash occurs: Get medical advice/ attention.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

Inhalation : No special requirements.

Ingestion : No special requirements

5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Specific hazards during firefighting : Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Container may melt and leak in heat of fire.

Further information : Cool and use caution when approaching or handling fire-exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not breathe fumes.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Remove all sources of ignition.
Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Wear personal protective equipment.
Wash thoroughly after handling.

Environmental precautions : Outside of normal use, avoid release to the environment.

Methods and materials for containment and cleaning up : Use only non-sparking equipment.
Dike large spills.
Clean residue from spill site.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

7. HANDLING AND STORAGE

Handling

Precautions for safe handling

: Avoid contact with skin, eyes and clothing.
For personal protection see section 8.
Use only as directed.
KEEP OUT OF REACH OF CHILDREN AND PETS.
Contaminated work clothing should not be allowed out of the workplace.
Avoid breathing vapours, mist or gas.
Wash thoroughly after handling.

Advice on protection against fire and explosion

: Keep away from sources of ignition - No smoking.

Storage

Requirements for storage areas and containers

: Keep container closed when not in use.
Store in a well-ventilated place. Keep cool.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Occupational Exposure Limits

ACGIH or OSHA exposure limits have not been established for this product or reportable ingredients unless noted in the table above.

Personal protective equipment

Respiratory protection

: No special requirements.

Hand protection

: Wear suitable gloves.

Eye protection

: Safety glasses with side-shields

Skin and body protection

: No special requirements.

Hygiene measures

: Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: liquid
Color	: colourless
Odor	: Fruity
Odour Threshold	: Test not applicable for this product type
pH	: Test not applicable for this product type
Melting point/freezing point	: Test not applicable for this product type
Initial boiling point and boiling range	: Test not applicable for this product type
Flash point	: 81 °C 177.8 °F Method: Tag Closed Cup (TCC)
Evaporation rate	: Test not applicable for this product type
Flammability (solid, gas)	: Sustains combustion
Upper/lower flammability or explosive limits	: Test not applicable for this product type
Vapour pressure	: 0.27 hPa at 20 °C
Vapour density	: No data available

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

Relative density	: 0.956 g/cm ³ at 20 °C estimated	
Solubility(ies)	: partly miscible	
Partition coefficient: n-octanol/water	: Test not applicable for this product type	
Auto-ignition temperature	: not auto-flammable	
Decomposition temperature	: Test not applicable for this product type	
Viscosity, dynamic	: Test not applicable for this product type	
Viscosity, kinematic	: Test not applicable for this product type	
Oxidizing properties	: No data available	
Volatile Organic Compounds Total VOC (wt. %)*	: 84 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
Other information	: None identified	:

10. STABILITY AND REACTIVITY

Possibility of hazardous reactions	: Stable under recommended storage conditions.
Possibility of hazardous reactions	: Stable under recommended storage conditions.
Conditions to avoid	: Heat, flames and sparks.

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

Incompatible materials : Strong oxidizing agents

Hazardous decomposition products : Thermal decomposition can lead to release of irritating gases and vapours.

11. TOXICOLOGICAL INFORMATION

Emergency Overview : Warning

Acute oral toxicity : No data available

Acute inhalation toxicity : No data available

Acute dermal toxicity : No data available

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2B	-
Skin sensitisation	Category 1	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™**

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

Aggravated Medical Condition : None known.**12. ECOLOGICAL INFORMATION****Product** : The product itself has not been tested.**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

Toxicity to fish

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Fragrance - Trade Secret	No data available			

Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200

**GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™**

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

Fragrance - Trade Secret	No data available			
--------------------------	-------------------	--	--	--

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Fragrance - Trade Secret	No data available		

Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n-Octanol/water (log)
Fragrance - Trade Secret	No data available	No data available

Mobility

Component	End point	Value
Fragrance - Trade Secret	No data available	

PBT and vPvB assessment

Component	Results
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

Land transport

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

Not classified as dangerous in the meaning of transport regulations.

Sea transport

Not classified as dangerous in the meaning of transport regulations.

Air transport

Not classified as dangerous in the meaning of transport regulations.

15. REGULATORY INFORMATION

- Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.
- Notification status** : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).
- California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

16. OTHER INFORMATION

HMIS Ratings

Health	2
Flammability	2
Reactivity	0

Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



GLADE® PLUG-INS® SCENTED OIL - RADIANT BERRIES™

Version 1.0

Print Date 05/22/2018

Revision Date 09/01/2015

SDS Number 350000028707
GEN_SOF Number 55055

NFPA Ratings

Health	2
Fire	2
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--