

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

## 1. PRODUCT AND COMPANY IDENTIFICATION

### Product information

**Product name** : KIWI® LEATHER DYE BLACK

**Recommended use** : Shoe Polish

**Manufacturer, importer, supplier** : S.C. Johnson & Son, Inc.  
1525 Howe Street  
Racine WI 53403-2236

**Telephone** : +18005585252  
**Emergency telephone number** : 24 Hour Medical Emergency Phone: (866)231-5406  
24 Hour International Emergency Phone: (703)527-3887  
24 Hour Transport Emergency Phone: (800)424-9300

## 2. HAZARDS IDENTIFICATION

### Classification of the substance or mixture

#### Globally Harmonized System (GHS) Classification

This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

### Labelling

#### Precautionary statements

**Other hazards** : None identified

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Diethylene glycol monoethyl ether	111-90-0	1.00 - 5.00
Carbon black	1333-86-4	1.00 - 5.00
Methyl methacrylate	80-62-6	0.10 - 1.00
Ethyl acrylate	140-88-5	0.10 - 1.00

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see [www.whatsinsidescjohnson.com](http://www.whatsinsidescjohnson.com).

## 4. FIRST AID MEASURES

- |                     |                            |
|---------------------|----------------------------|
| <b>Eye contact</b>  | : No special requirements  |
| <b>Skin contact</b> | : No special requirements  |
| <b>Inhalation</b>   | : No special requirements. |
| <b>Ingestion</b>    | : No special requirements  |

## 5. FIREFIGHTING MEASURES

- |   |   |
|---|---|
| <b>Suitable extinguishing media</b>         | : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.  |
| <b>Specific hazards during firefighting</b> | : Container may melt and leak in heat of fire.  |
| <b>Further information</b>                  | : Fight fire with normal precautions from a reasonable distance. Standard procedure for chemical fires. Wear full protective clothing and positive pressure self-contained breathing apparatus. |

## 6. ACCIDENTAL RELEASE MEASURES

- |  |  |
|--|--|
| <b>Personal precautions</b>                                  | : Wash thoroughly after handling.                          |
| <b>Environmental precautions</b>                             | : Outside of normal use, avoid release to the environment. |
| <b>Methods and materials for containment and cleaning up</b> | : Dike large spills.<br>Clean residue from spill site.     |

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

### 7. HANDLING AND STORAGE

#### Handling

**Precautions for safe handling** : Avoid contact with skin, eyes and clothing.  
For personal protection see section 8.  
KEEP OUT OF REACH OF CHILDREN AND PETS.

**Advice on protection against fire and explosion** : Normal measures for preventive fire protection.

#### Storage

**Requirements for storage areas and containers** : Keep container closed when not in use.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Occupational Exposure Limits

Components	CAS-No.	mg/m <sup>3</sup>	ppm	Non-standard units	Basis
Carbon black	1333-86-4	3.5 mg/m <sup>3</sup>	-	-	OSHA TWA
Carbon black	1333-86-4	3 mg/m <sup>3</sup>	-	-	ACGIH TWA
Ethyl acrylate	140-88-5	100 mg/m <sup>3</sup>	25 ppm	-	OSHA TWA
Ethyl acrylate	140-88-5	-	15 ppm	-	ACGIH STEL
Ethyl acrylate	140-88-5	-	5 ppm	-	ACGIH TWA

#### Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

- Eye protection** : No special requirements.
- Skin and body protection** : No special requirements.
- Hygiene measures** : Handle in accordance with good industrial hygiene and safety practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

- Form** : liquid
- Color** : black
- Odor** : odourless
- Odour Threshold** : Test not applicable for this product type
- pH** : 9.5 - 10.5
- Melting point/freezing point** : Test not applicable for this product type
- Initial boiling point and boiling range** : > 100 °C
- Flash point** : does not flash
- Evaporation rate** : Test not applicable for this product type
- Flammability (solid, gas)** : Does not sustain combustion.
- Upper/lower flammability or explosive limits** : Test not applicable for this product type
- Vapour pressure** : Test not applicable for this product type

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



### KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

<b>Vapour density</b>	: Test not applicable for this product type	
<b>Relative density</b>	: 1.027 - 1.037 g/cm <sup>3</sup> at 20 °C	
<b>Solubility(ies)</b>	: soluble	
<b>Partition coefficient: n-octanol/water</b>	: Test not applicable for this product type	
<b>Auto-ignition temperature</b>	: Test not applicable for this product type	
<b>Decomposition temperature</b>	: Test not applicable for this product type	
<b>Viscosity, dynamic</b>	: Test not applicable for this product type	
<b>Viscosity, kinematic</b>	: Test not applicable for this product type	
<b>Oxidizing properties</b>	: Test not applicable for this product type	
<b>Volatile Organic Compounds Total VOC (wt. %)*</b>	: 0.3 % - additional exemptions may apply *as defined by US Federal and State Consumer Product Regulations	
<b>Other information</b>	: None identified	:

#### 10. STABILITY AND REACTIVITY

<b>Possibility of hazardous reactions</b>	: If accidental mixing occurs and toxic gas is formed, exit area immediately. Do not return until well ventilated.
<b>Conditions to avoid</b>	: Direct sources of heat.

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

**Incompatible materials** : Do not mix with bleach or any other household cleaners.  
Strong bases

**Hazardous decomposition products** : Thermal decomposition can lead to release of irritating gases and vapours.

### 11. TOXICOLOGICAL INFORMATION

**Emergency Overview** : This product does not meet the criteria for classification in any hazard class according to regulation OSHA 29 CFR 1910.1200.

**Acute oral toxicity** : LD50 Oral  
Calculated  
> 5,000 mg/kg

**Acute inhalation toxicity** : Not applicable

**Acute dermal toxicity** : LD50 Dermal  
estimated  
> 2,000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Serious eye damage/eye irritation	No classification proposed	-

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**KIWI® LEATHER DYE BLACK**

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical Condition** : None known.

**12. ECOLOGICAL INFORMATION**

**Product** : The product itself has not been tested.

**Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

**Toxicity to fish**

Components	End point	Species	Value	Exposure time
Diethylene glycol monoethyl ether	flow-through test LC50	Ictalurus punctatus	6,010 mg/l	96 h
Carbon black	No data available			

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**KIWI® LEATHER DYE BLACK**

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

Methyl methacrylate				
Ethyl acrylate	flow-through test LC50	Pimephales promelas (fathead minnow)	2.31 - 2.7 mg/l	96 h

**Toxicity to aquatic invertebrates**

Components	End point	Species	Value	Exposure time
Diethylene glycol monoethyl ether	static test EC50	Daphnia magna (Water flea)	1,982 mg/l	48 h
Carbon black	EC50	Daphnia magna (Water flea)	> 5,600 mg/l	24 h
Methyl methacrylate				
Ethyl acrylate	EC50	Daphnia magna (Water flea)	7.9 mg/l	48 h

**Toxicity to aquatic plants**

Components	End point	Species	Value	Exposure time
Diethylene glycol monoethyl ether	static test EC50 Read-	Desmodesmus subspicatus (green algae)	> 100 mg/l	96 h



**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200

**KIWI® LEATHER DYE BLACK**

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

	across (Analogy)			
Carbon black	EC50	Desmodesmus subspicatus (green algae)	> 10,000 mg/l	72 h
Methyl methacrylate				
Ethyl acrylate	EC50	Desmodesmus subspicatus	48 mg/l	72 h

**Persistence and degradability**

Component	Biodegradation	Exposure time	Summary
Diethylene glycol monoethyl ether	100 %	28 d	Readily biodegradable
Carbon black	No data available		
Methyl methacrylate	No data available		
Ethyl acrylate	No data available		

**Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Diethylene glycol monoethyl ether	3,162	0.54
Carbon black	No data available	No data available
Methyl methacrylate	No data available	
Ethyl acrylate	No data available	1.18

**Mobility**

Component	End point	Value
Diethylene glycol monoethyl ether	No data available	
Carbon black	No data available	
Methyl methacrylate	No data available	
Ethyl acrylate	No data available	

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



## KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

### PBT and vPvB assessment

Component	Results
Diethylene glycol monoethyl ether	Not fulfilling PBT and vPvB criteria
Carbon black	Not fulfilling PBT and vPvB criteria
Ethyl acrylate	Not fulfilling PBT and vPvB criteria

**Other adverse effects** : None known.

---

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

---

## 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

### Land transport

Not classified as dangerous in the meaning of transport regulations.

### Sea transport

Not classified as dangerous in the meaning of transport regulations.

### Air transport

Not classified as dangerous in the meaning of transport regulations.

---

## 15. REGULATORY INFORMATION

**Notification status** : All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

**Notification status** : All ingredients of this product comply with the New Substances Notification requirements under the Canadian Environmental Protection Act (CEPA).

## Safety Data Sheet

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® LEATHER DYE BLACK

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639

**California Prop. 65** : This product is not subject to the reporting requirements under California's Proposition 65.

## 16. OTHER INFORMATION

### HMIS Ratings

Health	1
Flammability	0
Reactivity	0

### NFPA Ratings

Health	1
Fire	0
Reactivity	0
Special	-

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

### Further information

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment & Regulatory Affairs (GSARA)
-------------	--

**Safety Data Sheet**

according to Hazard Communication Standard; 29 CFR 1910.1200



**KIWI® LEATHER DYE BLACK**

Version 1.0

Print Date 05/30/2018

Revision Date 05/21/2015

SDS Number 350000025639