classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

#### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

: GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE® Product name

Recommended use : Air Freshener

Restrictions on use Use only as directed on label

supplier

Manufacturer, importer, : S.C. Johnson and Son, Limited

1 Webster Street

Brantford ON N3T 5R1

Telephone : +1-800-558-5566

**Emergency telephone** 

number

: 24 Hour Transport & Medical Emergency Phone (866) 231-5406 24 Hour International Emergency Phone (952) 852-4647

24 Hour Canadian Transport Emergency Phone (CANUTEC)

(613) 996-6666

#### 2. HAZARDS IDENTIFICATION

#### Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Aerosol	Category 1	Extremely flammable aerosol.
Eye irritation	Category 2B	Causes eye irritation.
Carcinogenicity	Category 1A	May cause cancer.

### Labelling

## **Hazard symbols**

Flame

Health hazard

### Signal word

Danger

#### **Hazard statements**

Extremely flammable aerosol.

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

Causes eye irritation.

May cause cancer.

### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

IF exposed or concerned: Get medical advice/ attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

Store locked up.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Dispose of contents/ container to an approved incineration plant.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Do not spray on an open flame or other ignition source.

Pressurized container: Do not pierce or burn, even after use.

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use personal protective equipment as required.

Wash hands thoroughly after handling.

Other hazards : Intentional misuse by deliberately concentrating and inhaling

contents can be harmful or fatal.

Excessive exposure to spray mist, fog or vapour may cause

respiratory irritation.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous chemicals present at or above reportable levels as defined by Canadian Hazardous Products Regulation are listed in this table.

Chemical name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	40.00 - 60.00
Isobutane	75-28-5	40.00 - 60.00
Propane	74-98-6	7.00 - 10.00
Fragrance - Trade Secret	Mixture	1.00 - 1.50

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

#### 4. FIRST AID MEASURES

#### **Description of first aid measures**

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

**Skin contact** : No special requirements

**Inhalation** : No special requirements.

**Ingestion** : No special requirements

#### Most important symptoms and effects, both acute and delayed

Eyes : May irritate eyes.

Skin effect : No adverse effects expected when used as directed.

May cause skin irritation.

Inhalation : Intentional misuse by deliberately concentrating and inhaling

contents can be harmful or fatal.

Excessive exposure to spray mist, fog or vapour may cause

respiratory irritation.

Ingestion : May cause abdominal discomfort.

No adverse effects expected when used as directed.

#### Indication of any immediate medical attention and special treatment needed

See Description of first aid measures unless otherwise stated.

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

#### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Aerosol Product - Containers may rocket or explode in heat of

fire.

Further information : Fight fire from maximum distance or protected area. Cool and

use caution when approaching or handling fire-exposed containers. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or

explosion do not breathe fumes.

#### **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** : Remove all sources of ignition.

Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: If damage occurs to aerosol can:

Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local /

national regulations (see section 13). Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

#### 7. HANDLING AND STORAGE

Handling

**Precautions for safe** 

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

Note: Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal. For more

information visit www.inhalant.org.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Pressurized container.

Do not pierce or burn, even after use. Wash thoroughly after handling.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Do not spray on an open flame or other ignition source.

Storage

Requirements for storage areas and containers

Protect from sunlight. Do not expose to temperatures

exceeding 50 °C/ 122 °F.

Keep in a dry, cool and well-ventilated place.

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL
Isobutane	75-28-5	-	1,000 ppm	-	ACGIH STEL
Propane	74-98-6	-	-	-	ACGIH TWA

Personal protective equipment

**Respiratory protection** : No special requirements.

**Hand protection** : No special requirements.

**Eye protection** : No special requirements.

**Skin and body protection** : No special requirements.

**Hygiene measures** : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form : aerosol

Color : clear

Odour : pleasant

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

**Odour Threshold** : Test not applicable for this product type

рΗ : Not applicable

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

Flash point : < -7 °C

< 19.4 °F

Method: Tag Closed Cup (TCC)

Propellant

**Evaporation rate** : No data available

Flammability (solid, gas) : Sustains combustion

Upper/lower flammability or : No data available

explosive limits

Vapour pressure : No data available

Vapour density : Test not applicable for this product type

Relative density : 0.653 g/cm3 at 20 °C

Solubility(ies) : No data available

Partition coefficient: n-

octanol/water

: Test not applicable for this product type

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

**Auto-ignition temperature** : auto-flammable

**Decomposition temperature**: Test not applicable for this product type

Viscosity, dynamic : No data available

Viscosity, kinematic : Test not applicable for this product type

Oxidizing properties : Test not applicable for this product type

Volatile Organic Compounds Total VOC (wt. %)\*

97.9 % - additional exemptions may apply \*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified :

#### 10. STABILITY AND REACTIVITY

**Reactivity**: No dangerous reaction known under conditions of normal use.

**Chemical stability** : Stable under recommended storage conditions.

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

Conditions to avoid : Heat, flames and sparks.

**Incompatible materials** : Strong oxidizing agents

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

Hazardous decomposition

products

: Thermal decomposition can lead to release of irritating gases

and vapours.

### 11. TOXICOLOGICAL INFORMATION

Acute oral toxicity : LD50 > 5000 mg/kg

Acute inhalation toxicity : LC50 > 10 mg/L

Acute dermal toxicity : LD50 > 5000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	Category 1A	-
Reproductive toxicity	No classification proposed	-

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

Specific target organ toxicity - single exposure	No classification proposed	-
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical** 

Condition

: None known.

### 12. ECOLOGICAL INFORMATION

**Product :** The product itself has not been tested.

### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

# Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol	LC50	Fish	11,200 mg/l	96 h
Isobutane	LC50 QSAR	Fish	27.98 mg/l	96 h
Propane	LC50	Fish	27.98 mg/l	96 h
Fragrance - Trade Secret	No data available			

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

# Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure time
Ethyl alcohol	static test LC50	Ceriodaphnia dubia		48 h
			5,012 mg/l	
	NOEC	Daphnia magna	9.6 mg/l	9 d
Isobutane	LC50 QSAR	Daphnid	16.33 mg/l	48 h
Propane	LC50	Daphnid	14.22 mg/l	48 h
Fragrance - Trade Secret	No data available			

# Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
Isobutane	EC50 QSAR	Green algae	8.57 mg/l	96 h
Propane	No data			

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

	available		
Fragrance - Trade Secret	No data		
	available		

Persistence and degradability

Component	Biodegradation	Exposure time	Summary
Ethyl alcohol	97 %	28 d	Readily biodegradable.
Isobutane	70 %	< 10 d	Readily biodegradable.
Propane	70 %	< 10 d	Readily biodegradable.
Fragrance - Trade Secret	No data available		

# Bioaccumulative potential

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
Isobutane	1.57 - 1.97	2.8
Propane	No data available	2.36
Fragrance - Trade Secret	No data available	No data available

# **Mobility**

Component	End point	Value
Ethyl alcohol	No data available	
Isobutane	No data available	
Propane	No data available	
Fragrance - Trade Secret	No data available	

### PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
Isobutane	Not fulfilling PBT and vPvB criteria

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

Propane	Not fulfilling PBT and vPvB criteria
Fragrance - Trade Secret	Not fulfilling PBT and vPvB criteria

Other adverse effects : None known.

### 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

	Land transport	Sea transport	Air transport
UN number	1950	1950	1950
UN proper	AEROSOLS,	AEROSOLS,	AEROSOLS,
shipping name	Flammable	Flammable	Flammable
Transport hazard class(es)	2.1	2	2.1
Packing group	-	-	-
Environmental hazards	-	-	-
Special precautions for user	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.	Limited quantities derogation may be applicable to this product, please check transport documents.
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Product not transported as bulk.	Product not transported as bulk.	Product not transported as bulk.

# 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

Canada Regulations : This product has been classified in accordance with the hazard

criteria of the Hazardous Products Act and Regulations.

classification according to Canadian Hazardous Products Regulation



# **GLADE® AUTOMATIC SPRAY - HAWAIIAN BREEZE®**

Version 1.0 Print Date 06/21/2017

Revision Date 05/23/2017 SDS Number 350000016082

#### **16. OTHER INFORMATION**

#### **HMIS Ratings**

TIMIS Natiliys	
Health	1
Flammability	4
Reactivity	0

**NFPA Ratings** 

NFFA Kallilys		
Health	1	
Fire	4	
Reactivity	0	
Special	-	

This information is being provided in accordance with Canada's Workplace Hazard Material Information System. The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

# **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)

classification according to Canadian Hazardous Products Regulation



Version 1.0	Print Date 06/21/2017
Revision Date 05/23/2017	SDS Number 350000016082

16/16