according to Hazard Communication Standard; 29 CFR 1910.1200



## KIWI® DESERT BOOT ODOR NEUTRALIZER

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

### 1. PRODUCT AND COMPANY IDENTIFICATION

**Product information** 

Product name : KIWI® DESERT BOOT ODOR NEUTRALIZER

**Recommended use** : Speciality Cleaner

Manufacturer, importer,

supplier

: S.C. Johnson & Son, Inc.

1525 Howe Street

Racine WI 53403-2236

**Telephone** : +18005585252

**Emergency telephone** 

number

: 24 Hour Medical Emergency Phone: (866)231-5406 24 Hour International Emergency Phone: (703)527-3887

24 Hour Transport Emergency Phone: (800)424-9300

### 2. HAZARDS IDENTIFICATION

Classification of the substance or mixture

Globally Harmonized System (GHS) Classification

Hazard classification	Hazard category	Hazards identification
Flammable liquids	Category 3	Flammable liquid and vapour.
Eye irritation	Category 2B	Causes eye irritation.

### Labelling

### **Hazard symbols**

Flame

### Signal word

Warning

### **Hazard statements**

Flammable liquid and vapour.

Causes eye irritation.

#### **Precautionary statements**

If medical advice is needed, have product container or label at hand.

Keep out of reach of children.

Read label before use.

according to Hazard Communication Standard; 29 CFR 1910.1200



## KIWI® DESERT BOOT ODOR NEUTRALIZER

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/ attention.

In case of fire: Use foam for extinction.

Store in a well-ventilated place. Keep cool.

Dispose of contents/ container to an approved incineration plant.

Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves.

Wash hands thoroughly after handling.

Use explosion-proof electrical/ ventilating/ lighting/ equipment.

Other hazards : None identified

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS-No.	Weight percent
Ethyl alcohol	64-17-5	5.00 - 10.00
Triethylene glycol	112-27-6	1.00 - 5.00
Didecyldimethylammonium chloride	7173-51-5	0.10 - 1.00

The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

For additional information on product ingredients, see www.whatsinsidescjohnson.com.

### 4. FIRST AID MEASURES

**Eye contact** : IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.

Skin contact : IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water/shower.

**Inhalation** : No special requirements.

2/12

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® DESERT BOOT ODOR NEUTRALIZER

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

**Ingestion** : No special requirements

### 5. FIREFIGHTING MEASURES

Suitable extinguishing

media

: Use water spray, alcohol-resistant foam, dry chemical or

carbon dioxide.

Specific hazards during

firefighting

: Flammable liquid. Vapors are heavier than air and may travel to a source of ignition and flash back. Liquid run-off to sewers may create fire/explosion hazard. Container may melt and leak

in heat of fire.

**Further information** : Cool and use caution when approaching or handling fire-

exposed containers. For large quantities of flammable liquids, consider containment to prevent the spread of fire. Wear full protective clothing and positive pressure self-contained breathing apparatus. In case of fire and/or explosion do not

breathe fumes.

### **6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions** : Remove all sources of ignition.

Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

Wear personal protective equipment. Wash thoroughly after handling.

Environmental precautions

: Outside of normal use, avoid release to the environment.

Methods and materials for containment and

cleaning up

: Soak up with inert absorbent material. Use only non-sparking equipment.

Dike large spills.

Clean residue from spill site.

### 7. HANDLING AND STORAGE

Handling

according to Hazard Communication Standard; 29 CFR 1910.1200



## KIWI® DESERT BOOT ODOR NEUTRALIZER

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

Precautions for safe

handling

: Avoid contact with skin, eyes and clothing.

For personal protection see section 8.

Use only as directed.

KEEP OUT OF REACH OF CHILDREN AND PETS.

Wash thoroughly after handling.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking.

Take measures to prevent the build up of electrostatic charge.

Use only non-sparking tools. Use explosion-proof equipment.

Ground/bond container and receiving equipment.

**Storage** 

Requirements for storage :

areas and containers

Keep container closed when not in use.

Keep tightly closed.

Store in a well-ventilated place. Keep cool.

### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Occupational Exposure Limits**

Components	CAS-No.	mg/m3	ppm	Non- standard units	Basis
Ethyl alcohol	64-17-5	1,900 mg/m3	1,000 ppm	-	OSHA TWA
Ethyl alcohol	64-17-5	-	1,000 ppm	-	ACGIH STEL

### Personal protective equipment

**Respiratory protection** : No special requirements.

Hand protection : Gloves

**Eye protection** : If prolonged or repeated contact is possible:

Safety glasses with side-shields

**Skin and body protection** : No special requirements.

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® DESERT BOOT ODOR NEUTRALIZER

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

Hygiene measures : Handle in accordance with good industrial hygiene and safety

practice. Wash thoroughly after handling.

### 9. PHYSICAL AND CHEMICAL PROPERTIES

**Form** : liquid

Color clear

Odor pleasant

**Odour Threshold** : No data available

рΗ : 4.0 - 6.0

Melting point/freezing point : No data available

Initial boiling point and

boiling range

: No data available

Flash point : 54 °C

129.2 °F

**Evaporation rate** : No data available

Flammability (solid, gas) : No data available

Upper/lower flammability or : No data available

explosive limits

Vapour pressure : No data available

Vapour density : No data available

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® DESERT BOOT ODOR NEUTRALIZER

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

Relative density : 0.9905 g/cm3 at 20 C

Solubility(ies) : soluble

Partition coefficient: n-

octanol/water

: No data available

**Auto-ignition temperature** : No data available

**Decomposition temperature** : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

Volatile Organic : 6.1 % - additional 6

Compounds
Total VOC (wt. %)\*

6.1 % - additional exemptions may apply
 \*as defined by US Federal and State Consumer Product

Regulations

Other information : None identified :

# 10. STABILITY AND REACTIVITY

Possibility of hazardous

reactions

: Stable under recommended storage conditions.

**Conditions to avoid** : Heat, flames and sparks.

**Incompatible materials** : Strong oxidizing agents

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® DESERT BOOT ODOR NEUTRALIZER**

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

products

Hazardous decomposition : Thermal decomposition can lead to release of irritating gases

and vapours.

## 11. TOXICOLOGICAL INFORMATION

**Emergency Overview** : Warning

Acute oral toxicity : LD50 > 2000 mg/kg

Acute inhalation toxicity : LC50 > 5 mg/L

Acute dermal toxicity : LD50 > 2000 mg/kg

GHS Properties	Classification	Routes of entry
Acute toxicity	No classification proposed	Oral
Acute toxicity	No classification proposed	Dermal
Acute toxicity	No classification proposed	Inhalation - Dust and Mist
Acute toxicity	No classification proposed	Inhalation - Vapour
Acute toxicity	No classification proposed	Inhalation - Gas
Skin corrosion/irritation	No classification proposed	-
Eye irritation	Category 2B	-
Skin sensitisation	No classification proposed	-
Respiratory sensitisation	No classification proposed	-
Germ cell mutagenicity	No classification proposed	-
Carcinogenicity	No classification proposed	-
Reproductive toxicity	No classification proposed	-
Specific target organ	No classification proposed	-

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® DESERT BOOT ODOR NEUTRALIZER**

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

toxicity - single exposure		
Specific target organ toxicity - repeated exposure	No classification proposed	-
Aspiration hazard	No classification proposed	-

**Aggravated Medical** 

Condition

: None known.

## 12. ECOLOGICAL INFORMATION

**Product:** The product itself has not been tested.

### **Toxicity**

The ingredients in this formula have been reviewed and no adverse impact to the environment is expected when used according to label directions.

### Toxicity to fish

Components	End point	Species	Value	Exposure time
Ethyl alcohol				
Triethylene glycol	static test LC50	Lepomis macrochirus	10,000 mg/l	96 h
Didecyldimethylammonium chloride		Pimephales promelas (fathead minnow)	0.19 mg/l	96 h
		Danio rerio (zebra fish)	0.0322 mg/l	34 d

## Toxicity to aquatic invertebrates

Components	End point	Species	Value	Exposure
	-			time

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® DESERT BOOT ODOR NEUTRALIZER**

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

Ethyl alcohol				
	NOEC	Daphnia magna	9.6 mg/l	9 d
Triethylene glycol	static test EC50	Daphnia magna (Water flea)	> 10,000 mg/l	48 h
Didecyldimethylammonium chloride	static test EC50	Daphnia magna (Water flea)	0.029 mg/l	48 h
	NOEC	Daphnia magna	0.01 mg/l	21 d

# Toxicity to aquatic plants

Components	End point	Species	Value	Exposure time
Ethyl alcohol	Static EC50	Chlorella vulgaris (Fresh water algae)	275 mg/l	72 h
Triethylene glycol	No data available			
Didecyldimethylammonium chloride	EC50	Selenastrum capricornutum, Skeletonema costatum	0.026 mg/l	96 h

Persistence and degradability

ersistence and degradability					
Component	Biodegradation	Exposure	Summary		
		time			
Ethyl alcohol	97 %	28 d	Readily biodegradable		
Triethylene glycol	No data available				
Didecyldimethylammonium	69 %	28 d	Readily biodegradable		

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® DESERT BOOT ODOR NEUTRALIZER**

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

chloride
----------

## **Bioaccumulative potential**

Component	Bioconcentration factor (BCF)	Partition Coefficient n- Octanol/water (log)
Ethyl alcohol	3.2 estimated	-0.35 Measured
Triethylene glycol	No data available	-1.75
Didecyldimethylammonium chloride	81 Measured	2.58

## Mobility

Component	End point	Value
Ethyl alcohol	No data available	
Triethylene glycol	log Koc	1
Didecyldimethylammonium chloride		-

## PBT and vPvB assessment

Component	Results
Ethyl alcohol	Not fulfilling PBT and vPvB criteria
Triethylene glycol	Not fulfilling PBT and vPvB criteria
Didecyldimethylammonium chloride	Not fulfilling PBT and vPvB criteria

Other adverse effects : No data available

## 13. DISPOSAL CONSIDERATIONS

Consumer may discard empty container in trash, or recycle where facilities exist.

### 14. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up-to-date shipping information.

according to Hazard Communication Standard; 29 CFR 1910.1200



# **KIWI® DESERT BOOT ODOR NEUTRALIZER**

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

	Land transport	Sea transport	Air transport
UN number	1170	1170	1170
UN proper	UN 1170 Ethanol	UN 1170 Ethanol	UN 1170 Ethanol
shipping name	Solution (Ethyl Alcohol	Solution (Ethyl	Solution (Ethyl Alcohol
	Solution), 3, III	Alcohol Solution), 3,	Solution), 3, III
		III	
Transport hazard	3	3	3
class(es)			
Packing group	III	III	III
Environmental	-	-	-
hazards			
Special	Limited quantities	Limited quantities	Limited quantities
precautions for	derogation may be	derogation may be	derogation may be
user	applicable to this	applicable to this	applicable to this
	product, please check	product, please	product, please check
	transport documents.	check transport	transport documents.
		documents.	

## 15. REGULATORY INFORMATION

Notification status : All ingredients of this product are listed or are excluded from

listing on the U.S. Toxic Substances Control Act (TSCA)

Chemical Substance Inventory.

Notification status : All ingredients of this product comply with the New Substances

Notification requirements under the Canadian Environmental

Protection Act (CEPA).

California Prop. 65 : This product is not subject to the reporting requirements under

California's Proposition 65.

according to Hazard Communication Standard; 29 CFR 1910.1200



# KIWI® DESERT BOOT ODOR NEUTRALIZER

Version 3.0 Print Date 05/30/2018

Revision Date 03/04/2016 SDS Number 350000014341

### **16. OTHER INFORMATION**

<b>HMIS</b>	Ratin	qs
-------------	-------	----

niviio ratiitys		
Health	2	
Flammability	2	
Reactivity	0	

**NFPA Ratings** 

Health	2	
Fire	2	
Reactivity	0	
Special	-	

This information is being provided in accordance with the Occupational Safety and Health Administration (OSHA) regulation (29 CFR 1910.1200). The information supplied is designed for workplaces where product use and frequency of exposure exceeds that established for the labeled consumer use.

### **Further information**

This document has been prepared using data from sources considered to be technically reliable. It does not constitute a warranty, expressed or implied, as to the accuracy of the information contained herein. Actual conditions of use are beyond the seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

Prepared by	SC Johnson Global Safety Assessment &
	Regulatory Affairs (GSARA)