Prepared according to GB/T 16483, GB/T 17519

NEODOL 23-1

Version 7.0

800001000986 Initial release date: 2006.01.06

Print Date 2024.01.31

#### 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : NEODOL 23-1

Product code : V2596

Synonyms : Alcohols, C12-13, ethoxylated

CAS-No. : 66455-14-9

# Manufacturer or supplier's details

Supplier :

SHELL EASTERN CHEMICALS (S)

Revision Date 2024.01.24

A REGISTERED BUSINESS OF SHELL EASTERN

TRADING (PTE) LTD (UEN:198902087C)

9 North Buona Vista Drive, #07-01

The Metropolis Tower 1 Singapore 138588

Singapore

Telephone : +65 6384 8269 Telefax : +65 6384 8454

Contact for Safety Data : If you have any enquiries about the content of this SDS

Sheet please email sccmsds@shell.com 如果您有关于该SDS内容的

任何质询,请发电邮联系 sccmsds@shell.com

Emergency telephone

number

: +86-532-83889090

# Recommended use of the chemical and restrictions on use

Recommended use : Use in detergent and intermediate manufacture

Restrictions on use : This product must not be used in applications other than the

above without first seeking the advice of the supplier.

Other information : NEODOL is a trademark owned by Shell Trademark

Management B.V. and Shell Brands Inc. and used by affiliates

of Royal Dutch Shell plc.

#### 2. HAZARDS IDENTIFICATION

#### **Emergency Overview**

Appearance	liquid
Colour	colourless
Odour	mild
Health Hazards	Repeated exposure may cause skin dryness or cracking.
Safety Hazards	No specific hazards under normal use conditions.
Environmental Hazards	Very toxic to aquatic life.Harmful to aquatic life with long lasting

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986

Initial release date: 2006.01.06

Revision Date 2024.01.24 Print Date 2024.01.31 Version 7.0

effects.

**GHS Classification** 

Aspiration hazard Short-term (acute) aquatic

hazard

Long-term (chronic) aquatic

hazard

Category 2 : Category 1

: Category 2

**GHS** label elements

Hazard pictograms

Signal word Warning

Hazard statements PHYSICAL HAZARDS:

Not classified as a physical hazard under GHS criteria.

**HEALTH HAZARDS:** 

H305 May be harmful if swallowed and enters airways.

**ENVIRONMENTAL HAZARDS:** H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements

Prevention:

P273 Avoid release to the environment.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON

CENTER/ doctor.

P331 Do NOT induce vomiting.

P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste

disposal plant.

#### Other hazards which do not result in classification

Repeated exposure may cause skin dryness or cracking.

Physical and chemical hazards	No specific hazards under normal use conditions.
Health Hazards	Inhalation: No specific hazards under normal use conditions. Skin: Repeated exposure may cause skin dryness or cracking.

2/22 800001000986

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Version 7.0	Revision Date 2024.01.24	Print Date 2024.01.31
	Eyes: No specific hazards under nor Ingestion: No specific hazards under	
Environmental Hazards	Very toxic to aquatic life.Harmful to a effects.	quatic life with long lasting

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

#### **Hazardous components**

Chemical name	CAS-No.	Classification	Concentration (% w/w)
Alcohols, C12-13, branched & linear, ethoxylated	160901-19-9	Asp. Tox.2; H305 Aquatic Acute1; H400 Aquatic Chronic2; H411	<= 100

For explanation of abbreviations see section 16.

4	FIF	2.51	Γ_Δ	ID	ME	=Δ	SI	IR	<b>ES</b>
<b></b>		<b>\</b> • • • • • • • • • • • • • • • • • • •		ı	IVIL	_^	J.	JΙN	டப

General advice : Not expected to be a health hazard when used under normal

conditions.

If inhaled : No treatment necessary under normal conditions of use.

If symptoms persist, obtain medical advice.

In case of skin contact : Remove contaminated clothing. Flush exposed area with

water and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.

In case of eye contact : Flush eye with copious quantities of water.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If persistent irritation occurs, obtain medical attention.

If swallowed : In general no treatment is necessary unless large quantities

are swallowed, however, get medical advice.

Most important symptoms and effects, both acute and

delayed

: Not considered to be an inhalation hazard under normal

conditions of use.

Possible respiratory irritation signs and symptoms may include

a temporary burning sensation of the nose and throat,

coughing, and/or difficulty breathing.

No specific hazards under normal use conditions.

Skin irritation signs and symptoms may include a burning

sensation, redness, or swelling.

No specific hazards under normal use conditions.

Eye irritation signs and symptoms may include a burning

sensation, redness, swelling, and/or blurred vision.

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986

Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

No specific hazards under normal use conditions.

Ingestion may result in nausea, vomiting and/or diarrhoea.

Protection of first-aiders : When administering first aid, ensure that you are wearing the

appropriate personal protective equipment according to the

incident, injury and surroundings.

Notes to physician : Call a doctor or poison control center for guidance.

Treat symptomatically.

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media : Alcohol-resistant foam, water spray or fog. Dry chemical

powder, carbon dioxide, sand or earth may be used for small

fires only.

Unsuitable extinguishing

media

: Do not use water in a jet.

Specific hazards during

firefighting

: Carbon monoxide may be evolved if incomplete combustion

occurs

Will float and can be reignited on surface water.

The vapour is heavier than air, spreads along the ground and

distant ignition is possible.

Specific extinguishing

methods

: Standard procedure for chemical fires.

Clear fire area of all non-emergency personnel.

Keep adjacent containers cool by spraying with water.

Special protective equipment

for firefighters

: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in

a confined space. Select fire fighter's clothing approved to

relevant Standards (e.g. Europe: EN469).

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Observe all relevant local and international regulations. Notify authorities if any exposure to the general public or the

environment occurs or is likely to occur.

Local authorities should be advised if significant spillages

cannot be contained.

: Avoid contact with spilled or released material. Immediately remove all contaminated clothing. For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet. For guidance on disposal of spilled material see

Section 13 of this Safety Data Sheet.

Prepared according to GB/T 16483, GB/T 17519

# **NEODOL 23-1**

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

Stay upwind and keep out of low areas. Be ready for fire or possible exposure.

Environmental precautions : Prevent from spreading or entering into drains, ditches or

rivers by using sand, earth, or other appropriate barriers.

Use appropriate containment to avoid environmental

contamination.

Ventilate contaminated area thoroughly.

Methods and materials for containment and cleaning up

For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove

contaminated soil and dispose of safely.

Additional advice : For guidance on selection of personal protective equipment

see Section 8 of this Safety Data Sheet.

For guidance on disposal of spilled material see Section 13 of

this Safety Data Sheet.

#### 7. HANDLING AND STORAGE

# Handling

General Precautions : Avoid breathing of or direct contact with material. Only use in

well ventilated areas. Wash thoroughly after handling. For guidance on selection of personal protective equipment see

Section 8 of this Safety Data Sheet.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine

appropriate controls for safe handling, storage and disposal of

this material.

Ensure that all local regulations regarding handling and

storage facilities are followed.

Advice on safe handling : Avoid contact with skin, eyes and clothing.

Do not empty into drains.

Sudden Release of Pressure Hazard

Avoidance of contact : Copper.

Copper alloys.

Strong oxidising agents.

Aluminum

Product Transfer : Keep containers closed when not in use. Do not use

compressed air for filling discharge or handling.

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986

Initial release date: 2006.01.06

Version 7.0	Revision Date 2024.01.24	Print Date 2024.01.31

**Storage** 

Conditions for safe storage : Refer to section 15 for any additional specific legislation

covering the packaging and storage of this product.

Other data : Bulk storage tanks should be diked (bunded).

Vapours from tanks should not be released to atmosphere. Breathing losses during storage should be controlled by a

suitable vapour treatment system.

Nitrogen blanket recommended for large tanks (capacity 100

m3 or higher).

Insulation (lagging) will minimize heat loss in areas of low

ambient temperature.

Tanks should be fitted with heating coils in areas where ambient conditions can result in handling temperatures below

the freezing point/pour point of the product.

Packaging material : Suitable material: Stainless steel., Epoxy resins, Polyester.

Unsuitable material: Aluminum, Copper., Copper alloys.

Container Advice : Containers, even those that have been emptied, can contain

explosive vapours. Do not cut, drill, grind, weld or perform

similar operations on or near containers.

Specific use(s) : Not applicable

Ensure that all local regulations regarding handling and

storage facilities are followed.

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

# Components with workplace control parameters

#### Biological occupational exposure limits

No biological limit allocated.

# **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

GBZ 159 Specifications of air sampling for hazardous substances monitoring in the workplace.

GBZ/T 160 Determination of toxic substances in the air of workplace.

GBZ/T 192 Determination of dust in the air of workplace.

GBZ/T 300 Determination of toxic substances in the air of workplace

**Engineering measures** : Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Revision Date 2024.01.24 Print Date 2024.01.31 Version 7.0

> greater potential for airborne concentrations to be generated. Eye washes and showers for emergency use.

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

#### General Information:

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

# Personal protective equipment

### **Protective measures**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection

: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are unsuitable (e.g. airborne concentrations are high, risk of oxygen deficiency, confined space) use appropriate positive pressure breathing apparatus. Where air-filtering respirators are suitable, select an

appropriate combination of mask and filter.

If air-filtering respirators are suitable for conditions of use: Select a filter suitable for the combination of organic gases and vapours and particles [Type A/Type P boiling point >65°C

(149°F)].

Hand protection Remarks

: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. When prolonged or frequent repeated contact occurs. Nitrile rubber gloves. Incidental

7/22 800001000986

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Print Date 2024.01.31 Version 7.0 Revision Date 2024.01.24

contact/Splash protection: PVC or neoprene rubber gloves.

For continuous contact we recommend gloves with

breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers.

Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed

moisturizer is recommended.

Eye protection : If material is handled such that it could be splashed into eyes,

protective eyewear is recommended.

Skin and body protection : Skin protection is not ordinarily required beyond standard

work clothes.

It is good practice to wear chemical resistant gloves.

Thermal hazards : Not applicable

Hygiene measures : Wash hands before eating, drinking, smoking and using the

Launder contaminated clothing before re-use.

#### **Environmental exposure controls**

General advice : Local guidelines on emission limits for volatile substances

must be observed for the discharge of exhaust air containing

vapour.

Minimise release to the environment. An environmental assessment must be made to ensure compliance with local

environmental legislation.

Information on accidental release measures are to be found in

section 6.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

: liquid Appearance

Colour colourless

Odour mild

Odour Threshold : Data not available

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

pH : 6.8

Melting / freezing point : 1 °C / 34 °F

Boiling point/boiling range : > 254.4 °C / 490.0 °F

Flash point : 148 °C / 298 °F

Evaporation rate : Data not available

Flammability (solid, gas) : Not applicable

Upper explosion limit : Data not available
Lower explosion limit : Data not available

Vapour pressure : < 0.1 hPa (37.8 °C / 100.0 °F)

Relative vapour density : Data not available

Relative density : ca. 0.892 (40.0 °C / 104.0 °F)

Method: ASTM D4052

Density :  $> 873 \text{ kg/m} 3 (40 \,^{\circ}\text{C} / 104 \,^{\circ}\text{F})$ 

Method: ASTM D4052

Solubility(ies)

Water solubility : < 5 g/l slightly soluble (20 °C / 68 °F)

Solubility in other solvents : Data not available

Partition coefficient: n-

octanol/water

: log Pow: 3

Auto-ignition temperature : Data not available

Decomposition temperature : Data not available

Viscosity

Viscosity, dynamic : 35 mPa.s (20 °C / 68 °F)

Method: ASTM D445

Viscosity, kinematic : 12 mm2/s (40 °C / 104 °F)

Method: ASTM D445

Explosive properties : Not applicable

Oxidizing properties : Data not available

Surface tension : Data not available

Conductivity: > 10,000 pS/m

Prepared according to GB/T 16483, GB/T 17519

NEODOL 23-1

800001000986

Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

A number of factors, for example liquid temperature, presence of contaminants, and anti-static additives can greatly influence the conductivity of a liquid, This material is not expected to be

a static accumulator.

Particle size : Data not available

Molecular weight : Data not available

10. STABILITY AND REACTIVITY

Reactivity : Stable at normal ambient temperature and pressure., May

oxidise in the presence of air.

Chemical stability : The product is chemically stable. Stable under normal

conditions.

Possibility of hazardous

reactions

: None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Incompatible materials : Copper.

Copper alloys.

Strong oxidising agents.

Aluminum

Hazardous decomposition

products

: None expected under normal use conditions.

#### 11. TOXICOLOGICAL INFORMATION

Basis for assessment : Information given is based on product testing, and/or similar

products, and/or components.

Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for

individual component(s).

Exposure routes : Exposure may occur via inhalation, ingestion, skin absorption,

skin or eye contact, and accidental ingestion.

**Acute toxicity** 

**Product:** 

Acute oral toxicity : LD 50 Rat, male and female: > 5,000 mg/kg

Method: Test(s) equivalent or similar to OECD Test Guideline

401

Remarks: Based on available data, the classification criteria

are not met. Low toxicity

LD50 >5000 mg/kg

Prepared according to GB/T 16483, GB/T 17519

**NEODOL 23-1** 

800001000986

Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

Acute inhalation toxicity : LC 50 Rat, male and female: > 1.6 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: Test(s) equivalent or similar to OECD Test Guideline

403

Remarks: Based on available data, the classification criteria

are not met.

LC50 greater than near-saturated vapour concentration.

Low toxicity

 $LC50 > 1.0 - \le 5.0 \text{ mg/l}$ 

Acute dermal toxicity : LD 50 Rat, male and female: > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on available data, the classification criteria

are not met.

May be harmful in contact with skin. LD50 >2000 - <=5000 mg/kg

# **Components:**

# Alcohols, C12-13, branched & linear, ethoxylated:

Acute oral toxicity : LD 50 Rat, male and female: > 5,000 mg/kg

Method: Test(s) equivalent or similar to OECD Test Guideline

401

Remarks: Based on available data, the classification criteria

are not met. Low toxicity LD50 >5000 mg/kg

Acute inhalation toxicity : LC 50 Rat, male and female: > 1.6 mg/l

Exposure time: 4 h
Test atmosphere: vapour

Method: Test(s) equivalent or similar to OECD Test Guideline

403

Remarks: Based on available data, the classification criteria

are not met.

LC50 greater than near-saturated vapour concentration.

Low toxicity

 $LC50 > 1.0 - \le 5.0 \text{ mg/l}$ 

Acute dermal toxicity : LD 50 Rat, male and female: > 2,000 mg/kg

Method: OECD Test Guideline 402

Remarks: Based on available data, the classification criteria

are not met.

May be harmful in contact with skin. LD50 >2000 - <=5000 mg/kg

#### Skin corrosion/irritation

#### **Product:**

Species: Rabbit

Method: Test(s) equivalent or similar to OECD Test Guideline 404

Remarks: Slightly irritating., Insufficient to classify.

Prepared according to GB/T 16483, GB/T 17519

#### NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Print Date 2024.01.31

Version 7.0

#### Alcohols, C12-13, branched & linear, ethoxylated:

Species: Rabbit

**Components:** 

Method: Test(s) equivalent or similar to OECD Test Guideline 404

Revision Date 2024.01.24

Remarks: Slightly irritating., Insufficient to classify.

# Serious eye damage/eye irritation

#### **Product:**

Species: Rabbit

Method: Test(s) equivalent or similar to OECD Test Guideline 405

Remarks: Slightly irritating., Insufficient to classify.

#### Components:

#### Alcohols, C12-13, branched & linear, ethoxylated:

Species: Rabbit

Method: Test(s) equivalent or similar to OECD Test Guideline 405

Remarks: Slightly irritating., Insufficient to classify.

# Respiratory or skin sensitisation

#### **Product:**

Species: Guinea pig

Method: Test(s) equivalent or similar to OECD Test Guideline 406 Remarks: Based on available data, the classification criteria are not met.

Not a sensitiser.

# **Components:**

#### Alcohols, C12-13, branched & linear, ethoxylated:

Species: Guinea pig

Method: Test(s) equivalent or similar to OECD Test Guideline 406 Remarks: Based on available data, the classification criteria are not met.

Not a sensitiser.

# Germ cell mutagenicity

#### **Product:**

Genotoxicity in vitro : Method: Test(s) equivalent or similar to OECD Test Guideline

473

Remarks: Based on available data, the classification criteria

are not met., Non mutagenic

: Test species: MouseMethod: OECD Test Guideline 474 Remarks: Based on available data, the classification criteria

are not met., Non mutagenic

Germ cell mutagenicity-

Assessment

: This product does not meet the criteria for classification in

categories 1A/1B.

# **Components:**

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

Alcohols, C12-13, branched & linear, ethoxylated:

Genotoxicity in vitro : Method: Test(s) equivalent or similar to OECD Test Guideline

473

Remarks: Based on available data, the classification criteria

are not met., Non mutagenic

: Test species: MouseMethod: OECD Test Guideline 474 Remarks: Based on available data, the classification criteria

are not met., Non mutagenic

Germ cell mutagenicity-

Assessment

: This product does not meet the criteria for classification in

categories 1A/1B.

# Carcinogenicity

#### **Product:**

Method: Based on weight of evidence.

Remarks: Based on available data, the classification criteria are not met., Not a carcinogen.

Carcinogenicity - : This product does not meet the criteria for classification in

Assessment categories 1A/1B.

### **Components:**

#### Alcohols, C12-13, branched & linear, ethoxylated:

Method: Based on weight of evidence.

Remarks: Based on available data, the classification criteria are not met., Not a carcinogen.

Carcinogenicity - : This product does not meet the criteria for classification in

Assessment categories 1A/1B.

Material	GHS/CLP Carcinogenicity Classification
Alcohols, C12-13, branched & linear, ethoxylated	No carcinogenicity classification.

# Reproductive toxicity

# **Product:**

: Species: Rat

Sex: male and female Application Route: Dermal

Method: Equivalent or similar to OECD Test Guideline 416 Remarks: Based on available data, the classification criteria

are not met., Does not impair fertility.

Effects on foetal : Species: Rat, male and female development Application Route: Dermal

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Print Date 2024.01.31 Version 7.0 Revision Date 2024.01.24

Method: Test(s) equivalent or similar to OECD Test Guideline

Remarks: Based on available data, the classification criteria

are not met., Not a developmental toxicant.

Reproductive toxicity -

Assessment

: This product does not meet the criteria for classification in

categories 1A/1B.

# Components:

# Alcohols, C12-13, branched & linear, ethoxylated:

Species: Rat

Sex: male and female Application Route: Dermal

Method: Equivalent or similar to OECD Test Guideline 416 Remarks: Based on available data, the classification criteria

are not met., Does not impair fertility.

: Species: Rat, male and female Effects on foetal development

Application Route: Dermal

Method: Test(s) equivalent or similar to OECD Test Guideline

Remarks: Based on available data, the classification criteria

are not met., Not a developmental toxicant.

Reproductive toxicity -

Assessment

: This product does not meet the criteria for classification in

categories 1A/1B.

#### STOT - single exposure

# **Product:**

Remarks: Based on available data, the classification criteria are not met.

# **Components:**

# Alcohols, C12-13, branched & linear, ethoxylated:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

#### **Product:**

Remarks: Based on available data, the classification criteria are not met.

#### **Components:**

# Alcohols, C12-13, branched & linear, ethoxylated:

Remarks: Based on available data, the classification criteria are not met.

# Repeated dose toxicity

14/22 800001000986

Prepared according to GB/T 16483, GB/T 17519

# **NEODOL 23-1**

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

#### **Product:**

Rat, male and female: Application Route: Oral

Method: Test(s) equivalent or similar to OECD Test Guideline 408

Target Organs: No specific target organs noted

#### **Components:**

# Alcohols, C12-13, branched & linear, ethoxylated:

Rat, male and female: Application Route: Oral

Method: Test(s) equivalent or similar to OECD Test Guideline 408

Target Organs: No specific target organs noted

#### **Aspiration toxicity**

#### **Product:**

Based on available data, the classification criteria are not met.

#### Components:

# Alcohols, C12-13, branched & linear, ethoxylated:

Based on available data, the classification criteria are not met.

# **Further information**

#### **Product:**

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

#### Components:

#### Alcohols, C12-13, branched & linear, ethoxylated:

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

# 12. ECOLOGICAL INFORMATION

Basis for assessment : Incomplete ecotoxicological data are available for this product.

The information given below is based partly on a knowledge of the components and the ecotoxicology of similar products.

Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for

individual component(s).

# **Ecotoxicity**

#### **Product:**

Toxicity to fish (Acute

toxicity)

: LC50 (Pimephales promelas (fathead minnow)): 1.19 mg/l

Exposure time: 96 h

Method: Information given is based on data obtained from

similar substances.

Prepared according to GB/T 16483, GB/T 17519

NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

Toxicity to crustacean (Acute

toxicity)

(Daphnia magna (Water flea)): 0.238 mg/l

Exposure time: 48 h

Method: Information given is based on data obtained from

similar substances. Remarks: Very toxic. LC/EC/IC50 < 1 mg/l

Toxicity to algae/aquatic

plants (Acute toxicity)

: EC50 (Selenastrum capricornutum (green algae)): 0.179 mg/l

Exposure time: 72 h

Method: Information given is based on data obtained from

similar substances. Remarks: Very toxic. LC/EC/IC50 < 1 mg/l

Toxicity to fish (Chronic

toxicity)

: NOEC: 0.328 mg/l Exposure time: 28 d

Species: Pimephales promelas (fathead minnow)

Method: Based on quantitative structure-activity relationship

(QSAR) modelling

Remarks: NOEC/NOEL > 0.1 - <=1.0 mg/l

Toxicity to crustacean

(Chronic toxicity)

: NOEC: 0.012 mg/l

Exposure time: 21 d

Species: Daphnia magna (Water flea)

Method: Information given is based on data obtained from

similar substances.

Remarks: NOEC/NOEL > 0.01 - <=0.1 mg/l

Toxicity to microorganisms

(Acute toxicity)

: EC10 (Pseudomonas putida): > 10 g/l

Exposure time: 16.9 h

Method: Information given is based on data obtained from

similar substances.

Remarks: Practically non toxic: LC/EC/IC50 > 100 mg/l

#### **Components:**

# Alcohols, C12-13, branched & linear, ethoxylated:

Toxicity to fish (Acute

toxicity)

: LC50 (Pimephales promelas (fathead minnow)): 0.96 mg/l

Exposure time: 96 h

Method: Test(s) equivalent or similar to OECD Guideline 203

Remarks: Very toxic. LC/EC/IC50 < 1 mg/l

Toxicity to crustacean (Acute

toxicity)

(Daphnia magna (Water flea)): 0.46 mg/l

Exposure time: 48 h

Method: Test(s) equivalent or similar to OECD Guideline 202

Remarks: Very toxic. LC/EC/IC50 < 1 mg/l

Toxicity to algae/aquatic plants (Acute toxicity)

: EC50 (Selenastrum capricornutum (green algae)): 0.069 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Very toxic. LC/EC/IC50 < 1 mg/l

Prepared according to GB/T 16483, GB/T 17519

NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

M-Factor (Short-term (acute)

aquatic hazard)

: EC10 (Pseudomonas putida): > 10 g/l

Toxicity to microorganisms (Acute toxicity)

Exposure time: 16.9 h

Method: Test(s) equivalent or similar to OECD Guideline 209

Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l

Toxicity to fish (Chronic

toxicity)

: NOEC: 0.16 mg/l Exposure time: 10 d

Species: Lepomis macrochirus (Bluegill sunfish)

Method: Information given is based on data obtained from

similar substances.

Remarks: NOEC/NOEL > 0.1 - <=1.0 mg/l

Toxicity to : NOEC: 0.0123 mg/l

crustacean(Chronic toxicity) Exposure time: 21 d

Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211
Remarks: Toxic with long lasting effects:
NOEC/NOEL > 0.01 - <=0.1 mg/l

# Persistence and degradability

**Product:** 

Biodegradability : Biodegradation: 85 %

Exposure time: 28 d

Method: OECD Test Guideline 301F

Components:

Alcohols, C12-13, branched & linear, ethoxylated:

Biodegradability : Biodegradation: 95 %

Exposure time: 28 d

Method: OECD Test Guideline 301F Remarks: Readily biodegradable.

#### **Bioaccumulative potential**

**Product:** 

Bioaccumulation : Remarks: Biodegradation potential is based on data obtained

from constituents or similar substances.

Partition coefficient: n-

: log Pow: 3

octanol/water Components:

Alcohols, C12-13, branched & linear, ethoxylated:

Bioaccumulation : Species: Pimephales promelas (fathead minnow)

Exposure time: 24 d

Bioconcentration factor (BCF): 12.7

Test substance: C12EO8

Method: Information given is based on data obtained from

similar substances.

Remarks: Bioaccumulation is unlikely to occur due to

Prepared according to GB/T 16483, GB/T 17519

# **NEODOL 23-1**

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

metabolism and excretion.

Species: Pimephales promelas (fathead minnow)

Exposure time: 24 d

Bioconcentration factor (BCF): 232.5

Test substance: C13EO4

Method: Information given is based on data obtained from

similar substances.

Remarks: Bioaccumulation is unlikely to occur due to

metabolism and excretion.

#### Mobility in soil

# **Product:**

Mobility : Remarks: If the product enters soil, one or more constituents

will or may be mobile and may contaminate groundwater.,

Floats on water.

#### **Components:**

#### Alcohols, C12-13, branched & linear, ethoxylated:

Mobility : Remarks: If the product enters soil, one or more constituents

will or may be mobile and may contaminate groundwater.,

Floats on water.

#### Other adverse effects

#### **Product:**

Results of PBT and vPvB

assessment

: The substance does not fulfill all screening criteria for persistence, bioaccumulation and toxicity and hence is not

considered to be PBT or vPvB.

#### **Components:**

#### Alcohols, C12-13, branched & linear, ethoxylated:

Results of PBT and vPvB

assessment

: The substance does not fulfill all screening criteria for persistence, bioaccumulation and toxicity and hence is not

considered to be PBT or vPvB.

# 13. DISPOSAL CONSIDERATIONS

#### **Disposal methods**

Waste from residues : Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Do not dispose into the environment, in drains or in water

courses.

Waste product should not be allowed to contaminate soil or

water.

Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Local regulations may be more stringent than regional or

national requirements and must be complied with.

Prepared according to GB/T 16483, GB/T 17519

NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

Contaminated packaging : Drain container thoroughly.

After draining, vent in a safe place away from sparks and fire.

Residues may cause an explosion hazard. Do not puncture, cut, or weld uncleaned drums. Send to drum recoverer or metal reclaimer.

Local legislation

Remarks : If potential for exposure exists refer to Section 8 for specific

personal protective equipment.

### 14. TRANSPORT INFORMATION

#### **International Regulations**

**ADR** 

UN number : 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Alcohol C12-C16 Poly (1-6) Ethoxylate)

Class : 9
Packing group : III
Labels : 9
Hazard Identification Number : 90
Environmentally hazardous : yes

IATA-DGR

UN/ID No. : UN 3082

Proper shipping name : Environmentally hazardous substances, liquid, n.o.s.

(Alcohol C12-C16 Poly (1-6) Ethoxylate)

Class : 9
Packing group : III
Labels : 9

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S.

(Alcohol C12-C16 Poly (1-6) Ethoxylate)

Class : 9
Packing group : III
Labels : 9
Marine pollutant : yes

#### Maritime transport in bulk according to IMO instruments

Pollution category : Y Ship type : 2

Product name : ALCOHOL (C12-C16) POLY (1-6) ETHOXYLATES

# Special precautions for user

Prepared according to GB/T 16483, GB/T 17519

# NEODOL 23-1

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

**Additional Information**: This product may be transported under nitrogen blanketing.

Nitrogen is an odourless and invisible gas. Exposure to nitrogen enriched atmospheres displaces available oxygen which may cause asphyxiation or death. Personnel must observe strict safety precautions when involved with a

confined space entry.

Transport in bulk according to Annex II of Marpol and the IBC

Code

# 15. REGULATORY INFORMATION

#### National regulatory information

Rotterdam Convention (Prior Informed Consent)

Not applicable

Stockholm Convention (Persistent Organic Pollutants)

Not applicable

Law on the Prevention and Control of Occupational Diseases

The categories of occupational disease:

Not applicable

Occupational Disease Classification list:

Not applicable

#### Regulations on Safety Management of Hazardous Chemicals

Catalogue of Hazardous Chemicals : Not applicable

Identification of Major Hazard Installations for

Hazardous Chemicals (GB 18218)

Not applicable

Hazardous Chemicals for Priority Management under : Not applicable

SAWS

# Regulations on Labour Protection in Workplaces where Toxic Substances are Used

Catalogue of Highly Toxic Chemicals : Not applicable

# Regulation of Environmental Management on the First Import of Chemicals and the Import and Export of Toxic Chemicals

Catalogue of Toxic Chemicals Severely Restricted in : Not applicable

China

#### Other international regulations

#### The components of this product are reported in the following inventories:

AIIC : Listed
DSL : Listed
IECSC : Listed
NLP : Listed
KECI : Listed

Prepared according to GB/T 16483, GB/T 17519

# **NEODOL 23-1**

800001000986

Initial release date: 2006.01.06

Version 7.0	Revision Date 2024.01.24	Print Date 2024.01.31
NZIoC	: Listed	
PICCS	: Listed	
TSCA	: Listed	
ENCS	: Listed	
TCSI	: Listed	

#### 16. OTHER INFORMATION

#### **Full text of H-Statements**

H305 May be harmful if swallowed and enters airways.

H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Acute Short-term (acute) aquatic hazard Aquatic Chronic Long-term (chronic) aquatic hazard

Asp. Tox. Aspiration hazard

# **Abbreviations and Acronyms**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada): ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization: KECI - Korea Existing Chemicals Inventory: LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

#### **Further information**

Prepared according to GB/T 16483, GB/T 17519

# **NEODOL 23-1**

800001000986 Initial release date: 2006.01.06

Version 7.0 Revision Date 2024.01.24 Print Date 2024.01.31

Training advice : Provide adequate information, instruction and training for

operators.

Other information : A vertical bar (|) in the left margin indicates an amendment

from the previous version.

Sources of key data used to compile the Safety Data

Sheet

: The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU

IUCLID date base, EC 1272 regulation, etc).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

CN / EN

22 / 22