## **Heavy Propylene Glycols**

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : Heavy Propylene Glycols

Product code : U1531

Other means of identification : Propylene glycols

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the : Use only as a chemical intermediate.

Substance/Mixture

Uses advised against : This product must not be used in applications other than the

above without first seeking the advice of the supplier.

This product must not be used in applications other than those

listed in Section 1 without first seeking the advice of the

supplier.

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier : SHELL MARKETS (MIDDLE EAST) LIMITED

CHEMICALS PO Box 307 JEBEL ALI, DUBAI Unit.Arab Emir.

Telephone Telefax

Contact for Safety Data

Sheet

#### 1.4 Emergency telephone number

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **GHS Classification**

Based on available data this substance / mixture does not meet the classification criteria.

#### 2.2 Label elements

## **GHS-Labelling**

Hazard pictograms : No Hazard Symbol required

## **Heavy Propylene Glycols**

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

Signal word : No signal word

Hazard statements : PHYSICAL HAZARDS:

Not classified as a physical hazard under GHS criteria.

HEALTH HAZARDS:

Not classified as a health hazard under GHS criteria.

**ENVIRONMENTAL HAZARDS:** 

Not classified as an environmental hazard under GHS criteria.

Precautionary statements : **Prevention:** 

No precautionary phrases.

Response:

No precautionary phrases.

Storage:

No precautionary phrases.

Disposal:

No precautionary phrases.

#### 2.3 Other hazards

Not classified as flammable but will burn.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

#### **Hazardous components**

Chemical name	CAS-No.	Concentration (% w/w)
Tripropylene glycol	1638-16-0	60- 90
Dipropylene glycol	25265-71-8	5- 25
Water	7732-18-5	0- 1,5

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice : Not expected to be a health hazard when used under normal

conditions.

Protection of first-aiders : When administering first aid, ensure that you are wearing the

appropriate personal protective equipment according to the

incident, injury and surroundings.

If inhaled : No treatment necessary under normal conditions of use.

If symptoms persist, obtain medical advice.

In case of skin contact : Remove contaminated clothing. Flush exposed area with

	Heavy Pro	opylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
	water and follow by washing with soap If persistent irritation occurs, obtain me	
In case of eye contact	<ul> <li>Flush eye with copious quantities of wa Remove contact lenses, if present and rinsing.</li> <li>If persistent irritation occurs, obtain me</li> </ul>	easy to do. Continue
If swallowed	: In general no treatment is necessary un are swallowed, however, get medical a	<u> </u>

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Not considered to be an inhalation hazard under normal

conditions of use.

Possible respiratory irritation signs and symptoms may include

a temporary burning sensation of the nose and throat,

coughing, and/or difficulty breathing.

No specific hazards under normal use conditions.

Skin irritation signs and symptoms may include a burning

sensation, redness, or swelling.

No specific hazards under normal use conditions. Eye irritation signs and symptoms may include a burning

sensation, redness, swelling, and/or blurred vision.

No specific hazards under normal use conditions.

Ingestion may result in nausea, vomiting and/or diarrhoea.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Call a doctor or poison control center for guidance.

Treat symptomatically. Following cases of gross overexposure, investigation of liver, kidney and eye function may be advisable. Records of such incidents should be maintained

for future reference.

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam, water spray or fog. Dry chemical

powder, carbon dioxide, sand or earth may be used for small

fires only.

Unsuitable extinguishing

media

: Do not use water in a jet.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during

firefighting

: Material will not burn unless preheated. Carbon monoxide may be evolved if incomplete combustion occurs. Containers exposed to intense heat from fires should be cooled with large

	Heavy Pr	opylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
5.3 Advice for firefighters	quantities of water.	
Special protective equipment for firefighters	: Proper protective equipment including gloves are to be worn; chemical resista large contact with spilled product is exp Breathing Apparatus must be worn what a confined space. Select fire fighter's content of the space. Select fire fighter's content of the space. Select fire fighter's content of the space.	ant suit is indicated if bected. Self-Contained en approaching a fire in lothing approved to
Specific extinguishing methods	: Standard procedure for chemical fires.	,
Further information	: Evacuate the area of all non-essential Keep adjacent containers cool by spra	•

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Observe all relevant local and international regulations. Notify authorities if any exposure to the general public or the

environment occurs or is likely to occur.

Local authorities should be advised if significant spillages

cannot be contained.

Avoid contact with skin, eyes and clothing.

#### 6.2 Environmental precautions

**Environmental precautions** : Prevent from spreading or entering into drains, ditches or

> rivers by using sand, earth, or other appropriate barriers. Use appropriate containment to avoid environmental

contamination.

Ventilate contaminated area thoroughly.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Contain run-off from residue flush and dispose of properly.

Soak up residue with an absorbent such as clay, sand or other

suitable material.

For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove

contaminated soil and dispose of safely.

For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain

	Heavy	Propylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0

as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely

#### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

#### **SECTION 7: Handling and storage**

**General Precautions** : Avoid breathing of or direct contact with material. Only use in

> well ventilated areas. Wash thoroughly after handling. For guidance on selection of personal protective equipment see

Section 8 of this Safety Data Sheet.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine

appropriate controls for safe handling, storage and disposal of

this material.

Ensure that all local regulations regarding handling and

storage facilities are followed.

#### 7.1 Precautions for safe handling

Advice on safe handling Use local exhaust extraction over processing area.

Handle and open container with care in a well-ventilated area.

Do not empty into drains.

When handling product in drums, safety footwear should be

worn and proper handling equipment should be used.

Handling Temperature:

Ambient.

**Product Transfer** : Keep containers closed when not in use. Do not pressurize

drum containers to empty.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

: Refer to section 15 for any additional specific legislation covering the packaging and storage of this product.

Other data : Tanks must be clean, dry and rust-free. Keep container tightly

closed. Must be stored in a diked (bunded) well- ventilated area, away from sunlight, ignition sources and other sources of heat. Cleaning, inspection and maintenance of storage

tanks is a specialist operation, which requires the

implementation of strict procedures and precautions. Drums

should be stacked to a maximum of 3 high. Storage

Temperature: Ambient.

Packaging material : **Suitable material:** Stainless steel.Mild steel.Carbon steel

Unsuitable material: Data not available

Container Advice : Containers, even those that have been emptied, can contain

	Heavy Pro	opylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
	explosive vapours. Do not cut, drill, grin similar operations on or near containers	
7.3 Specific end use(s)  Specific use(s)	: Not applicable	
	Ensure that all local regulations regardi storage facilities are followed.	ng handling and

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

#### **Biological occupational exposure limits**

No biological limit allocated.

### **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

 $Institut \ f\"{u}r \ Arbeitsschutz \ Deutschen \ Gesetzlichen \ Unfallversicherung \ (IFA) \ , \ Germany \ http://www.dguv.de/inhalt/index.jsp$ 

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

#### 8.2 Exposure controls

**Engineering measures**The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Adequate ventilation to control airborne concentrations.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

Eye washes and showers for emergency use.

**General Information** 

## **Heavy Propylene Glycols**

Print Date 17.02.2025

Revision Date 10.02.2025

Version 2.0

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

#### Personal protective equipment

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection : If material is handled such that it could be splashed into eyes,

protective eyewear is recommended.

Hand protection

Remarks

: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. Longer term protection: Nitrile rubber gloves. Incidental contact/Splash protection: PVC or neoprene rubber gloves. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended.

Skin and body protection

Skin protection is not ordinarily required beyond standard work clothes.

It is good practice to wear chemical resistant gloves.

	Heavy Propyl	ene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
Respiratory protection	If engineering controls do not maintain airbor concentrations to a level which is adequate to health, select respiratory protection equipment specific conditions of use and meeting releval Check with respiratory protective equipment. Where air-filtering respirators are unsuitable concentrations are high, risk of oxygen deficits space) use appropriate positive pressure brewhere air-filtering respirators are suitable, seappropriate combination of mask and filter. If air-filtering respirators are suitable for conditions are suitable for conditions and vapours and particles [Type A/Type P bot (149°F)].	o protect worker int suitable for the int legislation. suppliers. (e.g. airborne ency, confined athing apparatus. elect an itions of use: organic gases
Thermal hazards	Not applicable	
Hygiene measures	Wash hands before eating, drinking, smoking toilet. Launder contaminated clothing before	
Environmental exposure controls		
General advice	Local guidelines on emission limits for volatile must be observed for the discharge of exhau vapour.  Minimise release to the environment. An environment must be made to ensure compliate environmental legislation.  Information on accidental release measures a section 6.	st air containing ironmental ance with local

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Appearance : Liquid.

Colour : colourless
Odour : odourless

Odour Threshold : Data not available

pH : Typical 7

Melting / freezing point : Data not available

Boiling point/boiling range : > 255 °C

Flash point : 145 °C

Method: ASTM D93 (PMCC)

## **Heavy Propylene Glycols**

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

Evaporation rate : Data not available

Flammability

Flammability (solid, gas) : Not applicable

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit : 12,6 %(V)

Lower explosion limit : Data not available Vapour pressure : < 1 Pa (20 °C)

Relative vapour density : Data not available Relative density : 1,0204 (20 °C)

Method: ASTM D4052

Density : 1.020 - 1.025 kg/m3 (20 °C)

Method: ASTM D4052

Solubility(ies)

Water solubility : Completely miscible.

Partition coefficient: n- : Data not available

Partition coefficient: noctanol/water

Auto-ignition temperature : 310 °C

Decomposition temperature : Data not available

Viscosity

Viscosity, dynamic : Data not available
Viscosity, kinematic : Data not available
Explosive properties : Not applicable
Oxidizing properties : Data not available

9.2 Other information

Surface tension : 71,4 mN/m, 22 °C

Conductivity: > 10,000 pS/m

A number of factors, for example liquid temperature, presence of contaminants, and anti-static additives can greatly influence the conductivity of a liquid, This material is not expected to be

a static accumulator.

Molecular weight : Data not available

## **Heavy Propylene Glycols**

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

#### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

#### 10.2 Chemical stability

No hazardous reaction is expected when handled and stored according to provisions. Oxidises on contact with air.

#### 10.3 Possibility of hazardous reactions

: None known. Hazardous reactions

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

Product cannot ignite due to static electricity.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

> Strong acids. Strong bases.

### 10.6 Hazardous decomposition products

Hazardous decomposition

products

: Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids and gases including carbon monoxide, carbon dioxide, sulphur oxides and unidentified organic compounds will be evolved when this material undergoes combustion or thermal or oxidative

degradation.

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Basis for assessment : Information given is based on product testing, and/or similar

products, and/or components.

Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for

individual component(s).

exposure

Information on likely routes of : Skin and eve contact are the primary routes of exposure

although exposure may occur following accidental ingestion.

#### **Acute toxicity**

#### **Product:**

## **Heavy Propylene Glycols**

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

Acute oral toxicity : LD 50 Rat, male and female: > 5.000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : LC 50 Rat, male and female: > 2,34 mg/l

Exposure time: 4 h
Test atmosphere: Aerosol
Method: Other guideline method.

Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : LD 50 Rabbit, male and female: > 5.000 mg/kg

Method: Other guideline method.

Remarks: Based on available data, the classification criteria

are not met.

#### **Components:**

Dipropylene glycol:

Acute oral toxicity : LD 50 Rat, male and female: > 5.000 mg/kg

Method: US EPA Test Guideline OPP 81-1

Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : LC 50 Rat, male and female: > 2,34 mg/l

Exposure time: 4 h Test atmosphere: Aerosol Method: Other guideline method.

Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : LD 50 Rabbit, male and female: > 5.000 mg/kg

Method: Other guideline method.

Remarks: Based on available data, the classification criteria

are not met.

#### Skin corrosion/irritation

#### **Product:**

Species: Rabbit

Method: Other guideline method.

Remarks: Based on available data, the classification criteria are not met.

#### **Components:**

#### Dipropylene glycol:

Species: Rabbit

Method: Other guideline method.

## **Heavy Propylene Glycols**

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

Remarks: Based on available data, the classification criteria are not met.

#### Serious eye damage/eye irritation

#### **Product:**

Species: Rabbit

Method: Other guideline method.

Remarks: Based on available data, the classification criteria are not met.

#### Components:

#### Dipropylene glycol:

Species: Rabbit

Method: Other guideline method.

Remarks: Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

#### **Product:**

Species: Guinea pig

Method: Other guideline method.

Remarks: Based on available data, the classification criteria are not met.

#### Components:

#### Dipropylene glycol:

Species: Guinea pig

Method: Other guideline method.

Remarks: Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

#### **Product:**

Genotoxicity in vitro : Method: Acceptable non-standard method.

Remarks: Based on available data, the classification criteria

are not met.

Method: Test(s) equivalent or similar to OECD Test Guideline

476

Remarks: Based on available data, the classification criteria

are not met.

: Test species: MouseMethod: OECD Test Guideline 474 Remarks: Based on available data, the classification criteria

are not met.

#### **Components:**

#### Dipropylene glycol:

Genotoxicity in vitro : Method: Acceptable non-standard method.

Remarks: Based on available data, the classification criteria

are not met.

: Method: Test(s) equivalent or similar to OECD Test Guideline

## **Heavy Propylene Glycols**

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

476

Remarks: Based on available data, the classification criteria

are not met.

Test species: MouseMethod: OECD Test Guideline 474 Remarks: Based on available data, the classification criteria

are not met.

#### Carcinogenicity

#### **Product:**

Species: Mouse, (male and female)

Application Route: Oral

Method: Acceptable non-standard method.

Remarks: Based on available data, the classification criteria are not met.

#### **Components:**

#### Dipropylene glycol:

Species: Mouse, (male and female)

**Application Route: Oral** 

Method: Acceptable non-standard method.

Remarks: Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
Tripropylene glycol	No carcinogenicity classification.
Dipropylene glycol	No carcinogenicity classification.
Water	No carcinogenicity classification.

#### Reproductive toxicity

#### **Product:**

Species: Mouse

Sex: male and female **Application Route: Oral** 

Method: Literature data

Remarks: Based on available data, the classification criteria

are not met.

Effects on foetal : Species: Rat, female development Application Route: Oral

Method: Test(s) equivalent or similar to OECD Test Guideline

Remarks: Based on available data, the classification criteria

are not met.

Species: Rabbit, female

## **Heavy Propylene Glycols**

Print Date 17.02.2025

Revision Date 10.02.2025

Version 2.0

**Application Route: Oral** 

Method: Test(s) equivalent or similar to OECD Test Guideline

414

Remarks: Based on available data, the classification criteria

are not met.

#### Components:

Dipropylene glycol:

Species: Mouse

Sex: male and female Application Route: Oral

Method: Literature data

Remarks: Based on available data, the classification criteria

are not met.

Effects on foetal : Species: Rat, female development : Application Route: Oral

Method: Test(s) equivalent or similar to OECD Test Guideline

414

Remarks: Based on available data, the classification criteria

are not met.

Species: Rabbit, female Application Route: Oral

Method: Test(s) equivalent or similar to OECD Test Guideline

414

Remarks: Based on available data, the classification criteria

are not met.

#### STOT - single exposure

#### **Product:**

Remarks: Based on available data, the classification criteria are not met.

#### **Components:**

#### Dipropylene glycol:

Remarks: Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

#### **Product:**

Remarks: Based on available data, the classification criteria are not met.

#### **Components:**

#### Dipropylene glycol:

Remarks: Based on available data, the classification criteria are not met.

## **Heavy Propylene Glycols**

Print Date 17.02.2025

Revision Date 10.02.2025

Version 2.0

#### Repeated dose toxicity

#### **Product:**

Rat, male and female: Application Route: Oral

Method: Acceptable non-standard method. Target Organs: No specific target organs noted

#### Components:

#### Dipropylene glycol:

Rat. male and female: **Application Route: Oral** 

Method: Acceptable non-standard method. Target Organs: No specific target organs noted

#### Aspiration toxicity

#### **Product:**

Based on available data, the classification criteria are not met.

#### **Components:**

#### Dipropylene glycol:

Based on available data, the classification criteria are not met.

#### **Further information**

#### **Product:**

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

#### **Components:**

#### Dipropylene glycol:

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Basis for assessment : Incomplete ecotoxicological data are available for this product.

The information given below is based partly on a knowledge of the components and the ecotoxicology of similar products.

15 / 22 800001034065 ΑE

	Heavy Pr	opylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
<u>Product:</u>	Unless indicated otherwise, the data p representative of the product as a who individual component(s).	
Toxicity to fish (Acute toxicity)	: LC50 (Oryzias latipes (Japanese med Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Practically non toxic: LL/EL/IL50 > 100 mg/l	aka)): > 1.000 mg/l
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	: EC50 (Daphnia magna (Water flea)): : Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Practically non toxic: LL/EL/IL50 > 100 mg/l	> 100 mg/l
Toxicity to algae (Acute toxicity)	: EC50 (Desmodesmus subspicatus (gr Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Practically non toxic: LL/EL/IL50 > 100 mg/l	reen algae)): > 100 mg/l
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 1.340 mg/l Exposure time: 30 d Method: Based on quantitative structu (QSAR) modelling Remarks: NOEC/NOEL > 100 mg/l	re-activity relationship
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Chronic Toxicity Value: 466 mg/l Exposure time: 16 d Species: Daphnia (water flea) Method: Based on quantitative structu (QSAR) modelling Remarks: NOEC/NOEL > 1.0 - <= 10	
Toxicity to bacteria (Acute toxicity)	: EC10 (Pseudomonas putida): >= 1.00 Exposure time: 18 h Method: Test(s) equivalent or similar t Remarks: Practically non toxic: LL/EL/IL50 > 100 mg/l	_

# <u>Components:</u> Dipropylene glycol :

Toxicity to fish (Acute

toxicity)

: LC50 (Oryzias latipes (Japanese medaka)): > 1.000 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203 Remarks: Practically non toxic:

LL/EL/IL50 > 100 mg/l

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): > 100 mg/l

	Heavy Prop	ylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
aquatic invertebrates (Acute toxicity)	Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Practically non toxic: LL/EL/IL50 > 100 mg/l	
Toxicity to algae (Acute toxicity)	: EC50 (Desmodesmus subspicatus (green Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Practically non toxic: LL/EL/IL50 > 100 mg/l	algae)): > 100 mg/l
Toxicity to bacteria (Acute toxicity)	: EC10 (Pseudomonas putida): >= 1.000 mg Exposure time: 18 h Method: Test(s) equivalent or similar to OB Remarks: Practically non toxic: LL/EL/IL50 > 100 mg/l	
Toxicity to fish (Chronic toxicity)	: Chronic Toxicity Value: 1.340 mg/l Exposure time: 30 d Method: Based on quantitative structure-a (QSAR) modelling Remarks: NOEC/NOEL > 100 mg/l	ctivity relationship
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: Chronic Toxicity Value: 466 mg/l Exposure time: 16 d Species: Daphnia (water flea) Method: Based on quantitative structure-a (QSAR) modelling Remarks: NOEC/NOEL > 1.0 - <= 10 mg/l	
12.2 Persistence and degradability		
Product:		
Biodegradability	: Biodegradation: 84,4 % Exposure time: 28 d Method: OECD Test Guideline 301F Remarks: Readily biodegradable.	
<u>Components:</u> Dipropylene glycol :		
Die de grade bility	Displanta detiana 04.4.0/	

Biodegradability : Biodegradation: 84,4 %

Exposure time: 28 d

Method: OECD Test Guideline 301F Remarks: Readily biodegradable.

#### 12.3 Bioaccumulative potential

**Product:** 

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 42 d

Bioconcentration factor (BCF): 0,3 - 4,6

Heavy Propylene Glycols

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

Method: OECD Test Guideline 305C

Remarks: Does not bioaccumulate significantly.

Partition coefficient: n-

octanol/water

: Remarks: Data not available

Components:

Dipropylene glycol:

Bioaccumulation : Species: Cyprinus carpio (Carp)

Exposure time: 42 d

Bioconcentration factor (BCF): 0,3 - 4,6 Method: OECD Test Guideline 305C

Remarks: Does not bioaccumulate significantly.

12.4 Mobility in soil

**Product:** 

Mobility : Remarks: If the product enters soil, one or more constituents

will or may be mobile and may contaminate groundwater.

**Components:** 

Dipropylene glycol:

Mobility : Remarks: If the product enters soil, one or more constituents

will or may be mobile and may contaminate groundwater.

#### 12.5 Results of PBT and vPvB assessment

No data available

12.6 Other adverse effects

No data available

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations. Remove all packaging for recovery or waste disposal. Waste product should not be allowed to contaminate soil or ground water, or be disposed of into the environment. Do not dispose of tank water bottoms by allowing them to drain into the ground. This will result in soil and groundwater

contamination.

Do not dispose into the environment, in drains or in water

courses.

Waste arising from a spillage or tank cleaning should be disposed of in accordance with prevailing regulations, preferably to a recognised collector or contractor. The competence of the collector or contractor should be

	Heavy Pr	opylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
	established beforehand.	
	Disposal should be in accordance with national, and local laws and regulation Local regulations may be more stringen national requirements and must be co	ns. ent than regional or
	MARPOL - see International Conventi Pollution from Ships (MARPOL 73/78) technical aspects at controlling pollution	which provides
Contaminated packaging	: Dispose in accordance with prevailing to a recognized collector or contractor the collector or contractor should be e	. The competence of

#### **SECTION 14: Transport information**

14.1 UN number

Local legislation

ADR : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good IATA : Not regulated as a dangerous good

14.2 Proper shipping name

ADR : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good IATA : Not regulated as a dangerous good

14.3 Transport hazard class

ADR : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good IATA : Not regulated as a dangerous good

14.4 Packing group

ADR : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good IATA : Not regulated as a dangerous good

14.5 Environmental hazards

ADR : Not regulated as a dangerous good IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

14.7 Maritime transport in bulk according to IMO instruments

Pollution category : Z Ship type : 3

Product name : Dipropylene glycol

#### SAFFTY DATA SHFFT

## Heavy Propylene Glycols

Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0

#### **Additional Information**

: This product may be transported under nitrogen blanketing. Nitrogen is an odourless and invisible gas. Exposure to nitrogen enriched atmospheres displaces available oxygen which may cause asphyxiation or death. Personnel must observe strict safety precautions when involved with a confined space entry.

#### **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Other regulations : The regulatory information is not intended to be

comprehensive. Other regulations may apply to this material.

#### The components of this product are reported in the following inventories:

AIIC : Listed DSL Listed **IECSC** Listed KECI : Listed **NZIoC** : Listed **PICCS** : Listed **TCSI** : Listed **TSCA** Listed **ENCS** : Listed

#### **SECTION 16: Other information**

Abbreviations and Acronyms : The standard abbreviations and acronyms used in this document can be looked up in reference literature (e.g.

scientific dictionaries) and/or websites.

ACGIH = American Conference of Governmental Industrial

Hygienists

ADR = European Agreement concerning the International

Carriage of Dangerous Goods by Road

AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials

BEL = Biological exposure limits

BTEX = Benzene, Toluene, Ethylbenzene, Xylenes

CAS = Chemical Abstracts Service

CEFIC = European Chemical Industry Council CLP = Classification Packaging and Labelling

COC = Cleveland Open-Cup

DIN = Deutsches Institut fur Normung DMEL = Derived Minimal Effect Level

## SAFFTY DATA SHFFT **Heavy Propylene Glycols** Print Date 17.02.2025 Revision Date 10.02.2025 Version 2.0 DNEL = Derived No Effect Level DSL = Canada Domestic Substance List EC = European Commission EC50 = Effective Concentration fifty ECETOC = European Center on Ecotoxicology and Toxicology Of Chemicals ECHA = European Chemicals Agency EINECS = The European Inventory of Existing Commercial Chemical Substances EL50 = Effective Loading fifty ENCS = Japanese Existing and New Chemical Substances Inventory EWC = European Waste Code GHS = Globally Harmonised System of Classification and Labelling of Chemicals IARC = International Agency for Research on Cancer IATA = International Air Transport Association IC50 = Inhibitory Concentration fifty IL50 = Inhibitory Level fifty IMDG = International Maritime Dangerous Goods INV = Chinese Chemicals Inventory IP346 = Institute of Petroleum test method N° 346 for the determination of polycyclic aromatics DMSO-extractables KECI = Korea Existing Chemicals Inventory LC50 = Lethal Concentration fifty LD50 = Lethal Dose fifty per cent. LL/EL/IL = Lethal Loading/Effective Loading/Inhibitory loading LL50 = Lethal Loading fifty MARPOL = International Convention for the Prevention of Pollution From Ships NOEC/NOEL = No Observed Effect Concentration / No Observed Effect Level OE\_HPV = Occupational Exposure - High Production Volume PBT = Persistent, Bioaccumulative and Toxic PICCS = Philippine Inventory of Chemicals and Chemical Substances PNEC = Predicted No Effect Concentration REACH = Registration Evaluation And Authorisation Of Chemicals RID = Regulations Relating to International Carriage of Dangerous Goods by Rail SKIN DES = Skin Designation

**Further information** 

Training advice : Provide adequate information, instruction and training for

STEL = Short term exposure limit TRA = Targeted Risk Assessment

TWA = Time-Weighted Average

TSCA = US Toxic Substances Control Act

vPvB = very Persistent and very Bioaccumulative

operators.

Other information : A vertical bar () in the left margin indicates an amendment

21 / 22 800001034065 AE

	Heavy Pı	opylene Glycols
Print Date 17.02.2025	Revision Date 10.02.2025	Version 2.0
	from the previous version.	
Sources of key data used to compile the Safety Data Sheet	<ul> <li>The quoted data are from, but not limi sources of information (e.g. toxicologi Health Services, material suppliers' da IUCLID date base, EC 1272 regulation</li> </ul>	cal data from Shell ata, CONCAWE, EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.