Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Methyl TRIPROXITOL

Product code : U5148, U5152

Synonyms : MethylTriProxitol, TPM, Tripropylene Glycol Monomethyl

Ether

CAS-No. : 25498-49-1

Manufacturer or supplier's details

Supplier

SHELL EASTERN CHEMICALS (S)

A REGISTERED BUSINESS OF SHELL EASTERN

TRADING (PTE) LTD (UEN:198902087C)

9 North Buona Vista Drive, #07-01

The Metropolis Tower 1

Singapore 138588 Singapore

Telephone : +65 6384 8269 Telefax +65 6384 8454

Contact for Safety Data

Emergency telephone

Sheet

number (ALERT SGS)

Recommended use of the chemical and restrictions on use

Recommended use Speciality solvent.

This product must not be used in applications other than the Restrictions on use

above without first seeking the advice of the supplier.

: +800 2537 8747 (ALERT SGS- toll Free) or +65 6542 9595

Other information : PROXITOL is a trademark owned by Shell Trademark

Management B.V. and Shell Brands Inc. and used by affiliates

of Shell plc.

2. HAZARDS IDENTIFICATION

GHS Classification

Acute toxicity (Oral) Category 5 Skin irritation Category 3

GHS label elements

: No Hazard Symbol required Hazard pictograms

Signal word : Warning

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

PHYSICAL HAZARDS: Hazard statements

Not classified as a physical hazard under GHS criteria.

HEALTH HAZARDS:

H303 May be harmful if swallowed. H316 Causes mild skin irritation. **ENVIRONMENTAL HAZARDS:**

Not classified as an environmental hazard under GHS criteria.

Precautionary statements

Prevention:

No precautionary phrases.

Response:

P312 Call a POISON CENTER/ doctor if you feel unwell. P332 + P313 If skin irritation occurs: Get medical advice/

attention.

Storage:

No precautionary phrases.

Disposal:

No precautionary phrases.

Other hazards which do not result in classification

None known.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture Substance

Hazardous components

1.6426.6666.6666					
Chemical name	CAS-No.	Classification	Concentration (%		
			w/w)		
[2-(2- methoxymethylethoxy)methylethoxy]propan ol	25498-49-1	Acute Tox.5; H303 Skin Irrit.3; H316	<= 100		

For explanation of abbreviations see section 16.

4. FIRST-AID MEASURES

General advice : Not expected to be a health hazard when used under normal

conditions.

If inhaled : No treatment necessary under normal conditions of use. If

Methyl TRIPROXITOL

Version 1.3	Revision Date 24.11.2023	Print Date 01.12.2023
	symptoms persist, obtain medic	al advice.
In case of skin contact	: Remove contaminated clothing. large amounts of water for at least washing with soap and water if a pain and/or blisters occur, transfacility for additional treatment.	ast 15 minutes, and follow by available. If redness, swelling,
In case of eye contact	 Flush eye with copious quantities Remove contact lenses, if preserinsing. If persistent irritation occurs, obtaining. 	ent and easy to do. Continue
If swallowed	: If swallowed, do not induce vom medical facility for additional tre- spontaneously, keep head below Rinse mouth.	atment. If vomiting occurs
Most important symptoms and effects, both acute and delayed	 Not considered to be an inhalatic conditions of use. Possible respiratory irritation signatemporary burning sensation coughing, and/or difficulty breath 	gns and symptoms may include of the nose and throat,
	Skin irritation signs and sympton sensation, redness, or swelling.	
	No specific hazards under norm Eye irritation signs and sympton sensation, redness, swelling, an	ns may include a burning
	Ingestion may result in nausea,	vomiting and/or diarrhoea.
Protection of first-aiders	: When administering first aid, en appropriate personal protective incident, injury and surroundings	equipment according to the
Notes to physician	: Call a doctor or poison control c Treat symptomatically.	enter for guidance.
5. FIRE-FIGHTING MEASURES		

Suitable extinguishing media : Alcohol-resistant foam, water spray or fog. Dry chemical

powder, carbon dioxide, sand or earth may be used for small

fires only.

Unsuitable extinguishing

media

: None

Specific hazards during

firefighting

: Carbon monoxide may be evolved if incomplete combustion

occurs.

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Specific extinguishing methods

Standard procedure for chemical fires.

Clear fire area of all non-emergency personnel. Keep adjacent containers cool by spraying with water.

Special protective equipment for firefighters

: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Observe all relevant local and international regulations. Notify authorities if any exposure to the general public or the environment occurs or is likely to occur. Local authorities should be advised if significant spillages cannot be contained.

: Avoid contact with spilled or released material. Immediately remove all contaminated clothing. For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet. For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet. Stay upwind and keep out of low areas. Be ready for fire or possible exposure.

Environmental precautions

: Prevent from spreading or entering into drains, ditches or rivers by using sand, earth, or other appropriate barriers. Use appropriate containment to avoid environmental contamination.

Ventilate contaminated area thoroughly.

Methods and materials for containment and cleaning up : For large liquid spills (> 1 drum), transfer by mechanical means such as vacuum truck to a salvage tank for recovery or safe disposal. Do not flush away residues with water. Retain as contaminated waste. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely For small liquid spills (< 1 drum), transfer by mechanical means to a labeled, sealable container for product recovery or safe disposal. Allow residues to evaporate or soak up with an appropriate absorbent material and dispose of safely. Remove contaminated soil and dispose of safely.

Additional advice

: For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet.

For guidance on disposal of spilled material see Section 13 of

this Safety Data Sheet.

Methyl TRIPROXITOL

Version 1.3		Revision Date 24.11.2023	Print Date 01.12.2023
7. HANDLING AND STORAGE			
General Precautions	:	Avoid breathing of or direct contact wit well ventilated areas. Wash thoroughly guidance on selection of personal protes Section 8 of this Safety Data Sheet. Use the information in this data sheet a assessment of local circumstances to appropriate controls for safe handling, this material. Ensure that all local regulations regard storage facilities are followed.	after handling. For ective equipment see as input to a risk help determine storage and disposal of
Advice on safe handling	:	Avoid contact with skin, eyes and cloth Do not empty into drains.	ing.
Avoidance of contact	:	Copper. Copper alloys. Strong oxidising agents. Aluminum	
Product Transfer	:	Keep containers closed when not in us under Handling section.	se. Refer to guidance
Storage			
Conditions for safe storage	:	Refer to section 15 for any additional s covering the packaging and storage of	
Other data	:	Tanks should be fitted with heating coi ambient temperatures are below the rehandling temperatures. Heating coil sk not exceed 100 °C. Bulk storage tanks should be diked (bu Vapours from tanks should not be released to the seathing losses during storage should suitable vapour treatment system. Nitrogen blanket recommended for largem 3 or higher). Insulation (lagging) will minimize heat lambient temperature. Tanks should be fitted with heating coi ambient conditions can result in handli the freezing point/pour point of the process.	ecommended product in temperatures should unded). ased to atmosphere. d be controlled by a ge tanks (capacity 100 loss in areas of low ls in areas where ng temperatures below
Packaging material	:	Suitable material: Stainless steel., Epo Unsuitable material: Aluminum, Coppe	
Container Advice	:	Containers, even those that have been explosive vapours. Do not cut, drill, grisimilar operations on or near container	nd, weld or perform
Specific use(s)	:	Not applicable	
		Ensure that all local regulations regard	ling handling and

Methyl TRIPROXITOL

Version 1.3

Revision Date 24.11.2023

Print Date 01.12.2023

storage facilities are followed.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures

: The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

Use sealed systems as far as possible.

Adequate explosion-proof ventilation to control airborne concentrations below the exposure guidelines/limits.

Local exhaust ventilation is recommended.

Firewater monitors and deluge systems are recommended.

Eye washes and showers for emergency use.

Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.

General Information:

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

Personal protective equipment

Protective measures

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection

: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are unsuitable (e.g. airborne concentrations are high, risk of oxygen deficiency, confined space) use appropriate positive pressure breathing apparatus. Where air-filtering respirators are suitable, select an

If air-filtering respirators are suitable for conditions of use: Select a filter suitable for organic gases and vapours [Type A boiling point >65°C (149°F)].

appropriate combination of mask and filter.

Hand protection Remarks

: Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. Longer term protection: butylrubber Nitrile rubber gloves.

Incidental contact/Splash protection: Nitrile rubber gloves. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For shortterm/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers.

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed

moisturizer is recommended.

Eye protection : If material is handled such that it could be splashed into eyes,

protective eyewear is recommended.

Skin and body protection : Skin protection is not required under normal conditions of use.

For prolonged or repeated exposures use impervious clothing

over parts of the body subject to exposure.

If repeated and/or prolonged skin exposure to the substance is likely, then wear suitable gloves tested to relevant Standard,

and provide employee skin care programmes.

Wear antistatic and flame-retardant clothing, if a local risk

assessment deems it so.

Hygiene measures : Wash hands before eating, drinking, smoking and using the

toilet.

Launder contaminated clothing before re-use.

Environmental exposure controls

General advice : Local guidelines on emission limits for volatile substances

must be observed for the discharge of exhaust air containing

vapour.

Minimise release to the environment. An environmental assessment must be made to ensure compliance with local

environmental legislation.

Information on accidental release measures are to be found in

section 6.

: Not applicable

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Liquid.

Colour : clear

Hq

Odour : Ethereal

Odour Threshold : Data not available

Melting / freezing point : -77.8 °C / -108.0 °F

Boiling point/boiling range : 242.8 °C / 469.0 °F

Flash point : 124 °C / 255 °F

Method: ASTM D-93 / PMCC

Evaporation rate : Data not available Flammability (solid, gas) : Data not available

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Upper explosion limit : 8.5 %(V)

Lower explosion limit : 0.8 %(V)

Vapour pressure : 1.7 Pa (20 °C / 68 °F)

Relative vapour density : Data not available

Relative density : 0.95 - 0.96 (20 °C / 68 °F)

Method: ASTM D4052

Density : 0.965 g/cm3 (20 °C / 68 °F)

Method: ASTM D4052

Solubility(ies)

Water solubility : completely soluble (20 °C / 68 °F)

Partition coefficient: n-

octanol/water

: log Pow: 0.31

Auto-ignition temperature : 277 °C / 531 °F

Decomposition temperature : Data not available

Viscosity

Viscosity, dynamic : Data not available

Viscosity, kinematic : 6.71 mm2/s (20 °C / 68 °F)

Method: ASTM D445

Explosive properties : Not applicable
Oxidizing properties : Not applicable

Surface tension : 68.8 mN/m, 20 °C / 68 °F

Conductivity: > 10,000 pS/m, A number of factors,

for example liquid temperature, presence of contaminants, and anti-static additives can greatly influence the conductivity

of a liquid, This material is not expected to be a static

accumulator.

Particle size : Data not available

Molecular weight : 206.3 g/mol

10. STABILITY AND REACTIVITY

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Reactivity : Stable at normal ambient temperature and pressure., May

oxidise in the presence of air.

Chemical stability : Stable under normal conditions.

Possibility of hazardous

reactions

: None known.

Conditions to avoid : Extremes of temperature and direct sunlight.

Product cannot ignite due to static electricity.

Incompatible materials : Copper.

Copper alloys.

Strong oxidising agents.

Aluminum

Hazardous decomposition

products

: None expected under normal use conditions.

11. TOXICOLOGICAL INFORMATION

Basis for assessment : Information given is based on product testing, and/or similar

products, and/or components.

Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for

individual component(s).

Information on likely routes of

exposure

Exposure may occur via inhalation, ingestion, skin absorption,

skin or eye contact, and accidental ingestion.

Acute toxicity

Product:

Acute oral toxicity : LD50 Rat: > 2000 - <= 5000 mg/kg

Remarks: May be harmful if swallowed.

Acute inhalation toxicity : Remarks: Low toxicity by inhalation.

LC50 greater than near-saturated vapour concentration.

Acute dermal toxicity : LD50 Rabbit: > 5000 mg/kg

Remarks: Low toxicity

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Acute oral toxicity : LD50 Rat: > 2000 - <= 5000 mg/kg

Remarks: May be harmful if swallowed.

Acute inhalation toxicity : Remarks: Low toxicity by inhalation.

LC50 greater than near-saturated vapour concentration.

Acute dermal toxicity : LD50 Rabbit: > 5000 mg/kg

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Remarks: Low toxicity

Skin corrosion/irritation

Product:

Remarks: Causes mild skin irritation.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Remarks: Causes mild skin irritation.

Serious eye damage/eye irritation

Product:

Remarks: Based on available data, the classification criteria are not met., Not irritating to eye.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Remarks: Based on available data, the classification criteria are not met., Not irritating to eye.

Respiratory or skin sensitisation

Product:

Remarks: Not a sensitiser.

Based on available data, the classification criteria are not met.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Remarks: Not a sensitiser.

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Components:

Methyl TRIPROXITOL

Version 1.3

Revision Date 24.11.2023

Print Date 01.12.2023

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

Material	GHS/CLP Carcinogenicity Classification
[2-(2- methoxymethylethoxy)methyl ethoxy]propanol	No carcinogenicity classification.

Reproductive toxicity

Product:

:

Remarks: Does not impair fertility., Not a developmental toxicant., Based on available data, the classification criteria are not met.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

:

Remarks: Does not impair fertility., Not a developmental toxicant., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Remarks: Based on available data, the classification criteria are not met.

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Not an aspiration hazard.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Not an aspiration hazard.

Further information

Product:

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

12. ECOLOGICAL INFORMATION

Basis for assessment : Information given is based on product testing.

> Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for

individual component(s).

Ecotoxicity

Product:

Toxicity to fish (Acute

toxicity) Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l

Toxicity to crustacean (Acute

toxicity)

Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l

Toxicity to algae/aquatic

plants (Acute toxicity)

Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l

Toxicity to fish (Chronic

toxicity)

: Remarks: Data not available

Toxicity to crustacean (Chronic toxicity)

: Remarks: Data not available

Toxicity to microorganisms

: Remarks: Practically non toxic:

(Acute toxicity) LC/EC/IC50 > 100 mg/l

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Toxicity to fish (Acute : Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l toxicity)

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Toxicity to crustacean (Acute

toxicity)

: Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l

Toxicity to algae/aquatic

plants (Acute toxicity)

: Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l

Toxicity to microorganisms

(Acute toxicity)

: Remarks: Practically non toxic:

LC/EC/IC50 > 100 mg/l

Toxicity to fish (Chronic

toxicity)

: Remarks: Data not available

: Remarks: Data not available

Toxicity to crustacean(Chronic toxicity)

Persistence and degradability

Product:

Biodegradability : Remarks: Readily biodegradable.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Biodegradability : Remarks: Readily biodegradable.

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Does not bioaccumulate significantly.

Partition coefficient: n-

octanol/water

: log Pow: 0.31

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Bioaccumulation : Remarks: Does not bioaccumulate significantly.

Mobility in soil

Product:

Mobility : Remarks: Dissolves in water., If the product enters soil, one or

more constituents will or may be mobile and may contaminate

groundwater.

Components:

[2-(2-methoxymethylethoxy)methylethoxy]propanol:

Mobility : Remarks: Dissolves in water., If the product enters soil, one or

more constituents will or may be mobile and may contaminate

groundwater.

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

Disposal methods

Waste from residues : Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.

Do not dispose into the environment, in drains or in water

courses.

Waste product should not be allowed to contaminate soil or

water.

Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Local regulations may be more stringent than regional or

national requirements and must be complied with.

Contaminated packaging : Drain container thoroughly.

After draining, vent in a safe place away from sparks and fire.

Residues may cause an explosion hazard. Do not puncture, cut, or weld uncleaned drums. Send to drum recoverer or metal reclaimer.

14. TRANSPORT INFORMATION

International Regulations

ADR

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Maritime transport in bulk according to IMO instruments

Pollution category : Z Ship type : 3

Product name : Poly (2-8) alkylene glycol monoalkyl (C1-C6) ether

Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

Additional Information: This product may be transported under nitrogen blanketing.

Nitrogen is an odourless and invisible gas. Exposure to nitrogen may cause asphyxiation or death. Personnel must observe strict safety precautions when involved with a

confined space entry.

Transport in bulk according to Annex II of Marpol and the IBC

Code

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

Local Regulations

Workplace Safety and Health Act & Workplace Safety and Health (General Provision) Regulations	This product is subject to the SDS, Labelling, PEL and other requirements in the Act/ Regulations.
Fire Safety Act and Fire Safety (Petroleum & Flammable Materials) Regulations	This product is not subject to the requirements in the Act/Regulations.
Maritime and Port Authority of Singapore (Dangerous Goods, Petroleum and Explosives) Regulations	This product is not subject to the requirements in the Act/Regulations.
Environmental Protection and Management Act and Environmental Protection and Management (Hazardous Substances) Regulations	This product is not subject to the requirements in the Act/Regulations.

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

Other international regulations

The components of this product are reported in the following inventories:

AIIC : Listed Listed DSL **IECSC** Listed **ENCS** Listed KECI Listed **NZIoC** : Listed **PICCS** Listed TSCA Listed TCSI : Listed

16. OTHER INFORMATION

Full text of H-Statements

H303 May be harmful if swallowed. H316 Causes mild skin irritation.

Full text of other abbreviations

Acute Tox. Acute toxicity Skin Irrit. Skin irritation

Abbreviations and Acronyms

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

Further information

Training advice : Provide adequate information, instruction and training for

operators.

Other information : A vertical bar (|) in the left margin indicates an amendment

from the previous version.

Sources of key data used to compile the Safety Data

Sheet

 The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU

IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Methyl TRIPROXITOL

Version 1.3 Revision Date 24.11.2023 Print Date 01.12.2023

SG / EN