According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name : Shell Polymers Polyethylene Butene Copolymer

Product code : E6239, E6241, E6207, E6240, E6202, E6209, E6210, E6238,

E6242, E6243, E6265, E6266, E6267, E6271, E6254, E6277,

E6281

CAS-No. : 25087-34-7

Other means of identification : 18F1B, 18F1B1, 18F1B2, 18F2B, 19F3B, 22F08B3, 24N20,

26N50

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Thermoplastic resin for extrusion, film blowing, or moulding

stance/Mixture applications.

Uses advised against : Manufacture of FDA Class II and III medical devices and stor-

age or containment of radioactive materials., This product must not be used in applications other than the above without

first seeking the advice of the supplier.

This product must not be used in applications other than those listed in Section 1 without first seeking the advice of the sup-

plier.

### 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier : Shell Chemicals Europe B.V.

PO Box 2334 3000 CH Rotterdam

Netherlands

Telephone : +31 (0)10 441 5137 / +31 (0)10 441 5191 Telefax : +31 (0)20 716 8316 / +31 (0)20 713 9230

Contact for Safety Data : sccmsds@shell.com

Sheet

### 1.4 Emergency telephone number

+44 (0) 1235 239 670

National Poison Information Centre (NVIC): Tel. nr. +31(0)88 755 8000 (24 hrs a day and 7 days a week).

Only for the purpose of informing medical personnel.

Other information : This product is a Polymer which is exempt from the obligation

to register under REACH in accordance with Article II, Section

9.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification (REGULATION (EC) No 1272/2008)

Based on available data this substance / mixture does not meet the classification criteria.

#### 2.2 Label elements

### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : No Hazard Symbol required

Signal word : No signal word

Hazard statements : PHYSICAL HAZARDS:

Not classified as a physical hazard according to CLP

criteria.

**HEALTH HAZARDS:** 

Not classified as a health hazard under CLP criteria.

**ENVIRONMENTAL HAZARDS:** 

Not classified as environmental hazard according to

CLP criteria.

Precautionary statements : Prevention:

No precautionary phrases.

Response:

No precautionary phrases.

Storage:

No precautionary phrases.

Disposal:

No precautionary phrases.

#### 2.3 Other hazards

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Spilled product may present a dangerous slipping hazard.

### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

#### Components

Chemical name CAS-No.	Concentration (% w/w)
-----------------------	-----------------------

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

	EC-No.	
Polymer of but-1-ene / eth-	25087-34-7	>= 99
ene		

No Hazardous ingredients, or are below required disclosure limits

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : Not expected to be a health hazard when used under normal

conditions.

Protection of first-aiders : When administering first aid, ensure that you are wearing the

appropriate personal protective equipment according to the

incident, injury and surroundings.

If inhaled : No treatment necessary under normal conditions of use.

If symptoms persist, obtain medical advice.

In case of skin contact : Remove contaminated clothing. Flush exposed area with wa-

ter and follow by washing with soap if available.

If persistent irritation occurs, obtain medical attention.

In case of eye contact : Flush eye with copious quantities of water.

Remove contact lenses, if present and easy to do. Continue

rinsing.

If persistent irritation occurs, obtain medical attention.

If swallowed : In general no treatment is necessary unless large quantities

are swallowed, however, get medical advice.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : Not considered to be an inhalation hazard under normal con-

ditions of use.

Possible respiratory irritation signs and symptoms may include a temporary burning sensation of the nose and throat, cough-

ing, and/or difficulty breathing.

No specific hazards under normal use conditions.

Skin irritation signs and symptoms may include a burning sen-

sation, redness, or swelling.

No specific hazards under normal use conditions.

Eye irritation signs and symptoms may include a burning sen-

sation, redness, swelling, and/or blurred vision.

No specific hazards under normal use conditions.

Ingestion may result in nausea, vomiting and/or diarrhoea.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Call a doctor or poison control center for guidance.

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media : Foam, water spray or fog. Dry chemical powder, carbon diox-

ide, sand or earth may be used for small fires only.

Unsuitable extinguishing

media

Do not use water in a jet.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Avoid generating dust; fine dust dispersed in air in sufficient concentrations, and in the presence of an ignition source is a

potential dust explosion hazard.

Hazardous combustion products may include:

A complex mixture of airborne solid and liquid particulates and

gases (smoke).

Carbon monoxide may be evolved if incomplete combustion

occurs.

Unidentified organic and inorganic compounds.

#### 5.3 Advice for firefighters

Special protective equipment:

for firefighters

Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to

relevant Standards (e.g. Europe: EN469).

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Further information : Clear fire area of all non-emergency personnel.

Keep adjacent containers cool by spraying with water.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions

Observe all relevant local and international regulations.

Avoid raising a dust cloud.

Material can create slippery conditions. 6.1.1 For non emergency personnel: Avoid contact with skin, eyes and clothing.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Isolate hazard area and deny entry to unnecessary or unpro-

tected personnel.

Do not breathe fumes, vapour. Do not operate electrical equipment. 6.1.2 For emergency responders:

Avoid contact with skin, eyes and clothing.

Isolate hazard area and deny entry to unnecessary or unpro-

tected personnel.

Do not breathe fumes, vapour. Do not operate electrical equipment.

### 6.2 Environmental precautions

Environmental precautions : Prevent from spreading or entering into drains, ditches or riv-

ers by using sand, earth, or other appropriate barriers.

Use appropriate containment to avoid environmental contami-

nation.

Ventilate contaminated area thoroughly.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Prevent from spreading or entering into drains, ditches or riv-

ers by using sand, earth, or other appropriate barriers.

### 6.4 Reference to other sections

For guidance on selection of personal protective equipment see Section 8 of this Safety Data Sheet., For guidance on disposal of spilled material see Section 13 of this Safety Data Sheet.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : Avoid breathing of or direct contact with material. Only use in

well ventilated areas. Wash thoroughly after handling. For guidance on selection of personal protective equipment see

Section 8 of this Safety Data Sheet.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine appropriate controls for safe handling, storage and disposal of this

material.

Advice on safe handling : Avoid contact with skin, eyes and clothing.

Avoid generation or accumulation of dusts.

Avoid breathing dust.

Take precautionary measures against static discharges.

Ensure all equipment is electrically grounded before beginning

transfer operations.

Dry powders can build static electricity charges when subject-

ed to the friction of transfer and mixing operations.

Refer to NFPA 654, Standard for the Prevention of Fire and Dust Explosions from the Manufacturing, Processing, and Handling of Combustible Particulate Solids, for safe handling.

Avoid generating heat during transfer operations.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Spills may present a slip hazard.

Hygiene measures : Wash hands before eating, drinking, smoking and using the

toilet. Launder contaminated clothing before re-use.

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Take measures to prevent the build up of electrostatic charge. Keep tightly closed in a dry and cool place. Refer to section 15 for any additional specific legislation covering the packaging

and storage of this product.

Further information on stor-

age stability

Tanks must be clean, dry and rust-free.

Must be stored in a diked (bunded) well- ventilated area, away

from sunlight, ignition sources and other sources of heat. Drums should be stacked to a maximum of 3 high.

Storage Temperature:

Ambient.

Refer to section 15 for any additional specific legislation cov-

ering the packaging and storage of this product.

Packaging material : Suitable material: For containers or container linings, use mild

steel or high density polyethylene.

7.3 Specific end use(s)

Specific use(s) : Ensure that all local regulations regarding handling and stor-

age facilities are followed.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

### Biological occupational exposure limits

No biological limit allocated.

#### 8.2 Exposure controls

### **Engineering measures**

Adequate ventilation to control airborne concentrations.

Local exhaust ventilation is recommended.

Eye washes and showers for emergency use.

The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

General Information:

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Drain down system prior to equipment break-in or maintenance.

Retain drain downs in sealed storage pending disposal or subsequent recycle.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

### Personal protective equipment

The provided information is made in consideration of the PPE directive (Council Directive 89/686/EEC) and the CEN European Committee for Standardisation (CEN) standards.

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Eye protection : Safety glasses with side-shields

Hand protection

Remarks : Recommended preventive skin protection Protective gloves

against thermal risks Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed moisturizer is recommended. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm

depending on the glove make and model.

Skin and body protection : Where risk of splashing or in spillage clean up, use chemical

resistant one-piece overall with integral hood, chemical resistant knee length boots and chemical resistant gloves. Otherwise use chemical resistant apron and gauntlets.

For spillage clean up use chemical resistant knee length

boots.

Respiratory protection : In accordance with good industrial hygiene practices, precau-

tions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation.

Check with respiratory protective equipment suppliers.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Select a filter suitable for combined particulate/organic gases and vapours [Type A/Type P boiling point > 65°C (149°F)]

meeting EN14387 and EN143.

Where air-filtering respirators are unsuitable (e.g. airborne concentrations are high, risk of oxygen deficiency, confined space) use appropriate positive pressure breathing apparatus.

ratus.

Where air-filtering respirators are suitable, select an appro-

priate combination of mask and filter.

Thermal hazards : When handling heated product, wear heat resistant gloves,

safety hat with chin strap, face shield (preferably with a chin guard), safety glasses, heat resistant coveralls (with cuffs over gloves and legs over boots), neck protection and heavy duty

boots, e.g. leather for heat resistance.

### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state : Solid

Colour : white, colourless, translucent

Odour : mild

Odour Threshold : Data not available

Melting point/freezing point : 115 - 135 °C

Boiling point/boiling range : Not applicable

Flammability

Lower explosion limit and upper explosion limit / flammability limit

Upper explosion limit / upper flammability limit

Not applicable

Lower explosion limit / Lower flammability limit

Not applicable

Flash point : Not applicable

Auto-ignition temperature : > 300 °C

Decomposition temperature

Decomposition tempera-

> 300 °C

ture

pH : Not applicable

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Viscosity

Viscosity, dynamic : Data not available

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Data not available (50,0 °C)

Data not available

Relative density : 0,918 - 0,965

Method: ASTM D4052

Density : 0,918 - 0,965 g/cm3 (20 °C)

Method: ASTM D4052

Relative vapour density : Not applicable

Particle characteristics

Particle size : Data not available

9.2 Other information

Explosive properties : Not applicable

Oxidizing properties : Not applicable

Evaporation rate : Not applicable

Conductivity : Data not available

Surface tension : Data not available

Molecular weight : > 25.000 g/mol

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.

### 10.2 Chemical stability

Stable.

Accumulation of dust can create an explosion hazard. Dust can be ignited by static electricity, sparks and heat.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

#### 10.3 Possibility of hazardous reactions

Hazardous reactions : Reacts with strong oxidising agents.

Hazardous polymerisation does not occur.

10.4 Conditions to avoid

Conditions to avoid : Extremes of temperature and direct sunlight.

10.5 Incompatible materials

Materials to avoid : Strong oxidising agents.

#### 10.6 Hazardous decomposition products

Hazardous combustion products may include:

Carbon dioxide (CO2) Carbon monoxide. Organic Substances

### **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Exposure may occur via inhalation, ingestion, skin absorption,

exposure skin or eye contact, and accidental ingestion.

**Acute toxicity** 

#### **Components:**

#### Polymer of but-1-ene / ethene:

Acute oral toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute inhalation toxicity : Remarks: Based on available data, the classification criteria

are not met.

Acute dermal toxicity : Remarks: Based on available data, the classification criteria

are not met.

#### Skin corrosion/irritation

## **Components:**

#### Polymer of but-1-ene / ethene:

Remarks : Based on available data, the classification criteria are not met.

### Serious eye damage/eye irritation

#### **Components:**

#### Polymer of but-1-ene / ethene:

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Remarks : Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

**Components:** 

Polymer of but-1-ene / ethene:

Remarks : For respiratory sensitisation:

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

**Components:** 

Polymer of but-1-ene / ethene:

Genotoxicity in vitro : Remarks: Based on available data, the classification criteria

are not met.

Genotoxicity in vivo : Remarks: Based on available data, the classification criteria

are not met.

Germ cell mutagenicity- As-

sessment

This product does not meet the criteria for classification in

categories 1A/1B.

Carcinogenicity

Components:

Polymer of but-1-ene / ethene:

Remarks : Based on available data, the classification criteria are not met.

Carcinogenicity - Assess-

ment

This product does not meet the criteria for classification in

categories 1A/1B.

Material	GHS/CLP Carcinogenicity Classification
Polymer of but-1-ene / eth- ene	No carcinogenicity classification.

#### Reproductive toxicity

**Components:** 

Polymer of but-1-ene / ethene:

Effects on fertility :

Remarks: Based on available data, the classification criteria

are not met.

Reproductive toxicity - As- : This product does not meet the criteria for classification in

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

sessment categories 1A/1B.

STOT - single exposure

**Components:** 

Polymer of but-1-ene / ethene:

Remarks : Based on available data, the classification criteria are not met.

STOT - repeated exposure

**Components:** 

Polymer of but-1-ene / ethene:

Remarks : Based on available data, the classification criteria are not met.

**Aspiration toxicity** 

**Components:** 

Polymer of but-1-ene / ethene:

Not considered an aspiration hazard., Based on available data, the classification criteria are not met.

11.2 Information on other hazards

**Endocrine disrupting properties** 

**Product:** 

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

**Further information** 

**Product:** 

Remarks : Unless indicated otherwise, the data presented is representa-

tive of the product as a whole, rather than for individual com-

ponent(s).

**Components:** 

Polymer of but-1-ene / ethene:

Remarks : Classifications by other authorities under varying regulatory

frameworks may exist.

According to EC No 1907/2006 as amended as at the date of this SDS

## Shell Polymers Polyethylene Butene Copolymer

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

800010032858 Print Date 27.11.2024 1.2 20.11.2024

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

### **Components:**

Polymer of but-1-ene / ethene:

: Remarks: Practically non toxic, LC/EC/IC 50 > 100 mg/l. Toxicity to fish

Toxicity to daphnia and other : Remarks: Practically non toxic:

aquatic invertebrates LL/EL/IL50 > 100 mg/l

Toxicity to algae/aquatic plants : Remarks: Practically non toxic:

LL/EL/IL50 > 100 mg/l

Toxicity to microorganisms

Remarks: Data not available

Toxicity to fish (Chronic tox-

icity)

Remarks: NOEC/NOEL > 100 mg/l

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

Remarks: NOEC/NOEL > 100 mg/l

### 12.2 Persistence and degradability

#### **Components:**

Polymer of but-1-ene / ethene:

Biodegradability Remarks: Not readily biodegradable.

### 12.3 Bioaccumulative potential

#### **Components:**

Polymer of but-1-ene / ethene:

Bioaccumulation : Remarks: Has the potential to bioaccumulate.

### 12.4 Mobility in soil

### **Components:**

Polymer of but-1-ene / ethene:

Mobility Remarks: Floats on water.

### 12.5 Results of PBT and vPvB assessment

#### **Components:**

#### Polymer of but-1-ene / ethene:

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Assessment : The substance does not fulfill all screening criteria for persis-

tence, bioaccumulation and toxicity and hence is not consid-

ered to be PBT or vPvB..

### 12.6 Endocrine disrupting properties

#### **Product:**

Assessment : The substance/mixture does not contain components considered to

have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects

#### **Product:**

Ozone-Depletion Potential : Remarks: Data available only for some components.

Additional ecological infor-

mation

Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

### Components:

### Polymer of but-1-ene / ethene:

Ozone-Depletion Potential : Remarks: Data available only for some components.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal meth-

ods in compliance with applicable regulations.

Do not dispose into the environment, in drains or in water

courses.
Waste product should not be allowed to contaminate soil or

water.

Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Local regulations may be more stringent than regional or na-

tional requirements and must be complied with.

Contaminated packaging : Remove all packaging for recovery or waste disposal.

Comply with any local recovery or waste disposal regulations.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

### **SECTION 14: Transport information**

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good
: Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good
in the contraction of the contraction o

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good
I Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good

CDNI Inland Water Waste

Agreement

NST 8911 plastic raw materials, unspecified

ADR : Not regulated as a dangerous good

RID : Not regulated as a dangerous good

IMDG : Not regulated as a dangerous good

IATA : Not regulated as a dangerous good

: Not regulated as a dangerous good

14.5 Environmental hazards

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good

14.6 Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

#### 14.7 Maritime transport in bulk according to IMO instruments

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Date of last issue: 23.05.2024 Version Revision Date: SDS Number:

20.11.2024 800010032858 Print Date 27.11.2024 1.2

Pollution category : Not applicable Ship type : Not applicable Product name : Not applicable

### **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mix-

REACH - Restrictions on the manufacture, placing on : Not applicable

the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

REACH - List of substances subject to authorisation

: Product is not subject to Authorisa-

tion under REACH. (Annex XIV)

### Other regulations:

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

#### The components of this product are reported in the following inventories:

**TSCA** Listed

AIIC Listed

DSL Listed

**IECSC** Listed

**ENCS** Listed

**KECI** Listed

**NZIoC** Listed

**PICCS** Listed

**TCSI** Listed

### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

#### **SECTION 16: Other information**

#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

Training advice : Provide adequate information, instruction and training for op-

erators.

Other information : For Industry guidance and tools on REACH please visit the

CEFIC website at http://cefic.org/Industry-support.

The substance does not fulfill all screening criteria for persistence, bioaccumulation and toxicity and hence is not consid-

ered to be PBT or vPvB.

A vertical bar (|) in the left margin indicates an amendment

from the previous version.

Sources of key data used to compile the Safety Data

The quoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell

According to EC No 1907/2006 as amended as at the date of this SDS

## **Shell Polymers Polyethylene Butene Copolymer**

Version Revision Date: SDS Number: Date of last issue: 23.05.2024

1.2 20.11.2024 800010032858 Print Date 27.11.2024

Sheet Health Services, material suppliers' data, CONCAWE, EU

IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

NL / EN