# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

## 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : C Butene XHP

Product code : V1505, E6275

Synonyms : Butylene, alpha-; Ethyl ethylene; SHOP C4 Olefin

CAS-No. : 106-98-9

# Manufacturer or supplier's details

Supplier :

SHELL EASTERN CHEMICALS (S)

A REGISTERED BUSINESS OF SHELL EASTERN

TRADING (PTE) LTD (UEN:198902087C)

9 North Buona Vista Drive, #07-01

The Metropolis Tower 1 Singapore 138588

Singapore 1385 Singapore

Telephone : +65 6384 8269 Telefax : +65 6384 8454

Contact for Safety Data

Sheet

Emergency telephone : +800 2537 8747 (ALERT SGS- toll Free) or +65 6542 9595

number (ALERT SGS)

## Recommended use of the chemical and restrictions on use

Recommended use : Chemical intermediate.

Restrictions on use : This product must not be used in applications other than the

above without first seeking the advice of the supplier.

## 2. HAZARDS IDENTIFICATION

## **GHS Classification**

Flammable gases : Category 1
Gases under pressure : Liquefied gas

**GHS** label elements

Hazard pictograms :



Signal word : Danger

Hazard statements : PHYSICAL HAZARDS:

H220 Extremely flammable gas.

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

H280 Contains gas under pressure; may explode if heated.

**HEALTH HAZARDS:** 

Not classified as a health hazard under GHS criteria.

**ENVIRONMENTAL HAZARDS:** 

Not classified as an environmental hazard under GHS criteria.

Precautionary statements

**Prevention:** 

P210 Keep away from heat/ sparks/ open flames/ hot surfaces.

No smoking.

P243 Take precautionary measures against static discharge.

Response:

P377 Leaking gas fire: Do not extinguish, unless leak can be

stopped safely.

P381 Eliminate all ignition sources if safe to do so.

Storage:

P410 + P403 Protect from sunlight. Store in a well-ventilated

place.

Disposal:

No precautionary phrases.

## Other hazards which do not result in classification

Vapours are heavier than air. Vapours may travel across the ground and reach remote ignition sources causing a flashback fire danger. May form flammable/explosive vapour-air mixture. This material is a static accumulator. Even with proper grounding and bonding, this material can still accumulate an electrostatic charge. If sufficient charge is allowed to accumulate, electrostatic discharge and ignition of flammable air-vapour mixtures can occur. This material is shipped under pressure. High gas concentrations will displace available air; unconsciousness and death may occur suddenly from lack of oxygen. Exposure to rapidly expanding gases may cause frost burns to eyes and/or skin. Inhalation of vapours or mists may cause irritation to the respiratory system. Vapours may cause drowsiness and dizziness.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Substance

Hazardous components

| nazaradas sempenents |          |                     |                  |
|----------------------|----------|---------------------|------------------|
| Chemical name        | CAS-No.  | Classification      | Concentration (% |
|                      |          |                     | w/w)             |
| but-1-ene            | 106-98-9 | Flam. Gas1; H220    | <= 100           |
|                      |          | Press. GasLiquefied |                  |
|                      |          | gas; H280           |                  |

For explanation of abbreviations see section 16.

2 / 18 800010060185

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023 4. FIRST-AID MEASURES General advice : Not expected to be a health hazard when used under normal conditions. If inhaled : Call emergency number for your location / facility. Remove to fresh air. Do not attempt to rescue the victim unless proper respiratory protection is worn. If the victim has difficulty breathing or tightness of the chest, is dizzy, vomiting, or unresponsive, give 100% oxygen with rescue breathing or Cardio-Pulmonary Resuscitation as required and transport to the nearest medical facility. In case of skin contact Slowly warm the exposed area by rinsing with warm water. Transport to the nearest medical facility for additional treatment. : Slowly warm the exposed area by rinsing with warm water. In case of eye contact Transport to the nearest medical facility for additional treatment. If swallowed : In general no treatment is necessary unless large quantities are swallowed, however, get medical advice. Respiratory irritation signs and symptoms may include a Most important symptoms temporary burning sensation of the nose and throat, coughing, and effects, both acute and delayed and/or difficulty breathing. Breathing of high vapour concentrations may cause central nervous system (CNS) depression resulting in dizziness, lightheadedness, headache, nausea and loss of coordination. Continued inhalation may result in unconsciousness and death. Rapid release of gases which are liquids under pressure may cause frost burns of exposed tissues (skin, eye) due to evaporative cooling. No specific hazards under normal use conditions. Ingestion may result in nausea, vomiting and/or diarrhoea. Protection of first-aiders When administering first aid, ensure that you are wearing the appropriate personal protective equipment according to the incident, injury and surroundings. IMMEDIATE TREATMENT IS EXTREMELY IMPORTANT! Notes to physician Artificial respiration and/or oxygen may be necessary. Call a doctor or poison control center for guidance. Treat symptomatically. Potential for cardiac sensitisation, particularly in abuse situations. Hypoxia or negative inotropes may enhance these

3/18 800010060185

effects. Consider: oxygen therapy. Narcotic at high vapour concentrations.

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

#### 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Shut off supply. If not possible and no risk to surroundings, let

the fire burn itself out.

Unsuitable extinguishing

media

: Do not use water in a jet.

Specific hazards during

firefighting

: Sustained fire attack on vessels may result in a Boiling Liquid

Expanding Vapor Explosion (BLEVE).

The vapour is heavier than air, spreads along the ground and

distant ignition is possible.

Contents are under pressure and can explode when exposed

to heat or flames.

As the vapours become lighter than air, the vapours may reach ignition sources at ground or elevated locations.

Specific extinguishing

methods

Standard procedure for chemical fires.

Clear fire area of all non-emergency personnel.

Keep adjacent containers cool by spraying with water.

Special protective equipment

for firefighters

: Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to

relevant Standards (e.g. Europe: EN469).

## 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Observe the relevant local and international regulations Risk of explosion. Inform the emergency services if liquid enters surface water drains.

Notify authorities if any exposure to the general public or the

environment occurs or is likely to occur.

Local authorities should be advised if significant spillages

cannot be contained.

: Avoid contact with skin, eyes and clothing.

Isolate hazard area and deny entry to unnecessary or

unprotected personnel. Do not breathe fumes, vapour. Do not operate electrical equipment.

Environmental precautions

Shut off leaks, if possible without personal risks. Remove all possible sources of ignition in the surrounding area and evacuate all personnel. Attempt to disperse the gas or to direct its flow to a safe location for example by using fog sprays. Take precautionary measures against static discharge. Ensure electrical continuity by bonding and grounding (earthing) all equipment. Monitor area with

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

combustible gas meter.

Methods and materials for containment and cleaning up Allow to evaporate.

Attempt to disperse the vapour or to direct its flow to a safe location, for example by using fog sprays. Otherwise treat as

for small spillage.

Additional advice : For guidance on selection of personal protective equipment

see Section 8 of this Safety Data Sheet.

Risk of explosion. Inform the emergency services if liquid

enters surface water drains.

For guidance on disposal of spilled material see Section 13 of

this Safety Data Sheet.

Vapour may form an explosive mixture with air.

#### 7. HANDLING AND STORAGE

: Avoid breathing of or direct contact with material. Only use in **General Precautions** 

> well ventilated areas. Wash thoroughly after handling. For guidance on selection of personal protective equipment see

Section 8 of this Safety Data Sheet.

Use the information in this data sheet as input to a risk assessment of local circumstances to help determine

appropriate controls for safe handling, storage and disposal of

this material.

Advice on safe handling Extinguish any naked flames. Do not smoke. Remove ignition

sources. Avoid sparks.

Avoid inhaling vapour and/or mists.

Avoid contact with skin, eyes and clothing.

Use local exhaust ventilation if there is risk of inhalation of

vapours, mists or aerosols.

Bulk storage tanks should be diked (bunded).

Properly dispose of any contaminated rags or cleaning

materials in order to prevent fires.

Even with proper grounding and bonding, this material can still

accumulate an electrostatic charge.

If sufficient charge is allowed to accumulate, electrostatic discharge and ignition of flammable air-vapour mixtures can

occur.

Be aware of handling operations that may give rise to additional hazards that result from the accumulation of static

charges.

These include but are not limited to pumping (especially turbulent flow), mixing, filtering, splash filling, cleaning and filling of tanks and containers, sampling, switch loading, gauging, vacuum truck operations, and mechanical

movements.

These activities may lead to static discharge e.g. spark

formation.

Restrict line velocity during pumping in order to avoid generation of electrostatic discharge (≤ 1 m/s until fill pipe submerged to twice its diameter, then ≤ 7 m/s). Avoid splash

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

fillina.

Do NOT use compressed air for filling, discharging, or

handling operations.

The vapour is heavier than air. Beware of accumulation in pits

and confined spaces.

Avoidance of contact : Strong oxidising agents.

**Product Transfer** : Refer to guidance under Handling section.

Storage

Other data : Keep away from aerosols, flammables, oxidizing agents,

corrosives and from products harmful or toxic to man or to the

environment.

Must be stored in a diked (bunded) well- ventilated area, away from sunlight, ignition sources and other sources of heat. Vapours from tanks should not be released to atmosphere. Breathing losses during storage should be controlled by a

suitable vapour treatment system.

Electrostatic charges will be generated during pumping. Electrostatic discharge may cause fire. Ensure electrical continuity by bonding and grounding (earthing) all equipment

to reduce the risk.

The vapours in the head space of the storage vessel may lie

in the flammable/explosive range and hence may be

flammable.

Packaging material : Suitable material: For containers, or container linings use mild

steel, stainless steel.

Container Advice : Containers, even those that have been emptied, can contain

explosive vapours. Do not cut, drill, grind, weld or perform

similar operations on or near containers.

Specific use(s) : Not applicable

Ensure that all local regulations regarding handling and

storage facilities are followed.

See additional references that provide safe handling practices for liquids that are determined to be static accumulators: American Petroleum Institute 2003 (Protection Against Ignitions Arising out of Static, Lightning and Stray Currents) or

National Fire Protection Agency 77 (Recommended Practices

on Static Electricity).

IEC/TS 60079-32-1: Electrostatic hazards, guidance

#### 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

## Components with workplace control parameters

| Components | CAS-No. | Value type | Control      | Basis |
|------------|---------|------------|--------------|-------|
|            |         | (Form of   | parameters / |       |

# C Butene XHP

|           |          | exposure) | Permissible concentration |       |
|-----------|----------|-----------|---------------------------|-------|
| but-1-ene | 106-98-9 | TWA       | 250 ppm                   | ACGIH |

## **Biological occupational exposure limits**

No biological limit allocated.

## **Monitoring Methods**

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dauv.de/inhalt/index.isp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

## **Engineering measures**

: Use sealed systems as far as possible.

Adequate explosion-proof ventilation to control airborne concentrations below the exposure guidelines/limits. Local exhaust ventilation is recommended.

Firewater monitors and deluge systems are recommended. The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include:

## General Information:

Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard contaminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

Define procedures for safe handling and maintenance of controls.

Educate and train workers in the hazards and control measures relevant to normal activities associated with this product.

Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation.

Purge system prior to equipment break-in or maintenance.

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

## Personal protective equipment

#### **Protective measures**

Personal protective equipment (PPE) should meet recommended national standards. Check with PPE suppliers.

Respiratory protection

: If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are unsuitable (e.g. airborne concentrations are high, risk of oxygen deficiency, confined space) use appropriate positive pressure breathing apparatus. If air-filtering respirators are suitable for conditions of use: Where air-filtering respirators are suitable, select an appropriate combination of mask and filter.

Select a filter suitable for organic gases and vapours [Type AX boiling point ≤65°C (149°F)].

Hand protection Remarks

Where hand contact with the product may occur the use of gloves approved to relevant standards (e.g. Europe: EN374, US: F739) made from the following materials may provide suitable chemical protection. Neoprene rubber. If contact with liquefied product is possible or anticipated, gloves should be thermally insulated to prevent cold burns. For continuous contact we recommend gloves with breakthrough time of more than 240 minutes with preference for > 480 minutes where suitable gloves can be identified. For short-term/splash protection we recommend the same but recognize that suitable gloves offering this level of protection may not be available and in this case a lower breakthrough time maybe acceptable so long as appropriate maintenance and replacement regimes are followed. Glove thickness is not a good predictor of glove resistance to a chemical as it is dependent on the exact composition of the glove material. Glove thickness should be typically greater than 0.35 mm depending on the glove make and model. Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly. Application of a non-perfumed

Eye protection

: Wear goggles for use against liquids and gas, combined with face shield with chin guard.

Skin and body protection

Chemical and cryogenic gloves/gauntlets, boots, and apron. Wear antistatic and flame-retardant clothing.

8/18 800010060185

moisturizer is recommended.

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

Thermal hazards : When handling cold material that can cause frost burns, wear

cryogenic gloves, safety hat and visor, cold resistant overalls (with cuffs over gloves and legs over boots) and heavy duty

boots e.g. leather for cold resistance.

Hygiene measures : Wash hands before eating, drinking, smoking and using the

toilet.

Launder contaminated clothing before re-use.

**Environmental exposure controls** 

General advice : Local guidelines on emission limits for volatile substances

must be observed for the discharge of exhaust air containing

vapour.

Minimise release to the environment. An environmental assessment must be made to ensure compliance with local

environmental legislation.

Information on accidental release measures are to be found in

section 6.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Gas., Liquid under pressure.

Colour : colourless

Odour : Mild hydrocarbon
Odour Threshold : Data not available
pH : Data not available

Melting / freezing point : -185 °C / -301 °F

Boiling point/boiling range :  $-6.3 \,^{\circ}\text{C} / 20.7 \,^{\circ}\text{F}$ Flash point :  $-79 \,^{\circ}\text{C} / -110 \,^{\circ}\text{F}$ 

Evaporation rate : Data not available Flammability (solid, gas) : Extremely flammable.

Upper explosion limit : 10 %(V)

Lower explosion limit : 1.6 %(V)

Vapour pressure : 255 kPa (21 °C / 70 °F)

Relative vapour density : 1.93

Relative density : 0.588Method: ASTM D4052

Density : 588 kg/m3 (25 °C / 77 °F)

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

Method: ASTM D4052

Liquid at saturation pressure.

Solubility(ies)

Water solubility : 220 mg/l (22 °C / 72 °F)

Partition coefficient: n-

octanol/water

: log Pow: 2.4

Auto-ignition temperature : 385 °C / 725 °F

Decomposition temperature : Data not available

Viscosity

Viscosity, dynamic : 0.156 mPa.s (20 °C / 68 °F)

Method: ASTM D445

Viscosity, kinematic : ca. 0.265 mm2/sMethod: ASTM D445

Explosive properties : Material that is readily capable of detonation or explosive

decomposition or explosive reaction at normal temperatures

and pressures.

Oxidizing properties : Data not available

Surface tension : 13.1 mN/m

Conductivity: < 100 pS/m

The conductivity of this material makes it a static

accumulator., A liquid is typically considered nonconductive if its conductivity is below 100 pS/m and is considered semi-conductive if its conductivity is below 10,000 pS/m., Whether a liquid is nonconductive or semi-conductive, the precautions are the same., A number of factors, for example liquid temperature, presence of contaminants, and anti-static additives can greatly influence the conductivity of a liquid

Particle size : Data not available

Molecular weight : 56 g/mol

# **10. STABILITY AND REACTIVITY**

Reactivity : The product does not pose any further reactivity hazards in

addition to those listed in the following sub-paragraph.

Chemical stability : Stable under normal conditions of use.

Possibility of hazardous : Reacts violently with strong oxidising agents.

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

Polymerisation may occur at elevated temperatures. reactions

Conditions to avoid Heat, flames, and sparks.

Exposure to air.

In certain circumstances product can ignite due to static

electricity.

Incompatible materials : Strong oxidising agents.

Hazardous decomposition

products

: Thermal decomposition is highly dependent on conditions. A complex mixture of airborne solids, liquids and gases

including carbon monoxide, carbon dioxide, sulphur oxides and unidentified organic compounds will be evolved when this

material undergoes combustion or thermal or oxidative

degradation.

## 11. TOXICOLOGICAL INFORMATION

Basis for assessment : Information given is based on product data and on data on the

components and the toxicology of similar products. Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for

individual component(s).

exposure

Information on likely routes of : Inhalation is the primary route of exposure.

# **Acute toxicity**

# **Components:**

but-1-ene:

Acute inhalation toxicity : LC 50 Rat, male: > 2500 - <= 20000 ppm

> Exposure time: 4 h Test atmosphere: gas

Method: OECD Test Guideline 403

Remarks: Information given is based on data obtained from

similar substances.

Based on available data, the classification criteria are not met.

## Skin corrosion/irritation

## Components:

but-1-ene:

Remarks: Based on available data, the classification criteria are not met.

## Serious eye damage/eye irritation

# **Components:**

but-1-ene:

Remarks: Based on available data, the classification criteria are not met.

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

# Respiratory or skin sensitisation

## **Components:**

but-1-ene:

Remarks: Based on available data, the classification criteria are not met.

# Germ cell mutagenicity

## **Components:**

but-1-ene:

Genotoxicity in vitro : Method: Literature data

Remarks: Based on available data, the classification criteria

are not met.

Method: OECD Test Guideline 473

Remarks: Based on available data, the classification criteria

are not met.

Germ cell mutagenicity-

Assessment

: This product does not meet the criteria for classification in

categories 1A/1B.

## Carcinogenicity

# **Components:**

but-1-ene:

Remarks: Based on available data, the classification criteria are not met.

Carcinogenicity -Assessment

: This product does not meet the criteria for classification in

categories 1A/1B.

| Material  | GHS/CLP Carcinogenicity Classification |
|-----------|--|
| but-1-ene | No carcinogenicity classification.     |

# Reproductive toxicity

## Components:

but-1-ene:

Species: Rat

Sex: male and female Application Route: Inhalation

Method: OECD Test Guideline 422

Remarks: Based on available data, the classification criteria

are not met.

Effects on foetal

Species: Rat, female development

Application Route: Inhalation Method: OECD Test Guideline 414

Remarks: Information given is based on data obtained from

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

similar substances., Based on available data, the classification

criteria are not met.

Reproductive toxicity -

Assessment

: This product does not meet the criteria for classification in

categories 1A/1B.

# STOT - single exposure

## **Components:**

#### but-1-ene:

Remarks: Inhalation of vapours or mists may cause irritation to the respiratory system., Based on available data, the classification criteria are not met.

## STOT - repeated exposure

## Components:

#### but-1-ene:

Remarks: Based on available data, the classification criteria are not met.

# Repeated dose toxicity

## **Components:**

## but-1-ene:

rat, male and female:

Application Route: Inhalation

Test atmosphere: Gas

Method: OECD Test Guideline 422

Target Organs: No specific target organs noted

# **Aspiration toxicity**

## Components:

# but-1-ene:

Based on available data, the classification criteria are not met.

## **Further information**

## **Components:**

## but-1-ene:

Remarks: Classifications by other authorities under varying regulatory frameworks may exist.

# 12. ECOLOGICAL INFORMATION

Basis for assessment Incomplete ecotoxicological data are available for this product.

The information given below is based partly on a knowledge of the components and the ecotoxicology of similar products.

Unless indicated otherwise, the data presented is

representative of the product as a whole, rather than for

individual component(s).

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

## **Ecotoxicity**

Components:

but-1-ene :

Toxicity to fish (Acute

toxicity)

: LC50:19 mg/l

Exposure time: 96 h

Method: Based on quantitative structure-activity relationship

(QSAR) modelling

Remarks: LL/EL/IL50 10-100 mg/l

Toxicity to crustacean (Acute

toxicity)

: LC50 (Daphnia (water flea)): 16 mg/l

Exposure time: 48 h

Method: Based on quantitative structure-activity relationship

(QSAR) modelling

Remarks: LL/EL/IL50 10-100 mg/l

Toxicity to algae/aquatic

plants (Acute toxicity)

: EC50 (green algae): 6.9 mg/l

Exposure time: 96 h

Method: Based on quantitative structure-activity relationship

(QSAR) modelling

Remarks: LL/EL/IL50 1-10 mg/l

Toxicity to microorganisms

(Acute toxicity)

Toxicity to fish (Chronic : Chronic Toxicity Value: 2 mg/l

toxicity)

: Remarks: Data not available

Exposure time: 30 d

Method: Based on quantitative structure-activity relationship

(QSAR) modelling

Toxicity to crustacean(Chronic toxicity) Chronic Toxicity Value: 1.6 mg/l Species: Daphnia (water flea)

Method: Based on quantitative structure-activity relationship

(QSAR) modelling

Persistence and degradability

Components:

but-1-ene:

Biodegradability : Method: Based on quantitative structure-activity relationship

(QSAR) modelling

Remarks: Readily biodegradable.

Oxidises rapidly by photo-chemical reactions in air.

Bioaccumulative potential

Product:

Partition coefficient: n-

octanol/water

: log Pow: 2.4

Components: but-1-ene:

Bioaccumulation : Remarks: Does not bioaccumulate significantly.

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

Mobility in soil

Components: but-1-ene:

Mobility : Remarks: Because of their extreme volatility, air is the only

environmental compartment that hydrocarbon gases will be

found.

Other adverse effects

**Components:** 

but-1-ene:

Results of PBT and vPvB

assessment

: The substance does not fulfill all screening criteria for persistence, bioaccumulation and toxicity and hence is not

considered to be PBT or vPvB.

Additional ecological

information

In view of the high rate of loss from solution, the product is

unlikely to pose a significant hazard to aquatic life.

#### 13. DISPOSAL CONSIDERATIONS

## **Disposal methods**

Waste from residues : Recover or recycle if possible.

It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods in compliance with applicable regulations.

Do not dispose into the environment, in drains or in water

courses.

Waste product should not be allowed to contaminate soil or

water.

Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

Local regulations may be more stringent than regional or

national requirements and must be complied with.

MARPOL - see International Convention for the Prevention of

Pollution from Ships (MARPOL 73/78) which provides technical aspects at controlling pollutions from ships.

Contaminated packaging : Data not available

## 14. TRANSPORT INFORMATION

# **International Regulations**

**ADR** 

UN number : 1012

Proper shipping name : BUTYLENE

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

: 2 Class

: Not Assigned Packing group

: 2.1 Labels Environmentally hazardous no

IATA-DGR

UN 1012 UN/ID No. Proper shipping name Butylene : 2.1 Class

Packing group : Not Assigned

Labels 2.1

**IMDG-Code** 

**UN** number : UN 1012 Proper shipping name **BUTYLENE** 

Class 2.1

: Not Assigned Packing group

Labels 2.1 : no Marine pollutant

## Maritime transport in bulk according to IMO instruments

Pollution category : Not applicable Ship type Not applicable Product name Not applicable

Special precautions for user

Remarks : Special Precautions: Refer to Section 7, Handling & Storage,

for special precautions which a user needs to be aware of or

needs to comply with in connection with transport.

: This product may be transported under nitrogen blanketing. **Additional Information** 

Nitrogen is an odourless and invisible gas. Exposure to nitrogen enriched atmospheres displaces available oxygen which may cause asphyxiation or death. Personnel must observe strict safety precautions when involved with a

confined space entry.

# 15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

**Local Regulations** 

| Workplace Safety and Health Act & Workplace | This product is subject to the requirements in |
|---|--|
| Safety and Health (General Provision)       | the Act/ Regulations.                          |
| Regulations                                 |  |

| Fire Safety Act and Fire Safety (Petroleum & | This product is subject to the requirements in |
|--|--|
| Flammable Materials) Regulations             | the Act/ Regulations.                          |

| Maritime and Port Authority of Singapore    | This product is subject to the requirements in |
|---|--|
| (Dangerous Goods, Petroleum and Explosives) | the Act/ Regulations.                          |

# C Butene XHP

| Vei | rsion 1.1   | Revision Date 19.07.2023 | Print Date 26.07.2023 |
|-----|-------------|--------------------------|-----------------------|
|     | Regulations |                          |                       |

|   | T   |
|---|---|
| Environmental Protection and Management Act | This product is not subject to the requirements |
| and Environmental Protection and            | in the Act/Regulations.                         |
| Management (Hazardous Substances)           |   |
| Regulations                                 |   |

The regulatory information is not intended to be comprehensive. Other regulations may apply to this material.

# Other international regulations

## The components of this product are reported in the following inventories:

AIIC : Listed DSL Listed **IECSC** Listed **ENCS** Listed Listed KECI **NZIoC** Listed **PICCS** Listed **TSCA** Listed TCSI Listed

## **16. OTHER INFORMATION**

# **Full text of H-Statements**

H220 Extremely flammable gas.

H280 Contains gas under pressure; may explode if heated.

## Full text of other abbreviations

Flam. Gas Flammable gases
Press. Gas Gases under pressure

## **Abbreviations and Acronyms**

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR -Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 -Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable

17 / 18 800010060185

# C Butene XHP

Version 1.1 Revision Date 19.07.2023 Print Date 26.07.2023

Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC -New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development: OPPTS - Office of Chemical Safety and Pollution Prevention: PBT - Persistent, Bioaccumulative and Toxic substance: PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG -Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

## **Further information**

Training advice : Provide adequate information, instruction and training for

operators.

Other information : A vertical bar (|) in the left margin indicates an amendment

from the previous version.

Sources of key data used to compile the Safety Data

Sheet

: The guoted data are from, but not limited to, one or more sources of information (e.g. toxicological data from Shell Health Services, material suppliers' data, CONCAWE, EU

IUCLID date base, EC 1272 regulation, etc).

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

SG / EN