Version No. 1702128-16A Issue Date: August 1, 2016 Supersedes Date: n/a OSHA 2012 / GHS

Section 1: IDENTIFICATION

Product Name: Simple Green® Shower, Tub & Tile Cleaner

Additional Names: Professional Grade Simple Green® Shower, Tub & Tile Cleaner

Manufacturer's Part Number: *Please refer to Section 16

Recommended Use: Concentrated acid based cleaner for the removal of lime, scale, and mineral buildup

Restrictions on Use: Do not use in conjunction with other chemicals OR with on surfaces not resistant to acids.

Company: Sunshine Makers, Inc. **Telephone:** 800-228-0709 ● 562-795-6000 *Mon – Fri, 8am – 5pm PST*

15922 Pacific Coast Highway **Fax:** 562-592-3830

Huntington Beach, CA 92649 USA **Email:** <u>info@simplegreen.com</u>

Emergency Phone: Chem-Tel 24-Hour Emergency Service: 800-255-3924

Section 2: HAZARDS IDENTIFICATION

This product is classified as hazardous (Skin Corrosive – 1C) under the 2012 OSHA Hazard Communication Standards (29 CFR 1910.1200)

<u>WHMIS 2015</u>

Label Elements

Signal Word: DANGER Hazard Symbol(s)/Pictogram(s):

Hazard Statements:

H314 – Causes severe skin burns and eye damage

Precautionary Statements:

P260 – Do not breathe dusts or mists.

P264 – Wash hands thoroughly after handling.

P280 – Wear protective gloves/eye protection.

P301 + P330 + P331 – IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 – Wash contaminated clothing before reuse.

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310 - Immediately call a POISON CENTER.

P321 – Specific treatment (see first aid on this label).

P305 + P351 + P338 – IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P405 – Store locked up.

P501 – Dispose of contents/container in accordance with local/regional/national regulations.

Hazards Not Otherwise Classified (HNOC): None

Other Information: None Known

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient	CAS Number	Percent Range
Water	7732-18-5	> 81%*
Urea Hydrochloride	506-89-8	≤ 6%*
Sodium Citrate	6132-04-3	< 5%*
Ethoxylated Alcohol	68439-46-3	< 5%*
Potassium Iodide	7681-11-0	< 1%*
Fragrance	Proprietary Mixture	< 1%*
Colorant	Proprietary Mixture	< 1%*

Version No. 1702128-16A Issue Date: August 1, 2016 Supersedes Date: n/a OSHA 2012 / GHS

Section 4: FIRST-AID MEASURES

Inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER.

Skin Contact: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. Wash

contaminated clothing before reuse. Immediately call a POISON CENTER.

Eye Contact: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. Immediately call a POISON CENTER.

Ingestion: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER.

Most Important Symptoms/Effects, Acute and Delayed: None known.

Indication of Immediate Medical Attention and Special Treatment Needed, if necessary: Treat symptomatically

Section 5: FIRE-FIGHTING MEASURES

Suitable & Unsuitable Extinguishing Media: Use Dry chemical, CO2, water spray or "alcohol" foam. Avoid high volume jet water.

Specific Hazards Arising from Chemical: In event of fire, fire created carbon oxides may be formed.

Special Protective Actions for Fire-Fighters: Wear positive pressure self-contained breathing apparatus; Wear full protective

clothing.

This product is non-flammable. See Section 9 for Physical Properties.

Section 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures: For non-emergency and emergency personnel: See section 8 – personal protection. Avoid eye contact. Safety goggles required.

Environmental Precautions: Do not allow into open waterways and ground water systems.

Methods and Materials for Containment and Clean Up: Dike or soak up with inert absorbent material. See section 13 for disposal considerations.

Section 7: HANDLING AND STORAGE

Precautions for Safe Handling: Ensure adequate ventilation. Keep out of reach of children. Keep away from heat, sparks, open flame and direct sunlight. Do not pierce any part of the container. Do not mix or contaminate with any other chemical. Do not eat, drink or smoke while using this product.

Conditions for Safe Storage including Incompatibilities: Keep container tightly closed. Keep in cool dry area. Avoid prolonged exposure to sunlight. Do not store at temperatures above 109°F (42.7°C). If separation occurs, mix the product for reconstitution.

Section 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limit Values: No components listed with TWA or STEL values under OSHA or ACGIH.

Appropriate Engineering Controls: Showers, eyewash stations, ventilation systems

Individual Protection Measures / Personal Protective Equipment (PPE)

Eye Contact: Use protective glasses or safety goggles if splashing or spray-back is likely.

Respiratory: Use in well ventilated areas or local exhaust ventilations when cleaning small spaces.

Skin Contact: Use protective gloves (any material) when used for prolonged periods or dermally sensitive.

General Hygiene Considerations: Wash thoroughly after handling and before eating or drinking.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Turquoise Liquid Partition Coefficient: n-octanol/water: Not determined

Odor: Added wintergreen odor Autoignition Temperature: Non-flammable

Odor Threshold: Not determined Decomposition Temperature: 109°F

pH: 1.0-1.5 **Viscosity**: Like water

Freezing Point: $0^{\circ}\text{C}(32^{\circ}\text{F})$ Specific Gravity: 1.00 - 1.03

Version No. 1702128-16A Issue Date: August 1, 2016 Supersedes Date: n/a OSHA 2012 / GHS

Section 9: PHYSICAL AND CHEMICAL PROPERTIES - continued

Boiling Point & Range: 101°C (213.8°F) VOCs: **Water & fragrance exemption in calculation

Flash Point: > 212°F SCAQMD 304-91 / EPA 24: Not tested

Evaporation Rate: Not determined CARB Method 310**: 0.1 g/L 0.000 lb/gal 0.01%

Flammability (solid, gas): Not applicable SCAQMD Method 313: Not tested

Upper/Lower Flammability or Explosive Limits:Not applicableVOC Composite Partial Pressure:Not determinedVapor Pressure:Not determinedRelative Density ASTM D-4017:8.34 – 8.59 lb/galVapor Density:Not determinedSolubility:100% in water

Section 10: STABILITY AND REACTIVITY

Reactivity: Non-reactive.

Chemical Stability: Stable under normal conditions 70°F (21°C) and 14.7 psig (760 mmHg).

Possibility of Hazardous Reactions: None known.

Conditions to Avoid: Excessive heat or cold.

Incompatible Materials: Do not mix with oxidizers, acids, bathroom cleaners, disinfecting agents or ammonia.

Hazardous Decomposition Products: Normal products of combustion - CO, CO2.

Section 11: TOXICOLOGICAL INFORMATION

Likely Routes of Exposure: Inhalation - Overexposure may cause headache.

Skin Contact - Up to four hours of contact with no rinsing may lead to corrosion. Eye Contact - Up to four hours of contact with no rinsing may lead to corrosion.

Ingestion - May cause stomach upset.

Symptoms related to the physical, chemical and toxicological characteristics: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from short term exposure: no symptoms expected under typical use conditions. Delayed and immediate effects and or chronic effects from long term exposure: headache, dry skin, or skin irritation may occur. Interactive effects: Not known.

Numerical Measures of Toxicity

Acute Toxicity: Oral LD₅₀ (rat) > 5 g/kg body weight

Dermal LD₅₀ (rabbit) > 5 g/kg body weight

Calculated via OSHA HCS 2012 / Globally Harmonized System of Classification and Labelling of Chemicals

Skin Corrosion/Irritation: Mild Corrosive per Corrositex-In Vitro Dermal Corrosivity testing.

Eye Damage/Irritation: Mild Corrosive per Corrositex-In Vitro Dermal Corrosivity testing.

Germ Cell Mutagenicity: Mixture does not classify under this category.
Carcinogenicity: Mixture does not classify under this category.
Reproductive Toxicity: Mixture does not classify under this category.
STOT-Single Exposure: Mixture does not classify under this category.
STOT-Repeated Exposure: Mixture does not classify under this category.
Aspiration Hazard: Mixture does not classify under this category.

Section 12: ECOLOGICAL INFORMATION

Ecotoxicity: Volume of ingredients used does not trigger toxicity classifications under the Globally Harmonized System of

Classification and Labelling of Chemicals.

Aquatic: Not tested on finished formulation. **Terrestrial:** Not tested on finished formulation.

Persistence and Degradability: No data available.

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

Other Adverse Effects: No data available.

Page 3 of 5

Version No. 1702128-16A Issue Date: August 1, 2016 Supersedes Date: n/a OSHA 2012 / GHS

Section 13: DISPOSAL CONSIDERATIONS

Unused or Used Liquid: May be considered hazardous in your area depending on usage and tonnage of disposal – check with local, regional, and or national regulations for appropriate methods of disposal.

Empty Containers: May be offered for recycling.

Never dispose of used degreasing rinsates into lakes, streams, and open bodies of water or storm drains.

Section 14: TRANSPORT INFORMATION

U.N. Number: UN 3265

U.N. Proper Shipping Name: Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride),

Transport Hazard Class(es): 8
Packing Group: |||

Environmental Hazards: Marine Pollutant - NO

Transport in Bulk (according to Annex II of MARPOL 73/78 and IBC Code): Unknown. Special precautions which user needs to be aware of/comply with, in connection

with transport or conveyance either within or outside their premises: None known.

UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8
UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8
UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8
UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8
UN 3265 Corrosive liquid, acidic, organic, n.o.s. (urea hydrochloride), III, 8

EPA Test Method 1110A Non-corrosive to steel (SAE 1020)

Section 15: REGULATORY INFORMATION

All components are listed on: TSCA and DSL Inventory.

SARA Title III: Sections 311/312 Hazard Categories – Not applicable.

Sections 313 Superfunds Amendments and Reauthorizations Act of 1986 – Not applicable.

Sections 302 – Not applicable.

<u>Clean Air Act (CAA):</u> Not applicable <u>Clean Water Act (CWA):</u> Not applicable

<u>State Right To Know Lists:</u> No ingredients listed <u>California Proposition 65:</u> No ingredients listed

Texas ESL:

Ethoxylated Alcohol 68439-46-3 $60 \, \mu g/m^3 \log term$ $600 \, \mu g/m^3 \operatorname{short} term$ Potassium Iodide 7681-11-0 $5 \, \mu g/m^3 \log term$ $50 \, \mu g/m^3 \operatorname{short} term$

Section 16: OTHER INFORMATION

Size Part Number UPC

1 Gallon, 4 per case 1710000402128 043318003349

USA part numbers listed only. Not all items listed. Items may not be valid for international sale.

NFPA:

Health – Corrosive to skin and eyes Stability – Stable Flammability – Non-flammable Special - None



Version No. 1702128-16A Issue Date: August 1, 2016 Supersedes Date: n/a OSHA 2012 / GHS

Section 16: OTHER INFORMATION - continued

Acronyms

NTP National Toxicology Program IARC International Agency for Research on Cancer OSHA Occupational Safety and Health Administration CPSC Consumer Product Safety Commission

TSCA Toxic Substances Control Act DSL Domestic Substances List

Prepared / Revised By: Sunshine Makers, Inc., Regulatory Department.

This SDS has been revised in the following sections: SDS Created

DISCLAIMER: The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.