

Page 1 / 10 Creation Date 13-Oct-2009 Revision Date 23-Mar-2025 Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

**Product Identifier** 

Perihalan Produk:
Product Description:
Cat No.:
Synonyms
Ethyl acetate
TS/0097/27SS
Acetic acid ethyl ester

CAS No 141-78-6 Molecular Formula C4 H8 O2

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Áras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

## **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Flammable liquids	Category 2 (H225)
Serious Eye Damage/Eye Irritation	Category 2 (H319)
Specific target organ toxicity - (single exposure)	Category 3 (H336)

#### Label Elements



Ethyl acetate Revision Date 23-Mar-2025

Signal Word Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

## **Precautionary Statements**

#### Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P240 - Ground and bond container and receiving equipment

P241 - Use explosion-proof electrical/ ventilating/ lighting equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P312 - Call a POISON CENTER or doctor if you feel unwell

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Other Hazards**

EUH066 - Repeated exposure may cause skin dryness or cracking

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %	
Ethyl acetate	141-78-6	<=100	

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

**General Advice** If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

Ethyl acetate Revision Date 23-Mar-2025

symptoms occur.

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## Most important symptoms and effects, both acute and delayed

Difficulty in breathing. May cause central nervous system depression. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

#### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Treat symptomatically. Symptoms may be delayed.

## **SECTION 5: FIREFIGHTING MEASURES**

### Extinguishing media

#### **Suitable Extinguishing Media**

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

## Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

#### Special hazards arising from the substance or mixture

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

#### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO2).

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Ensure adequate ventilation.

#### **Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

## Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

Ethyl acetate Revision Date 23-Mar-2025

#### **Precautions for Safe Handling**

Ensure adequate ventilation. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

#### Conditions for Safe Storage, Including any Incompatibilities

Flammables area. Keep away from heat, sparks and flame. Keep container tightly closed in a dry and well-ventilated place.

#### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Control Parameters** 

Component	Malaysia	ACGIH TLV	OSHA PEL
Ethyl acetate		TWA: 400 ppm	(Vacated) TWA: 400 ppm
			(Vacated) TWA: 1400 mg/m <sup>3</sup>
			TWA: 400 ppm
			TWA: 1400 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Ethyl acetate	TWA: 734 mg/m <sup>3</sup> (8h)	STEL: 1468 mg/m <sup>3</sup> 15 min	TWA: 200 ppm (8 Stunden). AGW -
	TWA: 200 ppm (8h)	STEL: 400 ppm 15 min	exposure factor 2
	STEL: 1468 mg/m <sup>3</sup> (15min)	TWA: 734 mg/m <sup>3</sup> 8 hr	TWA: 730 mg/m <sup>3</sup> (8 Stunden). AGW
	STEL: 400 ppm (15min)	TWA: 200 ppm 8 hr	- exposure factor 2
			TWA: 200 ppm (8 Stunden). MAK
			TWA: 750 mg/m³ (8 Stunden). MAK
			Höhepunkt: 400 ppm
			Höhepunkt: 1500 mg/m <sup>3</sup>

## **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

# Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions

Handle in accordance with good industrial hygiene and safety practice

Ethyl acetate Revision Date 23-Mar-2025

**Environmental exposure controls** No information available

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Liquid

Information on basic physical and chemical properties

Appearance Colorless
Physical State Liquid
Odor sweet
Odor Threshold 50 ppm

**pH** No information available

Melting Point/Range -83.5 °C / -118.3 °F Softening Point No data available

**Boiling Point/Range** 75 - 78 °C / 167 - 172.4 °F

Flash Point -4 °C / 24.8 °F Method - CC (closed cup)

Evaporation Rate 6.2 (Butyl Acetate = 1.0)

Flammability (solid,gas)

Explosion Limits

Not applicable

Lower 2 Vol%

Explosion Limits Lower 2 Vol% Upper 12 Vol%

Vapor Pressure 103 mbar @ 20°C

 Vapor Density
 3.04
 (Air = 1.0)

 Specific Gravity / Density
 0.902
 @ 20 °C

 Bulk Density
 Not applicable
 Liquid

 Water Solubility
 80 g/l
 20 °C

Solubility in other solvents Miscible Alcohol acetone

Partition Coefficient (n-octanol/water)

Componentlog PowEthyl acetate0.73

Autoignition Temperature 427 °C / 800.6 °F Decomposition Temperature No data available

Viscosity 0.45 cP @ 20 °C Dynamic

Explosive Properties

Not explosive

Vapors may form explosive mixtures with air

Oxidizing Properties

Not oxidising

(based on the chemical structure of the substance and oxidation states of the constituent elements)

Molecular FormulaC4 H8 O2Molecular Weight88.11

Surface tension 24 mN/m @ 20°C

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

Chemical Stability

Ethyl acetate Revision Date 23-Mar-2025

Stable under normal conditions.

#### Possibility of Hazardous Reactions

**Hazardous Polymerization** Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

**Conditions to Avoid** 

Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials

Strong oxidizing agents. Strong acids. Amines. Peroxides.

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO2).

# **SECTION 11: TOXICOLOGICAL INFORMATION**

## Information on Toxicological Effects

#### **Product Information**

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl acetate	10,200 mg/kg ( Rat )	> 20 mL/kg ( Rabbit ) > 18000 mg/kg(Rabbit)	58 mg/l (rat; 8 h)

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

Test method OECD 404
Test species rabbit
Observational endpoint No skin irritation

(c) serious eye damage/irritation; Category 2
Test method OECD 405
Test species rabbit eye
Observation end point Irritating to eyes

(d) respiratory or skin sensitization;

**Respiratory**Skin
Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

Component	Test method	Test species	Study result
Ethyl acetate	OECD Test Guideline 406	guinea pig	<ul> <li>non-sensitising</li> </ul>
141-78-6 ( <=100 )			

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

Ethyl acetate Revision Date 23-Mar-2025

Component Test method **Test species** Study result Ethyl acetate OECD Test Guideline 471 in vitro negative 141-78-6 ( <=100 ) AMES test Bacteria **OECD Test Guideline 473** negative in vitro Chromosomal aberration assay Mammalian OECD Test Guideline 476 in vitro negative Gene cell mutation Mammalian OECD Test Guideline 474 in vivo negative Mouse micronucleus assay Mammalian

Based on available data, the classification criteria are not met (f) carcinogenicity:

There are no known carcinogenic chemicals in this product

Based on available data, the classification criteria are not met (a) reproductive toxicity;

(3)						
Component	Test method	Test species / Duration	Study result			
Ethyl acetate	OECD Test Guideline 416	Oral	NOAEL =			
141-78-6 ( <=100 )		mouse	26400			
		2 Generation	mg/kg bw/day			
	OECD Test Guideline 414	Inhalation	NOAEC =			
		Rat	73300 mg/m <sup>3</sup>			

(h) STOT-single exposure; Category 3

Central nervous system (CNS). Results / Target organs

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

EPA OTS 795.2600 EPA OTS 798.2450 Test method **Test species / Duration** Rat / 90 days Rat / 90 days NOAEL = 900 mg/kg bw/day NOEC = 1.28 mg/lStudy result

LOAEL = 3600 mg/kg

Route of exposure Oral Inhalation

None known. **Target Organs** 

Based on available data, the classification criteria are not met (j) aspiration hazard;

Symptoms / effects, both acute and May cause central nervous system depression. Inhalation of high vapor concentrations may

cause symptoms like headache, dizziness, tiredness, nausea and vomiting. delayed

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

## **SECTION 12: ECOLOGICAL INFORMATION**

Do not empty into drains. **Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl acetate	Fathead minnow: LC50:	EC50 = 717 mg/L/48h	EC50 = 3300 mg/L/48h	EC50 = 1180 mg/L 5
	230 mg/l/ 96h			min
	Gold orfe: LC50: 270			EC50 = 1500 mg/L 15
	mg/L/48h			min
				EC50 = 5870 mg/L 15

Ethyl acetate Revision Date 23-Mar-2025

		min
		EC50 = 7400 mg/L 2 h

<u>Persistence and degradability</u> Readily biodegradable

**Persistence** Persistence is unlikely, based on information available.

Component	Degradability
Ethyl acetate	79 % (20 d) (OECD 301 D)
141-78-6 ( <=100 )	

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethyl acetate	0.73	30 dimensionless

Mobility in soil

The product contains volatile organic compounds (VOC) which will evaporate easily from all

surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in

air.

Surface tension 24 mN/m @ 20°C

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

# **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on

waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point. Empty containers

retain product residue, (liquid and/or vapor), and can be dangerous Keep product and

empty container away from heat and sources of ignition

Other Information Waste codes should be assigned by the user based on the application for which the product

was used Do not flush to sewer Can be landfilled or incinerated, when in compliance with

local regulations

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN1173 Hazard Class 3 Packing Group II

Proper Shipping Name ETHYL ACETATE

Road and Rail Transport

UN-No UN1173 Hazard Class 3 Packing Group II

Proper Shipping Name ETHYL ACETATE

ΙΑΤΑ

**UN-No** UN1173

Revision Date 23-Mar-2025 Ethyl acetate

**Hazard Class Packing Group** 

**Proper Shipping Name** ETHYL ACETATE

**Special Precautions for User** No special precautions required

#### SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Ethyl acetate	205-500-4	Х	Х	Х	Х	X	Χ	Χ	KE-00047

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethyl acetate				Annex I - Y42

#### **National Regulations**

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

## **SECTION 16: OTHER INFORMATION**

## Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

> **ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Ethyl acetate Revision Date 23-Mar-2025

Revision Date 23-Mar-2025 Revision Summary Initial Release.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**