

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

Product Name Buehler Master Polish

Product Code BUE40-10084, BUE40-6375-032

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

**Health hazards** 

Carcinogenicity Category 1B

**Environmental hazards** 

No hazards identified

### **Label Elements**



Signal Word Danger

AUS-002808 Version 3 12-Mar-2025 Page 1/10

#### **Hazard Statements**

H350 - May cause cancer

### **Precautionary Statements**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Silica, amorphous, fumed, crystal-free	112945-52-5	50-75
Water	7732-18-5	5-20
Aluminum oxide	1344-28-1	5-20
1,2-Propylene glycol	57-55-6	5-20
Petroleum distillates, light catalytic cracked	64741-59-9	1-5

### Section 4 - First Aid Measures

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

**Self-Protection of the First Aider** No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

No information available.

Notes to Physician Treat symptomatically.

### Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

AUS-002808 Version 3 12-Mar-2025 Page 2/10

\_\_\_\_\_

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

#### **Emergency procedures**

Ensure adequate ventilation.

#### **Environmental Precautions**

See Section 12 for additional Ecological Information.

### Methods for Containment and Clean Up

Clean-up methods - small spillage

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Ensure adequate ventilation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

## Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Silica, amorphous,					TWA: 0.02 mg/m <sup>3</sup> (8
fumed, crystal-free				Stunden). MAK	
					Höhepunkt: 0.16 mg/m <sup>3</sup>
Aluminum oxide	TWA: 10 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> 15 min	TWA: 1.25 mg/m <sup>3</sup> (8
	_	_	_	STEL: 12 mg/m <sup>3</sup> 15 min	Stunden). AGW -
				TWA: 10 mg/m <sup>3</sup> 8 hr	exposure factor 2
				TWA: 4 mg/m <sup>3</sup> 8 hr	TWA: 10 mg/m <sup>3</sup> (8
					Stunden). AGW -

AUS-002808 Version 3 12-Mar-2025 Page 3/10

				exposure factor 2 TWA: 4 mg/m³ (8 Stunden). MAK TWA: 1.5 mg/m³ (8 Stunden). MAK
1,2-Propylene glycol	TWA: 150 ppm TWA: 474 mg/m³ TWA: 10 mg/m³	TWA: 150 ppm TWA: 474 mg/m³ TWA: 10 mg/m³	STEL: 450 ppm 15 min STEL: 1422 mg/m³ 15 min STEL: 30 mg/m³ 15 mir TWA: 150 ppm 8 hr TWA: 474 mg/m³ 8 hr TWA: 10 mg/m³ 8 hr	

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

# **Exposure Controls Engineering Measures**

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

ſ	Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
1	Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
١		recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particle filter (or AUS/NZ equivalent)

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

### Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Colorless

Physical State Viscous liquid Liquid

Odor No information available
Odor Threshold No data available

AUS-002808 Version 3 12-Mar-2025 Page 4/10

Method - No information available

**pH** Not applicable

Melting Point/Range
Softening Point
Boiling Point/Range
Flash Point
No data available
Not applicable
Not applicable
Not applicable
No data available

Evaporation Rate No data available
Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / DensityNo data availableBulk DensityNot applicableLiquid

Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow 1,2-Propylene glycol -0.9

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties
No data available
No data available
No information available
No information available

Other information

## Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

**Hazardous Polymerization**No information available.

## Section 11 - Toxicological Information

#### Information on Toxicological Effects

### **Product Information**

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Silica, amorphous, fumed, crystal-free	LD50 = 3160 mg/kg (Rat)		
Water	-	-	-
Aluminum oxide	> 5000 mg/kg (Rat)		> 2.3 mg/l 4 h
	(OECD Guideline 401)		(OECD Guideline 403)

AUS-002808 Version 3 12-Mar-2025 Page 5/10

1,2-Propylene glycol	LD50 = 20 g/kg (Rat)	LD50 = 20800 mg/kg ( Rabbit )	
Petroleum distillates, light catalytic cracked	LD50 6790 - 7180 mg/kg (Rat)	LD50 > 2000 mg/kg ( Rabbit )	LC50 = 5.4 g/L (Rat) 4 h

No data available (b) skin corrosion/irritation;

No data available (c) serious eye damage/irritation;

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Aluminum oxide								Cat. 2 (Fibre dust)
Petroleum distillates, light catalytic cracked						Carc Cat. 1B		

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available delayed

# Section 12 - Ecological Information

Contains no substances known to be hazardous to the environment or that are not **Ecotoxicity effects** 

degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
1,2-Propylene glycol	96h static (Oncorhynchus mykiss) LC50: 41 - 47 mL/L, 96h static (Oncorhynchus mykiss) LC50: = 51400 mg/L, 96h static (Pimephales promelas) LC50: = 710 mg/L, 96h (Pimephales promelas)		EC50: = 19000 mg/L, 96h (Pseudokirchneriella subcapitata)	= 710 mg/L EC50 Photobacterium phosphoreum 30 min
Petroleum distillates, light catalytic cracked	LC50: = 7.3 mg/L, 96h semi-static (Brachydanio rerio)			

**Persistence and Degradability** No information available

AUS-002808 Version 3 12-Mar-2025 Page 6/10 Bioaccumulative Potential No information available

Component	log Pow	Bioconcentration factor (BCF)				
1,2-Propylene glycol	-0.9	<1 dimensionless				
Mobility	No information available.					
<b>Endocrine Disruptor Information</b>	This product does not contain any known or suspected endocrine disruptors					
Persistent Organic Pollutant	This product does not contain any known or suspected substance					
Ozone Depletion Potential	This product does not contain any known or suspected substance					

### Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service.

# **Section 14 - Transport Information**

IMDG/IMO Not regulated

ADG Not regulated

IATA Not regulated

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

No poison schedule number allocated.

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component Australian Industrial Additional information Chemicals Introduction
---

AUS-002808 Version 3 12-Mar-2025 Page 7/10

	Scheme (AICIS)	
Silica, amorphous, fumed, crystal-free -	Present	-
112945-52-5		
Water - 7732-18-5	Present	-
Aluminum oxide - 1344-28-1	Present	-
1,2-Propylene glycol - 57-55-6	Present	-
Petroleum distillates, light catalytic cracked	Present	-
- 64741-59-9		

### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Silica, amorphous, fumed, crystal-free	Χ	Х	-	1	ı	Х	-	Х	Х	Х	Х	KE-30953
Water	Х	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Aluminum oxide	Х	X	215-691-6	-	X	Χ	-	Х	Χ	Χ	Х	KE-01012
1,2-Propylene glycol	Χ	X	200-338-0	1	X	Х	-	Х	Х	Χ	Х	KE-29267
Petroleum distillates, light catalytic cracked	Х	-	265-060-4	-	Х	Х	-	Х	-		Х	KE-12563

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### **International Regulations**

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

# Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of	Seveso III Directive	Seveso III Directive
			Hazardous	(2012/18/EC) -	(2012/18/EC) -
			Substances (RoHS)	<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>
			, ,	for Major Accident	for Safety Report

AUS-002808 Version 3 12-Mar-2025 Page 8/10

				Notification	Requirements
Silica, amorphous, fumed, crystal-free	112945-52-5	Listed	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Aluminum oxide	1344-28-1	Listed	Not applicable	Not applicable	Not applicable
1,2-Propylene glycol	57-55-6	Listed	Not applicable	Not applicable	Not applicable
Petroleum distillates, light catalytic cracked	64741-59-9	Listed	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	• • • • • • • • • • • • • • • • • • • •
Petroleum distillates, light catalytic cracked	-	Use restricted. See entry 28. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

### Section 16 - Other Information

### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code ADG - Australian Code for the Transport of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

**Revision Date** 12-Mar-2025

**Revision Summary** Update to GHS format.

AUS-002808 Version 3 12-Mar-2025 Page 9/10 This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**

AUS-002808 Version 3 12-Mar-2025 Page 10 / 10