

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk:

Product Description:

Cat No. :

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

41704

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use

Uses advised against

Laboratory chemicals.

No Information available

**Company**

 Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address

Enquiry.my@thermofisher.com

Emergency Telephone Number

Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

Aspiration Toxicity	Category 1 (H304)
---------------------	-------------------

**Label Elements**


Signal Word

Danger

**Hazard Statements**

H304 - May be fatal if swallowed and enters airways

**Precautionary Statements**

# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

## Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P280 - Wear protective gloves/protective clothing/eye protection/face protection

## Response

P331 - Do NOT induce vomiting

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

## Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

## Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

Combustible liquid

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Petroleum distillates, hydrotreated light	64742-47-8	99.999
Sulfur	7704-34-9	0.001

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

#### General Advice

If symptoms persist, call a physician.

#### Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.

#### Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician.

#### Ingestion

Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call a physician or poison control center immediately. If vomiting occurs naturally, have victim lean forward.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. Risk of serious damage to the lungs (by aspiration).

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

### Indication of any immediate medical attention and special treatment needed

#### Notes to Physician

Treat symptomatically. Symptoms may be delayed.

## SECTION 5: FIREFIGHTING MEASURES

# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

## Extinguishing media

### **Suitable Extinguishing Media**

Water mist may be used to cool closed containers.

### **Extinguishing media which must not be used for safety reasons**

No information available.

## Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

## **Hazardous Combustion Products**

None under normal use conditions.

## Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental precautions

Do not flush into surface water or sanitary sewer system.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

### Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

### Specific End Uses

Use in laboratories.

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Control Parameters

# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

Component	European Union	The United Kingdom	Germany
Petroleum distillates, hydrotreated light			TWA: (8 Stunden). AGW - TWA: 5 mg/m <sup>3</sup> (8 Stunden). MAK aerosols TWA: 50 ppm (8 Stunden). MAK vapor TWA: 350 mg/m <sup>3</sup> (8 Stunden). MAK vapor Höhepunkt: 20 mg/m <sup>3</sup> Höhepunkt: 100 ppm Höhepunkt: 700 mg/m <sup>3</sup>

## Exposure Controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### **Eye Protection**

Wear safety glasses with side shields (or goggles)

#### **Hand Protection**

Protective gloves

#### **Skin and body protection**

Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators

#### **Recommended Filter type:**

Organic gases and vapours filter Type A Brown conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

When RPE is used a face piece Fit Test should be conducted

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

### Environmental exposure controls

Prevent product from entering drains Do not allow material to contaminate ground water system

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### **Appearance**

Light yellow

#### **Physical State**

Liquid

#### **Odor**

sulfurous

#### **Odor Threshold**

No data available

#### **pH**

No information available

#### **Melting Point/Range**

No data available

#### **Softening Point**

No data available

# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

<b>Boiling Point/Range</b>	175 - 325 °C / 347 - 617 °F	
<b>Flash Point</b>	66 °C / 150.8 °F	<b>Method -</b> No information available

<b>Evaporation Rate</b>	No data available	
<b>Flammability (solid,gas)</b>	Not applicable	Liquid
<b>Explosion Limits</b>	<b>Lower</b> 0.7 Vol % <b>Upper</b> 5 Vol %	

<b>Vapor Pressure</b>	No data available	
<b>Vapor Density</b>	No data available	(Air = 1.0)
<b>Specific Gravity / Density</b>	0.9 g/cm3	@ 20 °C
<b>Bulk Density</b>	Not applicable	Liquid
<b>Water Solubility</b>	Immiscible	
<b>Solubility in other solvents</b>	No information available	

## Partition Coefficient (n-octanol/water)

<b>Autoignition Temperature</b>	No data available	
<b>Decomposition Temperature</b>	No data available	
<b>Viscosity</b>	No data available	
<b>Explosive Properties</b>		explosive air/vapour mixtures possible
<b>Oxidizing Properties</b>	No information available	

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

<b>Hazardous Polymerization</b>	No information available.
<b>Hazardous Reactions</b>	None under normal processing.

### Conditions to Avoid

Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible Materials

None known.

### Hazardous Decomposition Products

None under normal use conditions.

# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Petroleum distillates, hydrotreated light	LD50 > 5000 mg/kg ( Rat )	LD50 > 2000 mg/kg ( Rabbit )	LC50 > 5.2 mg/L ( Rat ) 4 h
Sulfur	LD50 > 3000 mg/kg ( Rat )	LD50 > 2000 mg/kg ( Rabbit )	LC50 > 9.23 mg/L ( Rat ) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

##### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs

No information available.

(j) aspiration hazard; Category 1

**Symptoms / effects, both acute and delayed** Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

#### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic

# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Petroleum distillates, hydrotreated light	LC50: = 2.4 mg/L, 96h static (Oncorhynchus mykiss) LC50: = 2.2 mg/L, 96h static (Lepomis macrochirus) LC50: = 45 mg/L, 96h flow-through (Pimephales promelas)			
Sulfur	Oncorhynchus mykiss:LC50>180mg/L/96h	EC50: >5g/L/48h		

## Persistence and degradability

### **Persistence**

Immiscible with water, May persist, based on information available.

### **Degradation in sewage treatment plant**

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

## Bioaccumulative potential

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
Petroleum distillates, hydrotreated light		61 - 159 dimensionless

## Mobility in soil

Spillage unlikely to penetrate soil. The product is insoluble and floats on water. The product evaporates slowly. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

## Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

## Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

### **Other Information**

Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

UN-No

UN1223

Hazard Class

3

Packing Group

III

Proper Shipping Name

KEROSENE

# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

## Road and Rail Transport

UN-No UN1223  
Hazard Class 3  
Packing Group III  
Proper Shipping Name KEROSENE

## IATA

UN-No UN1223  
Hazard Class 3  
Packing Group III  
Proper Shipping Name KEROSENE

Special Precautions for User No special precautions required

## SECTION 15: REGULATORY INFORMATION

### Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Petroleum distillates, hydrotreated light	265-149-8	X	X	X	-		X	X	KE-12550
Sulfur	231-722-6	X	X	X	X		X	X	KE-32688

## National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance  
Ozone Depletion Potential This product does not contain any known or suspected substance

Component	Persistent Organic Pollutant	Ozone Depletion Potential	Pesticides Act 1974
Sulfur			X

## SECTION 16: OTHER INFORMATION

### Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%



# SAFETY DATA SHEET

Sulfur in Kerosene standard solution, Specpure®, (0.001%)

Revision Date 31-Mar-2025

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

## Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By

Health, Safety and Environmental Department

Revision Date

31-Mar-2025

Revision Summary

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**