

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name 4,4'-Diaminodiphenylmethane

CAS No 101-77-9

Synonyms p,p`-Diaminodiphenylmethane

Product Code A15645

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

No hazards identified

Health hazards

Skin SensitizationCategory 1Germ Cell MutagenicityCategory 2CarcinogenicityCategory 1BSpecific target organ toxicity - (single exposure)Category 1Specific target organ toxicity - (repeated exposure)Category 2

Environmental hazards

Chronic aquatic toxicity Category 2

Label Elements

ALFAAA15645 Version 2 20-Nov-2022 Page 1/10





Signal Word

Danger

Hazard Statements

H317 - May cause an allergic skin reaction

H341 - Suspected of causing genetic defects if inhaled

H350 - May cause cancer

H370 - Causes damage to organs

H373 - May cause damage to organs through prolonged or repeated exposure

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P262 - Do not get in eyes, on skin, or on clothing

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

P361 + P364 - Take off immediately all contaminated clothing and wash it before reuse

P403 - Store in a well-ventilated place

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Toxic to terrestrial vertebrates

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
4,4'-Methylenedianiline	101-77-9	97

Section 4 - First Aid Measures

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Immediate medical attention is required.

Ingestion Never give anything by mouth to an unconscious person. Drink plenty of water. Induce

vomiting, but only if victim is fully conscious. Call a physician immediately. Clean mouth with

water.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

ALFAAA15645 Version 2 20-Nov-2022 Page 2 / 10

clothes and shoes. Immediate medical attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray. Carbon dioxide (CO₂). Dry chemical. Chemical foam.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂).

Decomposition Temperature

270 °C

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Avoid dust formation. Prevent product from entering drains. Sweep up and shovel into suitable containers for disposal. Do not flush into surface water or sanitary sewer system.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

ALFAAA15645 Version 2 20-Nov-2022 Page 3 / 10

Section 7 - Handling and Storage

Precautions for Safe Handling

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Handle product only in closed system or provide appropriate exhaust ventilation.

Conditions for Safe Storage, Including any Incompatibilities

Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
4,4'-Methylenedianili	TWA: 0.1 ppm	TWA: 0.002 ppm	TWA: 0.1 ppm	STEL: 0.03 ppm 15 min	Haut
ne	TWA: 0.81 mg/m ³	TWA: 0.016 mg/m ³	Skin	STEL: 0.24 mg/m ³ 15	
		Skin		min	
				TWA: 0.01 ppm 8 hr	
				TWA: 0.08 mg/m ³ 8 hr	
				Carc.	
				Skin	

Biological limit values

UK - Biological Monitoring Guidance Values provided by the UK's Health and Safety Executive (HSE) Control of Substances Hazardous to Health Regulations (COSHH) 2002 (as amended) and EH40/2005

Component	Australia	New Zealand	European Union	United Kingdom	Germany
4,4'-Methylenedianili				total MDA: 50 µmol/mol	
ne				creatinine urine post	
				shift inhalation	
				total MDA: 50 µmol/mol	
				creatinine urine prior to	
				shift next day dermal	
				exposure	

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber	See manufacturers	-		(minimum requirement)

ALFAAA15645 Version 2 20-Nov-2022 Page 4/10

Nitrile rubber recommendations AS/NZS 2161 Neoprene PVC

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Wear appropriate protective gloves and clothing to prevent skin exposure Skin and body protection

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

> other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:-Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures**

Prevent product from entering drains. Do not allow material to contaminate ground water **Environmental exposure controls**

system.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Beige **Physical State** Solid

Odor Rotten-egg like **Odor Threshold** No data available

рΗ 9 - 10 (10 %); (Slurry)

Melting Point/Range 88 - 92 °C / 190.4 - 197.6 °F

Softening Point No data available

398 - 399 °C / 748.4 - 750.2 °F **Boiling Point/Range** @ 768 mmHg

Flash Point 221 °C / 429.8 °F Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available No data available **Explosion Limits**

0.06 hPa @ 20 °C **Vapor Pressure**

Vapor Density Not applicable Solid Specific Gravity / Density No data available 1.056 @ 100°C

Bulk Density No data available

Water Solubility Insoluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

log Pow Component 4,4'-Methylenedianiline 1.55

Autoignition Temperature No data available

270 °C **Decomposition Temperature**

Viscosity Not applicable Solid

Explosive Properties No information available **Oxidizing Properties** No information available

Other information

Molecular Formula C13 H14 N2

ALFAAA15645 Version 2 20-Nov-2022 Page 5/10 Molecular Weight 198.27

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents.

Hazardous Decomposition Products Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product InformationNo acute toxicity information is available for this product

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
4,4'-Methylenedianiline	LD50 = 264 mg/kg (Rat)	LD50 = 200 mg/kg (Rabbit)	LC50 > 0.837 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory SkinNo data available
Category 1

Sensitization May cause sensitization by skin contact

(e) germ cell mutagenicity; Category 2

Ames test:; positive

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
4,4'-Methylenedianiline		Suspected			Group 2B	Carc Cat. 1B		Cat. 2
		carcinogen						

(g) reproductive toxicity; No data available

(h) STOT-single exposure; Category 1

ALFAAA15645 Version 2 20-Nov-2022 Page 6 / 10

Liver Results / Target organs

retina

(i) STOT-repeated exposure; Category 2

Target Organs Liver.

Not applicable (j) aspiration hazard;

Solid

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

Ecotoxicity effects The product contains following substances which are hazardous for the environment. Toxic

to aquatic organisms, may cause long-term adverse effects in the aquatic environment

	to aquatic organisms,	may cause long term t	adverse effects in the c	iquatic criviloriment.
Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
4,4'-Methylenedianiline	LC50: = 42 mg/L, 96h		EC50: = 21 mg/L, 72h	EC50 = 5.99 mg/L 5 min
	static (Brachydanio		(Desmodesmus	EC50 = 6.57 mg/L 15
	rerio)		subspicatus)	min
				EC50 = 6.57 mg/L 30
				min
				EC50 = 6.6 mg/L 1 h

Persistence and Degradability

Persistence

Expected to be biodegradable

Persistence is unlikely.

Degradation in sewage treatment plant **Bioaccumulative Potential**

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
4,4'-Methylenedianiline	1.55	3 - 14 dimensionless
Mobility	Spillage unlikely to penetrate soil. : Is not like	ly mobile in the environment due its low water

solubility

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection

> service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not let this

chemical enter the environment.

Section 14 - Transport Information

IMDG/IMO

UN-No UN2651

Proper Shipping Name 4,4`-DIAMINODIPHENYLMETHANE

Hazard Class 6 1

ALFAAA15645 Page 7/10 Version 2 20-Nov-2022

4,4'-Diaminodiphenylmethane

SAFETY DATA SHEET

Packing Group	
Component	IMDG Marine Pollutant
4,4'-Methylenedianiline	IMDG regulated marine pollutant (UN2651)
101-77-9 (97)	· · · · · ·

ADG

UN-No UN2651

Proper Shipping Name 4,4`-DIAMINODIPHENYLMETHANE

Hazard Class 6.1 Packing Group III

Component	Hazchem Code
4,4'-Methylenedianiline	2Z
101-77-9 (97)	

IATA

UN-No UN2651

Proper Shipping Name 4,4`-DIAMINODIPHENYLMETHANE

Hazard Class 6.1
Packing Group

Environmental hazards Dangerous for the environment

Product is a marine pollutant according to the criteria set by IMDG/IMO

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

	Component	Standard for the Uniform Scheduling of Medicines and Poisons
ı	4,4'-Methylenedianiline - 101-77-9	Schedule 7 listed

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
4,4'-Methylenedianiline - 101-77-9	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

ALFAAA15645 Version 2 20-Nov-2022 Page 8 / 10

National pollutant inventory

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

Not applicable

Component	Australia	New South Wales	Western Australia	New Zealand
4,4'-Methylenedianiline - 101-77-9				Suspected carcinogen

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
4,4'-Methylenedianiline	Х	Х	202-974-4	-	Х	Х	-	Х	Х	Х	Х	KE-23803

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

MARPOL - International Convention for the

Prevention of Pollution from Ships

1 Tevention of 1 citation from Chips				
Component	IMDG Marine Pollutant			
4,4'-Methylenedianiline - 101-77-9	IMDG regulated marine pollutant (UN2651)			

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of	Seveso III Directive	Seveso III Directive
-			Hazardous	(2012/18/EC) -	(2012/18/EC) -
			Substances (RoHS)	Qualifying Quantities	Qualifying Quantities
				for Major Accident	for Safety Report
				Notification	Requirements
4,4'-Methylenedianiline	101-77-9	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
4,4'-Methylenedianiline	Carcinogenic Category 1B,Article 57 Application date: February 21, 2013 Sunset date: August 21, 2014 Exemption - None	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 43. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - 202-974-4 - Carcinogenic, Article 57a

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

ALFAAA15645 Version 2 20-Nov-2022 Page 9/10

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/substances-restricted-under-reach

https://echa.europa.eu/candidate-list-table

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment **NOEC** - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Revision Date 20-Nov-2022 Revision Summary Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

ALFAAA15645 Version 2 20-Nov-2022 Page 10 / 10