remel

Part of Thermo Fisher Scientific

SAFETY DATA SHEET

Creation Date 05-Mar-2009 **Revision Date** 05-Mar-2009 **Revision Number:** *1*

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Name **Giemsa Plus Fixative**

Synonyms No information available.

Recommended Use No information available.

Company

Remel
12076 Santa Fe Drive
Lenexa, KS 66215 United States
Telephone: 1-800-255-6730
Fax:1-800-621-8251

Emergency Telephone Number INFOTRAC - 24 Hour Number: 1-800-535-5053
Outside of the United States, call 24 Hour Number: 001-352-323-3500 (Call Collect)

2. HAZARDS IDENTIFICATION

T F



R -phrase(s)

R11 - Highly flammable
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed
R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	Weight %	EC No.	Classification
Methyl alcohol 67-56-1	99	EEC No. 200-659-6	F;R11 T;R23/24/25-39/23/24/25
Ammonium, (4-(p-(dimethylamino)-.alpha.-phenylbenzylidene)-2,5-cyclohexadien-1-ylidene)-dimethyl-, oxalate (2:1), oxalate (1:1) 2437-29-8	<0.1	EEC No. 219-441-7	Xn;R22 Xi;R41 N;R50/53 Repr. Cat.3;R63

For the full text of the R phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Eye Contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.
Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.
Ingestion	Do not induce vomiting. Call a physician or Poison Control Center immediately.
Inhalation	Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation if victim ingested or inhaled the substance; induce artificial respiration with a respiratory medical device.. Immediate medical attention is required.
Notes to Physician	Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media
CO_2, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons
No information available.

Specific Hazards Arising from the Chemical
Flammable. Risk of ignition. Vapors may form explosive mixture with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Protective Equipment and Precautions for Firefighters
As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Flash Point	12°C / 53.6°F
Method	No information available.
Autoignition Temperature	No information available.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions	Use personal protective equipment. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.
Environmental Precautions	Should not be released into the environment.
Methods for Containment and Clean Up	Soak up with inert absorbent material Keep in suitable and closed containers for disposal Remove all sources of ignition Use spark-proof tools and explosion-proof equipment

7. HANDLING AND STORAGE

Handling

Use only under a chemical fume hood. Wear personal protective equipment. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use explosion-proof equipment. Do not breathe vapors/dust. Do not ingest. Take precautionary measures against static discharges.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Flammables area. Keep away from heat and sources of ignition.

Specific use(s)

No information available.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure limits

Component	European Union	The United Kingdom	France	Spain	Germany
Methyl alcohol	TWA: 200 ppm TWA: 260 mg/m³ Skin		VME: 200 ppm VME: 260 mg/m³ VLCT: 1000 ppm VLCT: 1300 mg/m³	Skin VLA-ED: 200 ppm VLA-ED; 266 mg/m³ VLA-ED	

Component	Italy	Portugal	The Netherlands	Finland	Austria
Methyl alcohol		STEL: 250 ppm TWA: 200 ppm Skin Skin notation	Skin STEL: 400 ppm STEL; 520 mg/m³ STEL MAC: 200 ppm MAC; 260 mg/m³ MAC	TWA: 270 mg/m³ TWA: 200 ppm STEL: 250 ppm STEL: 330 mg/m³ Skin	Skin STEL: 800 ppm STEL; 1040 mg/m³ STEL MAK: 200 ppm MAK; 260 mg/m³ MAK

Component	Switzerland	Poland	Norway	Ireland	Denmark
Methyl alcohol	Skin STEL: 800 ppm STEL; 1040 mg/m³ STEL MAK: 200 ppm MAK; 260 mg/m³ MAK	NDSCh: 300 mg/m³ NDS: 100 mg/m³	TWA: 100 ppm TWA: 130 mg/m³ Skin	TWA: 260 mg/m³ TWA: 200 ppm STEL: 250 ppm STEL: 310 mg/m³ Skin	TWA: 200 ppm TWA: 260 mg/m³ Skin

Occupational exposure controls

Engineering Measures	Use only under a chemical fume hood Ensure that eyewash stations and safety showers are close to the workstation location Use explosion-proof electrical/ventilating/lighting/equipment

Personal Protective Equipment

Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Eye Protection	Tightly fitting safety goggles
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Hand Protection	Protective gloves
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice
Environmental exposure controls	No information available.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Liquid
Appearance	Light blue
Odor	Alcohol-like
pH	No information available.
Boiling Point/Range	33°C / 91.4°F
Melting Point/Range	No information available.
Flash Point	12°C / 53.6°F

10. STABILITY AND REACTIVITY

Stability	Stable under normal conditions
Conditions to Avoid	Incompatible products. Excess heat. Keep away from open flames, hot surfaces and sources of ignition.
Incompatible Materials	Strong oxidizing agents Metals Strong acids Strong bases
Hazardous Decomposition Products	Carbon monoxide (CO), Carbon dioxide (CO_2), Formaldehyde
Hazardous Polymerization	Hazardous polymerization does not occur
Hazardous Reactions .	None under normal processing.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Methyl alcohol	5628 mg/kg (Rat)	15800 mg/kg (Rabbit)	64000 ppm (Rat) 4 h 83.2 mg/L (Rat) 4 h

Chronic Toxicity

Carcinogenicity There are no known carcinogenic chemicals in this product

Sensitization No information available.

Neurological Effects No information available.

Mutagenic Effects Mutagenic effects have occurred in experimental animals..

Reproductive Effects Experiments have shown reproductive toxicity effects on laboratory animals.

Developmental Effects Developmental effects have occurred in experimental animals.

Teratogenicity Teratogenic effects have occurred in experimental animals.

Target Organ Effects Gastrointestinal tract (GI), Central nervous system (CNS), Eyes, Respiratory system, Skin, Optic nerve, Liver, Kidney, spleen.

12. ECOLOGICAL INFORMATION

Ecotoxicity

.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Methyl alcohol		LC50= 13200 mg/L Oncorhynchus mykiss 96 h LC50= 28100 mg/L Pimephales promelas 96 h	EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min	

Persistence and Degradability No information available

Bioaccumulative Potential No information available.

Mobility No information available.

Component	log Pow
Methyl alcohol	-0.77

13. DISPOSAL CONSIDERATIONS

13. DISPOSAL CONSIDERATIONS

Waste from Residues / Unused Products	Dispose of in accordance with local regulations
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal

14. TRANSPORT INFORMATION

IMDG/IMO

UN-No	UN1230
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II
Proper Shipping Name	METHANOL

ADR

UN-No	UN1230
Hazard Class	3
Subsidiary Class	6.1
Packing Group	II
Proper Shipping Name	METHANOL

IATA

UN-No	UN1230
Hazard Class	3
Subsidiary Hazard Class	6.1
Packing Group	II
Proper Shipping Name	METHANOL

15. REGULATORY INFORMATION

Labelling

Symbol(s) F - Highly flammable T - Toxic

T

F

R -phrase(s)
R11 - Highly flammable
R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed
R39/23/24/25 - Toxic: danger of very serious irreversible effects through inhalation, in contact with skin and if swallowed

S -phrase(s)
S 7 - Keep container tightly closed
S17 - Keep away from combustible material
S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible)
S36/37 - Wear suitable protective clothing and gloves

International Inventories

Component	EINECS	ELINCS	NLP	TSCA	DSL	NDSL	PICCS	ENCS	CHINA	AICS	KECL
Methyl alcohol	200-659-6	-		Present	X	-	X	X	X	X	KE-23193 X
Ammonium, (4-(p-(dimethylamino)-.alpha.-phenylbenzylidene)-2,5-cyclohexadien-1-ylidene)-dimethyl-, oxalate (2:1), oxalate (1:1)	219-441-7	-		-	X	-	X	X	X	X	KE-03042 X

16. OTHER INFORMATION

Prepared By Regulatory Affairs

Creation Date 05-Mar-2009

Revision Date 05-Mar-2009

Revision Summary "***", and red text indicates revision

Restrictions on use No information available.

Training advice No information available.

Literary reference No information available.

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of Safety Data Sheet