

# **SAFETY DATA SHEET**

Creation Date 12-May-2011 Revision Date 28-December-2021 Revision Number 6

1. Identification

Product Name (S)-1-(4-Chlorophenyl)ethylamine

Cat No.: AC444110000; AC444110010; AC444110050; AC444110250

**CAS-No** 4187-56-8

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor Manufacturer

Fisher Scientific Acros Organics Fisher Scientific Company
112 Colonnade Road, One Reagent Lane Ottawa, ON K2E 7L6,
Canada Fair Lawn, NJ 07410
Fair Lawn, NJ 07410
Tel: (201) 796-7100

Canaua T-1: 4 000 004

Tel: 1-800-234-7437

Emergency Telephone Number For information US call: 001-800-ACROS-01 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

### 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Acute oral toxicity
Category 4
Acute Inhalation Toxicity
Category 2
Skin Corrosion/Irritation
Category 2
Serious Eye Damage/Eye Irritation
Category 1
Skin Sensitization
Category 1

Label Elements

Signal Word

Danger

**Hazard Statements** 

Harmful if swallowed Fatal if inhaled

Causes skin irritation
May cause an allergic skin reaction
Causes serious eve damage



### **Precautionary Statements**

#### Prevention

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

Wear respiratory protection

#### Response

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

immediately call a POISON CENTER/do

Rinse mouth

Take off contaminated clothing

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Toxic to aquatic life with long lasting effects

## 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Benzenemethanamine, 4-chloroalphamethyl-, (.alpha.S)-	4187-56-8	95

### 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

**Inhalation** Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required. If

not breathing, give artificial respiration.

**Ingestion** Do NOT induce vomiting. Call a physician or poison control center immediately.

Most important symptoms/effects Causes severe eye damage. May cause allergic skin reaction. Product is a corrosive

material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically

### 5. Fire-fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

Flash Point 115 °C / 239 °F

Method - No information available

Autoignition Temperature 370 °C / 698 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride gas.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

**NFPA** 

Health	Flammability	Instability	Physical hazards
3	0	0	N/A

### 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Keep people

away from and upwind of spill/leak. Evacuate personnel to safe areas. Avoid contact with

skin, eves and inhalation of vapors.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up** 

	7. Handling and storage
Handling	Use only under a chemical fume hood. Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Keep in a dry, cool and well-ventilated place. Keep container tightly closed. Corrosives area. Keep under nitrogen. Incompatible Materials. Strong oxidizing agents. Acids.

### 8. Exposure controls / personal protection

#### **Exposure Guidelines**

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

#### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly Recommended Filter type: Particulates filter conforming to EN 143 Ammonia and organic ammonia derivatives filter Type K Green conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

#### **Environmental exposure controls**

Prevent product from entering drains. Do not allow material to contaminate ground water system.

### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 9. Physical and chemical properties

Physical StateLiquidAppearanceLight yellowOdorpungent

Odor Threshold No information available

**pH** 10.9

Melting Point/Range No data available

Boiling Point/Range 232 °C / 449.6 °F @ 760 mmHg

Flash Point 115 °C / 239 °F
Evaporation Rate No information available

Flammability (solid,gas)

Not applicable
Flammability or explosive limits

**Upper** No data available

### (S)-1-(4-Chlorophenyl)ethylamine

Lower No data available
Vapor Pressure 1 mbar @ 50°C

Vapor Density No information available

Specific Gravity 1.115

SolubilityNo information availablePartition coefficient; n-octanol/waterNo data availableAutoignition Temperature370 °C / 698 °F

**Decomposition Temperature** 275 °C

Viscosity No information available

Molecular FormulaC8 H10 Cl NMolecular Weight155.63

### 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials Strong oxidizing agents, Acids

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride

gas

**Hazardous Polymerization** No information available.

Hazardous Reactions None under normal processing.

## 11. Toxicological information

#### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component		LD50 Oral	LD50 Dermal	LC50 Inhalation
	Benzenemethanamine,	300-500 mg/kg (Rat)	Not listed	630-2160 mg/m³/4h (Rat)
	4-chloroalphamethyl-, (.alpha.S)-			

Toxicologically Synergistic

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation CAUSES (SEVERE) EYE BURNS Irritating to skin

Sensitization May cause sensitization by skin contact

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Benzenemethanamine	4187-56-8	Not listed				
4-chloroalphamethyl						
4-chloroalphamethyl						

Mutagenic Effects Not mutagenic in AMES Test

Reproductive Effects No information available.

**Developmental Effects** No information available.

**Teratogenicity** No information available.

**STOT - single exposure**STOT - repeated exposure
None known
None known

Aspiration hazard No information available

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated.

delayed

Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

#### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Benzenemethanamine,	Not listed	LC50: 37.8 mg/L/96h	Not listed	EC50: 1.9 mg/L/48h
4-chloroalphamethyl-,		(Pimephales Promelas)		_
(.alpha.S)-				

Persistence and Degradability Persistence is unlikely

Bioaccumulation/ Accumulation No information available.

Mobility Is not likely mobile in the environment due its low water solubility. Will likely be mobile in the

environment due to its water solubility.

Component	log Pow
Benzenemethanamine, 4-chloroalphamethyl-, (.alpha.S)-	1.67

## 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

### 14. Transport information

DOT

**UN-No** UN2810

Proper Shipping Name consumer commodity Toxic liquid, organic, n.o.s.

**Technical Name** (S)-1-(4-Chlorophenyl)ethylamine

Hazard Class 6.1 Packing Group II

**TDG** 

UN-No UN2810

Proper Shipping Name Toxic liquid, organic, n.o.s.

Hazard Class 6.1 Packing Group

**IATA** 

**UN-No** UN2810

Proper Shipping Name Toxic liquid, organic, n.o.s.

Hazard Class 6.1 Packing Group II IMDG/IMO

UN-No UN2810

Proper Shipping Name Toxic liquid, organic, n.o.s.

\_\_\_\_\_

Hazard Class 6.1 Packing Group II

## 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Benzenemethanamine, 4-chloroalphamethyl-, (.alpha.S)-	4187-56-8	-	-	-	-	-	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Benzenemethanamine, 4-chloroalphamethyl-,	4187-56-8	-	-	-	-	-	-	-	-
(.alpha.S)-									1

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### **Other International Regulations**

### Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Benzenemethanamine, 4-chloroalphamethyl-, (.alpha.S)-	4187-56-8	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Benzenemethanamine, 4-chloroalphamethyl-, (.alpha.S)-	4187-56-8	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

### (S)-1-(4-Chlorophenyl)ethylamine

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date12-May-2011Revision Date28-December-2021Print Date28-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**