

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Carbon nanotube dispersion (NMP)

| | |
|--------------------------------|--|
| Product Code | S60303 |
| Address | ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia |
| Emergency Tel. | CHEMTREC® 03 9757 4559 or +613 9757 4559 |
| Telephone / Fax Numbers | Tel: 1300 735 292 Fax: 1800 067 639 |
| E-mail address | ANZinfo@thermofisher.com |

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards
No hazards identified

Health hazards

Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Reproductive Toxicity
Specific target organ toxicity - (single exposure)

Category 2
Category 2
Category 1B
Category 3

Environmental hazards
No hazards identified

Label Elements



Exclamation Mark



Health Hazard

Signal Word**Danger****Hazard Statements**

H315 - Causes skin irritation
H319 - Causes serious eye irritation
H335 - May cause respiratory irritation
H360 - May damage fertility or the unborn child
Combustible liquid

Precautionary Statements

P201 - Obtain special instructions before use
P202 - Do not handle until all safety precautions have been read and understood
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P261 - Avoid breathing dust/fume/gas/mist/vapors/spray
P264 - Wash face, hands and any exposed skin thoroughly after handling
P271 - Use only outdoors or in a well-ventilated area
P280 - Wear protective gloves/protective clothing/eye protection/face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P308 + P313 - IF exposed or concerned: Get medical advice/attention
P332 + P313 - If skin irritation occurs: Get medical advice/attention
P362 + P364 - Take off contaminated clothing and wash it before reuse
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors
Toxic to terrestrial vertebrates

Section 3 - Composition and Information on Ingredients

| Component | CAS No | Weight % |
|------------------------|-----------|----------|
| 1-Methyl-2-pyrrolidone | 872-50-4 | 95 |
| Graphite | 7782-42-5 | 4 |

Section 4 - First Aid Measures

| | |
|---|--|
| Inhalation | Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if symptoms occur. |
| Ingestion | Clean mouth with water and drink afterwards plenty of water. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists, call a physician. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention. |
| General Advice | If symptoms persist, call a physician. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |

| | |
|--|--|
| First Aid Facilities | Eyewash, safety shower and washroom. |
| Most important symptoms and effects | None reasonably foreseeable. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting |
| Notes to Physician | Treat symptomatically. |

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Carbon oxides, Nitrogen oxides (NO_x).

Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals
AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component | Australia | New Zealand WEL | ACGIH TLV | The United Kingdom | Germany |
|------------------------|--|--|--------------------------|---|---|
| 1-Methyl-2-pyrrolidone | STEL: 75 ppm STEL: 309 mg/m ³ TWA: 25 ppm TWA: 103 mg/m ³ | TWA: 25 ppm TWA: 103 mg/m ³ STEL: 75 ppm STEL: 309 mg/m ³ Skin | | STEL: 20 ppm 15 min STEL: 80 mg/m ³ 15 min TWA: 10 ppm 8 hr TWA: 40 mg/m ³ 8 hr Skin | TWA: 20 ppm (8 Stunden). AGW - exposure factor 2 TWA: 82 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 20 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 82 mg/m ³ (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 40 ppm Höhepunkt: 164 mg/m ³ Haut |
| Graphite | TWA: 3 mg/m ³ | TWA: 3 mg/m ³ | TWA: 2 mg/m ³ | STEL: 30 mg/m ³ 15 min STEL: 12 mg/m ³ 15 min TWA: 10 mg/m ³ 8 hr TWA: 4 mg/m ³ 8 hr | TWA: 1.5 mg/m ³ (8 Stunden) MAKTWA: 4 mg/m ³ (8 Stunden). MAK |

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

| Component | Australia | New Zealand | European Union | United Kingdom | Germany |
|------------------------|-----------|-------------|----------------|----------------|---|
| 1-Methyl-2-pyrrolidone | | | | | 5-Hydroxy-N-methyl-2-pyrrolidone: 150 mg/L urine (end of shift) |

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments |
|---|-----------------------------------|-----------------|-----------------|-----------------------|
| Nitrile rubber Neoprene Natural rubber PVC | See manufacturers recommendations | - | AS/NZS 2161 | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.
(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection

Long sleeved clothing

Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices

Recommended Filter type:

Organic gases and vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

Recommended half mask:-

Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)
When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance**Physical State**

Liquid

Odor

No information available

Odor Threshold

No data available

pH

Not applicable

Melting Point/Range

-24.2 °C / -11.6 °F

Softening Point

No data available

Boiling Point/Range

204.3 °C / 399.7 °F

Flash Point

91 °C / 195.8 °F

Method - No information available

Evaporation Rate

No data available

Flammability (solid,gas)

Not applicable

Liquid

Explosion Limits

No data available

Vapor Pressure

No data available

Vapor Density

No data available

(Air = 1.0)

Specific Gravity / Density

No data available

Bulk Density

Not applicable

Liquid

Water Solubility

No information available

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)**Component**

log Pow

1-Methyl-2-pyrrolidone

-0.46

Autoignition Temperature

No data available

Decomposition Temperature

No data available

Viscosity

No data available

Explosive Properties

No information available

explosive air/vapour mixtures possible

Oxidizing Properties

No information available

Other information**Section 10 - Stability and Reactivity**

| | |
|---|---|
| Reactivity | None known, based on information available |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials | None known. |
| Hazardous Decomposition Products | Carbon oxides. Nitrogen oxides (NOx). |
| Hazardous Polymerization | No information available. |

Section 11 - Toxicological Information**Information on Toxicological Effects****Product Information****(a) acute toxicity;****Oral**

Based on available data, the classification criteria are not met

Dermal

Based on available data, the classification criteria are not met

Inhalation

Based on available data, the classification criteria are not met

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|------------------------|---------------------------|--------------------------|---|
| 1-Methyl-2-pyrrolidone | LD50 = 3914 mg/kg (Rat) | LD50 = 8 g/kg (Rabbit) | LC50 > 5.1 mg/L (Rat) 4 h |
| Graphite | | | LC50 > 2000 mg/m ³ (Rat) 4 h |

(b) skin corrosion/irritation; Category 2**(c) serious eye damage/irritation;** Category 2**(d) respiratory or skin sensitization;****Respiratory**

No data available

Skin

No data available

(e) germ cell mutagenicity; No data available**(f) carcinogenicity;** No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Category 1B**(h) STOT-single exposure;** Category 3**Results / Target organs**

Respiratory system

(i) STOT-repeated exposure; No data available

Target Organs None known.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Section 12 - Ecological Information

Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|------------------------|--|--|---|----------|
| 1-Methyl-2-pyrrolidone | LC50: = 1400 mg/L, 96h static (Poecilia reticulata) LC50: = 1072 mg/L, 96h static (Pimephales promelas) LC50: = 832 mg/L, 96h static (Lepomis macrochirus) | EC50: = 4897 mg/L, 48h (Daphnia magna) | EC50: > 500 mg/L, 72h (Desmodesmus subspicatus) | |
| Graphite | LC50: > 100 mg/L, 96h semi-static (Danio rerio) | | | |

Persistence and Degradability No information available
Persistence Persistence is unlikely.

| Component | Degradability |
|---|---|
| 1-Methyl-2-pyrrolidone 872-50-4 (95) | water: 73% 28 days OECD 301C soil: >=90% 21 days |

Bioaccumulative Potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|------------------------|---------|-------------------------------|
| 1-Methyl-2-pyrrolidone | -0.46 | No data available |

Mobility No information available.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant This product does not contain any known or suspected substance

Ozone Depletion Potential This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Other Information Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.

Section 14 - Transport Information

IMDG/IMO Not regulated

ADG Not regulated

| | |
|-------------------------------|---------------------------------|
| IATA | Not regulated |
| Environmental hazards | No hazards identified |
| Special Precautions | No special precautions required |
| Additional information | None known |

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations **Australia**

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

| Component | Standard for the Uniform Scheduling of Medicines and Poisons |
|-----------------------------------|---|
| 1-Methyl-2-pyrrolidone - 872-50-4 | Schedule 5 listed - when packed in single use containers having a capacity of <=2 mL Schedule 5 listed - in preparations of N-Methyl-2-pyrrolidone or preparations containing <=50% of a mixture of any two or more of N-Methyl-2-pyrrolidone, N-(N-Octyl)-2-pyrrolidone or N-(N-Dodecyl)-2-pyrrolidone except in preparations containing <=25% of designated solvent Schedule 6 listed - except when included in Schedule 5, or in preparations containing <=25% of designated solvent |

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Component | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|-----------------------------------|---|------------------------|
| 1-Methyl-2-pyrrolidone - 872-50-4 | Present | - |
| Graphite - 7782-42-5 | Present | - |

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

| Component | AICS | NZIoC | EINECS | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL |
|-----------|------|-------|--------|--------|------|-----|------|-------|------|------|-------|------|
|-----------|------|-------|--------|--------|------|-----|------|-------|------|------|-------|------|

| | | | | | | | | | | | | |
|------------------------|---|---|-----------|---|---|---|---|---|---|---|---|----------|
| 1-Methyl-2-pyrrolidone | X | X | 212-828-1 | - | X | X | - | X | X | X | X | KE-25324 |
| Graphite | X | X | 231-955-3 | - | X | X | - | X | - | | X | X |

Legend: X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their disposal
Not applicable.

| Component | CAS No | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|------------------------|-----------|----------|--|---|--|
| 1-Methyl-2-pyrrolidone | 872-50-4 | Listed | Not applicable | Not applicable | Not applicable |
| Graphite | 7782-42-5 | Listed | Not applicable | Not applicable | Not applicable |

Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|------------------------|---|--|---|
| 1-Methyl-2-pyrrolidone | - | Use restricted. See item 72. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 71. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | SVHC Candidate list - 212-828-1 - Toxic for reproduction, Article 57c |

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - Chinese Inventory of Existing Chemical Substances

NZIoC - New Zealand Inventory of Chemicals
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances
TWA - Time Weighted Average
IARC - International Agency for Research on Cancer
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
NZS 5433:2020 - Transport of Dangerous Goods on Land
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative
VOC - (Volatile Organic Compound)

CAS - Chemical Abstracts Service
ACGIH - American Conference of Governmental Industrial Hygienists
Predicted No Effect Concentration (PNEC)
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail
OECD - Organisation for Economic Co-operation and Development
LC50 - Lethal Concentration 50%
ATE - Acute Toxicity Estimate
RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration
BCF - Bioconcentration factor
PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | |
|------------------------------|-----------------------|
| Physical hazards | On basis of test data |
| Health Hazards | Calculation method |
| Environmental hazards | Calculation method |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

| | |
|-------------------------|------------------|
| Revision Date | 30-Oct-2023 |
| Revision Summary | Initial Release. |

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet