

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

Product Description:	<b>Boron oxide, Puratronic®</b>
Cat No. :	<b>77908</b>
Index No	005-008-00-8
CAS No	1303-86-2
EC No	215-125-8

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use	Laboratory chemicals.
Uses advised against	No Information available

### 1.3. Details of the supplier of the safety data sheet

#### Company

Thermo Fisher (Kandel) GmbH  
Erlenbachweg 2, 76870 Kandel, Germany  
Tel: +49 (0) 721 84007 280  
Fax: +49 (0) 721 84007 300

**Swiss distributor** - Fisher Scientific AG  
Neuhofstrasse 11, CH 4153 Reinach  
Tel: +41 (0) 56 618 41 11  
<https://www.fishersci.ch/ch/en/customer-help-support/forms/email-us.html>

**E-mail address** begel.sdsdesk@thermofisher.com

### 1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11  
Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99  
**CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:  
Tox Info Suisse Emergency Number: **145 (24hr)**  
Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)  
Chemtrec (24h) Toll-Free: 0800 564 402  
Chemtrec Local: +41-43 508 20 11 (Zurich)

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

**CLP Classification - Regulation (EC) No 1272/2008**

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

## **Physical hazards**

Based on available data, the classification criteria are not met

## **Health hazards**

Reproductive Toxicity

Category 1B (H360FD)

## **Environmental hazards**

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

## **2.2. Label elements**



Signal Word

**Danger**

## **Hazard Statements**

H360FD - May damage fertility. May damage the unborn child

## **Precautionary Statements**

P201 - Obtain special instructions before use  
P280 - Wear protective gloves/protective clothing/eye protection/face protection  
P308 + P313 - IF exposed or concerned: Get medical advice/attention

## **Additional EU labelling**

Restricted to professional users

## **2.3. Other hazards**

In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

### **3.1. Substances**

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Boron oxide (B2O3)	1303-86-2	EEC No. 215-125-8	<=100	Repr. 1B (H360FD)

Full text of Hazard Statements: see section 16

## **SECTION 4: FIRST AID MEASURES**

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

## 4.1. Description of first aid measures

<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes.
<b>Ingestion</b>	Clean mouth with water and drink afterwards plenty of water.
<b>Inhalation</b>	Remove to fresh air.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

## 4.2. Most important symptoms and effects, both acute and delayed

No information available.

## 4.3. Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water spray, carbon dioxide (CO<sub>2</sub>), dry chemical, alcohol-resistant foam.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### 5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Oxides of boron.

### 5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

### 6.2. Environmental precautions

Prevent further leakage or spillage if safe to do so.

### 6.3. Methods and material for containment and cleaning up

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

## 6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Ensure adequate ventilation.

#### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

**Technical Rules for Hazardous Substances (TRGS) 510**  
**Storage Class (LGK) (Germany)**

Storage Class/LGK 6.1D

**Switzerland - Storage of hazardous substances**

Storage class - SC 6.1  
<https://www.kvu.ch/de/themen/stoffe-und-produkte>  
<https://www.kvu.ch/fr/themes/substances-et-produits>  
<https://www.kvu.ch/it/temi/sostanze-e-prodotti>

### 7.3. Specific end use(s)

Use in laboratories

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

#### Exposure limits

List source(s): **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Boron oxide (B2O3)		STEL: 20 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr	TWA / VME: 10 mg/m <sup>3</sup> (8 heures).	TWA: 10 mg/m <sup>3</sup> 8 uren	TWA / VLA-ED: 10 mg/m <sup>3</sup> (8 horas)

Component	Italy	Germany	Portugal	The Netherlands	Finland
Boron oxide (B2O3)			TWA: 10 mg/m <sup>3</sup> 8 horas		

Component	Austria	Denmark	Switzerland	Poland	Norway
Boron oxide (B2O3)	MAK-KZGW: 75 mg/m <sup>3</sup> 15 Minuten MAK-TMW: 15 mg/m <sup>3</sup> 8 Stunden	TWA: 10 mg/m <sup>3</sup> 8 timer STEL: 20 mg/m <sup>3</sup> 15 minutter	STEL: 1.8 mg/m <sup>3</sup> 15 Minuten TWA: 1.8 mg/m <sup>3</sup> 8 Stunden	TWA: 10 mg/m <sup>3</sup> 8 godzinach	TWA: 10 mg/m <sup>3</sup> 8 timer STEL: 20 mg/m <sup>3</sup> 15 minutter. set equal to the limit value for Nuisance dust;value calculated

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Boron oxide (B2O3)	TWA: 5.0 mg/m <sup>3</sup>	TWA-GVI: 10 mg/m <sup>3</sup> 8 satima. STEL-KGVI: 20 mg/m <sup>3</sup> 15 minutama.	TWA: 10 mg/m <sup>3</sup> 8 hr. STEL: 30 mg/m <sup>3</sup> 15 min		

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
-----------	---------	-----------	--------	---------	---------

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

Boron oxide (B2O3)			TWA: 15 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup> 8 klukkustundum. Ceiling: 20 mg/m <sup>3</sup>
--------------------	--	--	---------------------------	--	---

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Boron oxide (B2O3)	TWA: 5 mg/m <sup>3</sup>				TWA: 10 mg/m <sup>3</sup> 8 ore STEL: 15 mg/m <sup>3</sup> 15 minute

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Boron oxide (B2O3)	MAC: 5 mg/m <sup>3</sup>				

## Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

## Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

## Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local (Dermal)	Acute effects systemic (Dermal)	Chronic effects local (Dermal)	Chronic effects systemic (Dermal)
Boron oxide (B2O3) 1303-86-2 ( ≤100 )				DNEL = 220.6mg/kg bw/day

Component	Acute effects local (Inhalation)	Acute effects systemic (Inhalation)	Chronic effects local (Inhalation)	Chronic effects systemic (Inhalation)
Boron oxide (B2O3) 1303-86-2 ( ≤100 )				DNEL = 4.66mg/m <sup>3</sup>

## Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water sediment	Water Intermittent	Microorganisms in sewage treatment	Soil (Agriculture)
Boron oxide (B2O3) 1303-86-2 ( ≤100 )	PNEC = 2.9mg/L		PNEC = 13.7mg/L	PNEC = 10mg/L	PNEC = 5.7mg/kg soil dw

Component	Marine water	Marine water sediment	Marine water Intermittent	Food chain	Air
Boron oxide (B2O3) 1303-86-2 ( ≤100 )	PNEC = 2.9mg/L				

## 8.2. Exposure controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### Eye Protection

Wear safety glasses with side shields (or goggles) (European standard - EN 166)

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

## Hand Protection

Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments
Natural rubber Nitrile rubber Neoprene PVC	See manufacturers recommendations	-	EN 374	(minimum requirement)

## Skin and body protection

Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

## Respiratory Protection

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators.  
To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly

## Large scale/emergency use

Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced  
**Recommended Filter type:** Particulates filter conforming to EN 143 or Inorganic gases and vapours filter Type B Grey conforming to EN14387

## Small scale/Laboratory use

Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.  
**Recommended half mask:-** Particle filtering: EN149:2001  
When RPE is used a face piece Fit Test should be conducted

## Environmental exposure controls

No information available.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

#### Physical State

Solid

#### Appearance

#### Odor

No information available

#### Odor Threshold

No data available

#### Melting Point/Range

approx 450 °C / 842 °F

#### Softening Point

No data available

#### Boiling Point/Range

1860 °C / 3380 °F

#### Flammability (liquid)

Not applicable

Solid

#### Flammability (solid,gas)

No information available

#### Explosion Limits

No data available

#### Flash Point

No information available

**Method -** No information available

#### Autoignition Temperature

No data available

#### Decomposition Temperature

No data available

#### pH

No information available

#### Viscosity

No data available

#### Water Solubility

36 g/l

#### Solubility in other solvents

No information available

#### Partition Coefficient (n-octanol/water)

#### Vapor Pressure

No data available

#### Density / Specific Gravity

No data available

#### Bulk Density

No data available

#### Vapor Density

No data available

(Air = 1.0)

#### Particle characteristics

No data available

### 9.2. Other information

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

None known, based on information available

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

**Hazardous Polymerization**  
**Hazardous Reactions**

No information available.

No information available.

### 10.4. Conditions to avoid

Incompatible products. Excess heat.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

Oxides of boron.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Product Information

#### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

No data available

Inhalation

No data available

#### (b) skin corrosion/irritation;

No data available

#### (c) serious eye damage/irritation;

No data available

#### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

#### (e) germ cell mutagenicity;

No data available

#### (f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

#### (g) reproductive toxicity;

Category 1B

#### (h) STOT-single exposure;

No data available

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed No information available.

## 11.2. Information on other hazards

**Endocrine Disrupting Properties** Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae
Boron oxide (B <sub>2</sub> O <sub>3</sub> )	LC50: 570 mg/L/72h (Carassius auratus)	EC50: 370 - 490 mg/L, 48h (Daphnia magna)	

**12.2. Persistence and degradability** No information available

**Degradability** Not relevant for inorganic substances.

**12.3. Bioaccumulative potential** No information available

**12.4. Mobility in soil** No information available

**12.5. Results of PBT and vPvB assessment** In accordance with Annex XIII of the REACH Regulation, inorganic substances do not require assessment.

### 12.6. Endocrine disrupting properties

**Endocrine Disruptor Information** This product does not contain any known or suspected endocrine disruptors

**12.7. Other adverse effects**

**Persistent Organic Pollutant**

**Ozone Depletion Potential**

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Waste from Residues/Unused Products** Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

**European Waste Catalogue (EWC)** According to the European Waste Catalog, Waste Codes are not product specific, but application specific.



# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

<b>Other Information</b>	Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains.
<b>Switzerland - Waste Ordinance</b>	Disposal should be in accordance with applicable regional, national and local laws and regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance, ADWO) SR 814.600 <a href="https://www.fedlex.admin.ch/eli/cc/2015/891/en">https://www.fedlex.admin.ch/eli/cc/2015/891/en</a>

## SECTION 14: TRANSPORT INFORMATION

**IMDG/IMO** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**ADR** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**IATA** Not regulated

**14.1. UN number**  
**14.2. UN proper shipping name**  
**14.3. Transport hazard class(es)**  
**14.4. Packing group**

**14.5. Environmental hazards** No hazards identified  
**14.6. Special precautions for user** No special precautions required.  
**14.7. Maritime transport in bulk according to IMO instruments** Not applicable, packaged goods

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Boron oxide (B2O3)	1303-86-2	215-125-8	-	-	X	X	KE-09919	X	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	AICS	NZIoC	PICCS
Boron oxide (B2O3)	1303-86-2	X	ACTIVE	X	-	X	X	X

**Legend:** X - Listed '-' - Not Listed

**KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

### Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) -	REACH (1907/2006) -	REACH Regulation (EC
-----------	--------	---------------------	---------------------	----------------------

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

		Annex XIV - Substances Subject to Authorization	Annex XVII - Restrictions on Certain Dangerous Substances	1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Boron oxide (B2O3)	1303-86-2	-	Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	SVHC Candidate list - Toxic for reproduction (Article 57 c)

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

## REACH links

<https://echa.europa.eu/authorisation-list>

<https://echa.europa.eu/substances-restricted-under-reach>

<https://echa.europa.eu/candidate-list-table>

## Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Boron oxide (B2O3)	1303-86-2	Not applicable	Not applicable

## Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

## Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work .

Take note of Directive 94/33/EC on the protection of young people at work

Take note of Dir 92/85/EC on the protection of pregnant and breastfeeding women at work

## National Regulations

**UK** - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

## WGK Classification

See table for values

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Boron oxide (B2O3)	WGK1	

## Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

## 15.2. Chemical safety assessment

A Chemical Safety Assessment/Report (CSA/CSR) has not been conducted

## SECTION 16: OTHER INFORMATION

# SAFETY DATA SHEET

Boron oxide, Puratronic®

Revision Date 14-Feb-2024

## Full text of H-Statements referred to under sections 2 and 3

H360FD - May damage fertility. May damage the unborn child

## Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**NOEC** - No Observed Effect Concentration

**PBT** - Persistent, Bioaccumulative, Toxic

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer  
Predicted No Effect Concentration (PNEC)

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**POW** - Partition coefficient Octanol:Water

**vPvB** - very Persistent, very Bioaccumulative

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**Key literature references and sources for data**

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadviser - LOLI, Merck index, RTECS

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (volatile organic compound)

## **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

**Prepared By**

Health, Safety and Environmental Department

**Revision Date**

14-Feb-2024

**Revision Summary**

New emergency telephone response service provider.

**This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.  
COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No  
1907/2006 .**

**For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2,  
Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and  
Preparations).**

## **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**