

Classified as hazardous in accordance with the criteria of EPA New Zealand

Section 1 - Identification

Product Identifier

Product Name <u>AQUAfast COD vials</u>

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code TSPCODH00, TSPCODH00B150, TSPCODHP0, TSPCODHP0B150, TSPCODL00,

TSPCODL00B150

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

Section 2 - Hazard(s) Identification

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002596

GHS Classification

Physical hazards

Based on available data, the classification criteria are not met

Health hazards

Acute Oral Toxicity	Category 4
Acute Dermal Toxicity	Category 3
Acute Inhalation Toxicity - Vapors	Category 4
Skin Corrosion/Irritation	Category 1 A
Serious Eye Damage/Eye Irritation	Category 1
Respiratory Sensitization	Category 1
Skin Sensitization	Category 1
Germ Cell Mutagenicity	Category 1B
Carcinogenicity	Category 1B
Reproductive Toxicity	Category 1B
Specific target organ toxicity - (repeated exposure)	Category 2

Environmental hazards

Acute aquatic toxicity Category 3

NZ-000063 Version 2 14-Jul-2023 Page 1/12

Chronic aquatic toxicity Category 3

Label Elements



Signal Word

Danger

Hazard Statements

- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
- H340 May cause genetic defects
- H350 May cause cancer
- H360 May damage fertility or the unborn child
- H372 Causes damage to organs through prolonged or repeated exposure
- H412 Harmful to aquatic life with long lasting effects
- H311 Toxic in contact with skin
- H373 May cause damage to organs through prolonged or repeated exposure
- H302 + H332 Harmful if swallowed or if inhaled

Precautionary Statements

Prevention

- P201 Obtain special instructions before use
- P202 Do not handle until all safety precautions have been read and understood
- P260 Do not breathe dust/fume/gas/mist/vapors/spray
- P264 Wash face, hands and any exposed skin thoroughly after handling
- P271 Use only outdoors or in a well-ventilated area
- P272 Contaminated work clothing should not be allowed out of the workplace
- P280 Wear protective gloves
- P284 In case of inadequate ventilation wear respiratory protection

Response

- P301 + P330 + P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting
- P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
- P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
- P310 Immediately call a POISON CENTER or doctor
- P363 Wash contaminated clothing before reuse

Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other hazards which do not result in classification

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Sulfuric acid	7664-93-9	60-70
Water	7732-18-5	30-40
Silver sulfate	10294-26-5	0.1-1
Potassium dichromate	7778-50-9	0.1-1

NZ-000063 Version 2 14-Jul-2023 Page 2/12

Mercuric sulfate	7783-35-9	0.1-1

Section 4 - First Aid Measures

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove from exposure, lie down. Do not use mouth-to-mouth method if victim ingested or

inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Call a physician immediately. If

not breathing, give artificial respiration.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Ingestion Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an

unconscious person. Call a physician immediately.

Self-Protection of the First Aider No special precautions required.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Product is a corrosive material. Use

of gastric lavage or emesis is contraindicated. Possible perforation of stomach or

esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash,

itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

None under normal use conditions.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NZ-000063 Version 2 14-Jul-2023 Page 3 / 12

Section 6 - Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information. Avoid release to the environment. Collect spillage.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Advice on safe handling

Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

Incompatible Materials

None known.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

Section 8 - Exposure Controls and Personal Protection

Control parameters

Exposure limits

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Sulfuric acid	TWA: 0.1 mg/m ³	STEL: 3 mg/m ³	TWA: 0.2 mg/m ³	STEL: 0.15 mg/m ³ 15 min
	_	TWA: 1 mg/m ³	-	TWA: 0.05 mg/m ³ 8 hr
Silver sulfate		TWA: 0.01 mg/m ³	TWA: 0.01 mg/m ³	STEL: 0.03 mg/m ³ 15 min
			_	TWA: 0.01 mg/m ³ 8 hr

NZ-000063 Version 2 14-Jul-2023 Page 4/12

Potassium dichromate	TWA: 0.05 mg/m ³	TWA: 0.0002 mg/m³ STEL: 0.0005 mg/m³ Skin	STEL: 0.03 mg/m³ 15 min STEL: 0.065 mg/m³ 15 min TWA: 0.01 mg/m³ 8 hr TWA: 0.025 mg/m³ 8 hr
			Carc. as Cr Resp. Sens.
Mercuric sulfate	TWA: 0.003 ppm TWA: 0.025 mg/m ³	TWA: 0.025 mg/m³ Skin	TWA: 0.02 mg/m ³ 8 hr

Biological limit values

ACGIH - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

Component	New Zealand	Australia	ACGIH - Biological Exposure Indices	United Kingdom
Potassium dichromate			25 µg/L Medium: urine Time: end of shift at end of workweek Determinant: Total chromium 10 µg/L Medium: urine Time: increase during shift Determinant: Total chromium	
Mercuric sulfate			35 μg/g creatinine Medium: urine Time: prior to shift Determinant: Total inorganic mercury 15 μg/L Medium: blood Time: end of shift at end of workweek Determinant: Total inorganic mercury	

Appropriate engineering controls

Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location.

Individual protection measures, such as personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves.	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory ProtectionUse an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

NZ-000063 Version 2 14-Jul-2023 Page 5/12

Recommended Filter type: Particle filter (or AUS/NZ equivalent)

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Physical State Liquid

Appearance Yellow-brown

Odor No information available
Odor Threshold No data available

pH 1

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information availableFlammability (liquid)No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point Not applicable Method - No information available

Autoignition Temperature
Decomposition Temperature
Viscosity
Water Solubility
Solubility in other solvents

No data available
No data available
Completely soluble
No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure No data available
Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

Conditions to Avoid Incompatible products, Excess heat.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

NZ-000063 Version 2 14-Jul-2023 Page 6 / 12

Section 11 - Toxicological Information

Acute Effects

Information on likely routes of exposure

Product Information

InhalationNot an expected route of exposure.EyesNot an expected route of exposure.

Skin No known effect based on information supplied.

Ingestion Not an expected route of exposure.

Numerical measures of toxicity

(a) acute toxicity;

Oral Category 4
Dermal Category 3
Inhalation Category 4

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sulfuric acid	2140 mg/kg (Rat)		LC50 = 0.375 mg/L (Rat) 4 h
Water	LD50 > 90 mL/kg (Rat)		
Potassium dichromate	130 mg/kg (Rat)	1150 mg/kg (Rabbit)	0.09 mg/L/4h (Rat)
Mercuric sulfate	LD50 = 57 mg/kg (Rat)	LD50 = 625 mg/kg (Rat)	

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory Category 1 **Skin** Category 1

Sensitization No information available

(e) germ cell mutagenicity; Category 1B

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	New Zealand	Australia	New South	Western	IARC	EU	UK	Germany
			Wales	Australia				
Sulfuric acid	Confirmed				Group 1			
	carcinogen							
Potassium dichromate					Group 1	Carc Cat. 1B		

(g) reproductive toxicity; Category 1B

(h) STOT-single exposure; No data available

NZ-000063 Version 2 14-Jul-2023 Page 7/12

(i) STOT-repeated exposure; Category 2

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Section 12 - Ecological Information

Ecotoxicity

Aquatic ecotoxicity

Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sulfuric acid	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	EC50: 29 mg/L/24h	-	-
Potassium dichromate	LC50: 14 - 20.9 mg/L, 96h static (Pimephales promelas) LC50: 24.81 - 34.55 mg/L, 96h semi-static (Poecilia reticulata) LC50: 23 - 41.2 mg/L, 96h static (Poecilia reticulata) LC50: 15.41 - 30.36 mg/L, 96h flow-through (Pimephales promelas) LC50: > 139 mg/L, 96h static (Cyprinus carpio) LC50: 113.6 - 155.7 mg/L, 96h flow-through (Lepomis macrochirus) LC50: = 320 mg/L, 96h (Lepomis macrochirus) LC50: 65.6 - 137.6 mg/L, 96h static (Lepomis macrochirus) LC50: = 12.3 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 21.209 - 30.046 mg/L, 96h semi-static (Oryzias latipes)	EC50: 1.4 mg/L 24h		

Terrestrial ecotoxicity There is no data for this product

Persistence and Degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

Degradation in sewage treatment

plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative Potential Bioaccumulation is unlikely

NZ-000063 Version 2 14-Jul-2023 Page 8/12

Mobility The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste treatment methods

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Solutions with low pH-value must be neutralized before discharge. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Do not let this chemical enter the environment.

Section 14 - Transport Information

Component	Hazchem Code
Sulfuric acid	2P
7664-93-9 (60-70)	4WE
	2W
	2R
Potassium dichromate	2W
7778-50-9 (0.1-1)	
Mercuric sulfate	2X
7783-35-9 (0.1-1)	

NZS 5433:2020

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Sulphuric acid, Mercury Sulphate

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

<u>IATA</u>

UN-No UN2922

Proper Shipping Name Corrosive liquid, toxic, n.o.s.

Technical Shipping Name Sulphuric acid, Mercury Sulphate

Hazard Class 8
Subsidiary Hazard Class 6.1
Packing Group ||

NZ-000063 Version 2 14-Jul-2023 Page 9/12

IMDG/IMO

UN-No UN2922

Corrosive liquid, toxic, n.o.s. **Proper Shipping Name Technical Shipping Name** Sulphuric acid, Mercury Sulphate

Hazard Class Subsidiary Hazard Class 6.1 **Packing Group**

Component	IMDG Marine Pollutant
Mercuric sulfate	IMDG regulated marine pollutant (Listed in the index) IMDG
7783-35-9 (0.1-1)	regulated marine pollutant (UN2025)

Environmental hazards No hazards identified

Transport in bulk according to

Annex II of MARPOL 73/78 and the

Not applicable, packaged goods

IBC Code

No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002596
----------------------	-----------

National Regulations

Special Precautions

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

Component	New Zealand
Sulfuric acid	Confirmed carcinogen

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Chemicals Subject to Prior Informed Consent (PIC)

Component Rotterdam Convention (PIC)				
Mercuric sulfate - 7783-35-9	X			

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	IMDG Marine Pollutant
Mercuric sulfate			IMDG regulated marine pollutant (Listed in the index) IMDG regulated

NZ-000063 Version 2 14-Jul-2023 Page 10/12

-		
Г		(! !\ !0005)
- 1		marine pollutant (UN2025)

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Sulfuric acid	-	Use restricted. See item 75. (see link for restriction details)	-
Potassium dichromate Carcinogenic Category 1B, Mutagenic Category 1B, Toxic for reproduction Category 1B Article 57 Application date: March 21, 2016 Sunset date: September 21, 2017 Exemption - None		Use restricted. See item 72. (see link for restriction details) Use restricted. See item 28. (see link for restriction details) Use restricted. See item 29. (see link for restriction details) Use restricted. See item 30. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) Use restricted. See item 47. (see link for restriction details)	SVHC Candidate list - 231-906-6 - Carcinogenic, Article 57a; Mutagenic, Article 57b; Toxic for reproduction, Article 57c
Mercuric sulfate	-	Use restricted. See item 18. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

After the sunset date the use of this substance requires either an authorization or can only be used for exempted uses, e.g. use in scientific research and development which includes routine analytics or use as intermediate.

https://echa.europa.eu/authorisation-list

https://echa.europa.eu/candidate-list-table

https://echa.europa.eu/substances-restricted-under-reach

International Inventories

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
Sulfuric acid	7664-93-9	X	Х	231-639-5	ı	ı	KE-32570	Χ	X
Water	7732-18-5	X	X	231-791-2	ı	ı	KE-35400	Χ	X
Silver sulfate	10294-26-5	X	Х	233-653-7	ı	ı	KE-12273	Χ	X
Potassium dichromate	7778-50-9	X	X	231-906-6	ı	ı	KE-29094	Χ	X
Mercuric sulfate	7783-35-9	Χ	X	231-992-5	-	-	KE-23132	Χ	X

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Sulfuric acid	7664-93-9	Х	ACTIVE	Х	-	Х	Х	Х
Water	7732-18-5	Х	ACTIVE	Х	-	Х	-	Х
Silver sulfate	10294-26-5	Х	ACTIVE	Х	-	Х	Х	Х
Potassium dichromate	7778-50-9	X	ACTIVE	Х	-	Х	Х	Х
Mercuric sulfate	7783-35-9	X	ACTIVE	X	-	Х	Х	Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Section 16 - Other Information

This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

Legend

NZ-000063 Version 2 14-Jul-2023 Page 11 / 12

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

OECD - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime

Dangerous Goods Code

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration
BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

5 - (Volatile Organic Compound)

Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 14-Jul-2023

Revision Summary Update to GHS format

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

NZ-000063 Version 2 14-Jul-2023 Page 12 / 12