

Page 1/9
Revision Date 01-Apr-2025
Version 3

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>Drierite®, indicating (CaSO4)</u>
Product Description: <u>Drierite®, indicating (CaSO4)</u>

Cat No.: 43065

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

Supplier

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Respiratory Sensitization	Category 1 (H334)
Skin Sensitization	Category 1 (H317)
Germ Cell Mutagenicity	Category 2 (H341)
Carcinogenicity	Category 1B (H350i)
Reproductive Toxicity	Category 1B (H360F)
Chronic aquatic toxicity	Category 2 (H411)

Label Elements



Signal Word Danger

Drierite®, indicating (CaSO4)

Hazard Statements

H317 - May cause an allergic skin reaction

H341 - Suspected of causing genetic defects

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H360F - May damage fertility

H350i - May cause cancer by inhalation

H411 - Toxic to aquatic life with long lasting effects

Precautionary Statements

Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P270 - Do not eat, drink or smoke when using this product

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

P284 - In case of inadequate ventilation wear respiratory protection

Response

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P304 + P341 - IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P403 - Store in a well-ventilated place

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Other Hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Calcium sulfate	7778-18-9	98.50
Cobaltous chloride	7646-79-9	1.50

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Inhalation Remove to fresh air.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

Revision Date 01-Apr-2025

Drierite®, indicating (CaSO4)

Revision Date 01-Apr-2025

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Sulfur oxides, Calcium oxides, Cadmium oxide, Hydrogen chloride.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Ensure adequate ventilation.

Environmental precautions

Avoid release to the environment. Collect spillage. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Ensure adequate ventilation.

Drierite®, indicating (CaSO4)

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Calcium sulfate		TWA: 10 mg/m ³	(Vacated) TWA: 15 mg/m ³
		_	(Vacated) TWA: 5 mg/m ³
			TWA: 15 mg/m ³
			TWA: 5 mg/m ³
Cobaltous chloride		TWA: 0.02 mg/m ³	

Component	European Union	The United Kingdom	Germany
Calcium sulfate			TWA: 6 mg/m³ (8 Stunden). AGW -
			TWA: 4 mg/m³ (8 Stunden). MAK
Cobaltous chloride		Capable of causing cancer and/or	Haut
		heritable genetic damage	
		TWA: 0.1 mg/m³ (As Co)	
		STEL: 0.3 mg/m³ (As Co)	

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143 or Inorganic gases and vapours filter Type B Grey

conforming to EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice

Environmental exposure controls Prevent product from entering drains

ALFAA43065

Revision Date 01-Apr-2025

Revision Date 01-Apr-2025

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

(Air = 1.0)

Information on basic physical and chemical properties

Appearance

Physical State
Odor
Odor
Odor Threshold
PH
Solid; Powder / Granules
No information available
No data available
No data available

Melting Point/Range 1450 °C

Softening Point No data available
Boiling Point/Range No data available

Flash Point No data available Method - No information available

Evaporation RateNo data availableFlammability (solid,gas)No information availableExplosion LimitsNo data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / DensityNo data availableBulk DensityNo data availableWater SolubilityNo information availableSolubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

Componentlog PowCalcium sulfate-0.2Cobaltous chloride0.85

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties
No data available
No data available
No information available
No information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Drierite®, indicating (CaSO4)

Revision Date 01-Apr-2025

Hazardous Polymerization
Hazardous Reactions
No information available.
No information available.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

Sulfur oxides. Calcium oxides. Cadmium oxide. Hydrogen chloride.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information

(a) acute toxicity;

OralNo data availableDermalNo data availableInhalationNo data available

Toxicology data for the components

L	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
	Calcium sulfate	> 3000 mg/kg (Rat)	-	LC50 > 3.26 mg/L (Rat) 4 h
Ī	Cobaltous chloride	LD50 = 80 mg/kg (Rat)	-	-
L				

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

No information available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC	
Cobaltous chloride	Carc Cat. 1B			Group 2B	

(g) reproductive toxicity; No data available

Drierite®, indicating (CaSO4) Revision Date 01-Apr-2025

(h) STOT-single exposure: No data available

No data available (i) STOT-repeated exposure;

Target Organs No information available.

(j) aspiration hazard; No data available

delayed

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic

environment. The product contains following substances which are hazardous for the

environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Calcium sulfate	Lepomis macrochirus: LC50: 2.98 mg/L/96H	EC50: 3200 mg/L/120H		
Cobaltous chloride	Cyprinus carpio: LC50=0.33 mg/L 96h	1.1-1.6 mg/L 48h		

Persistence and degradability

Persistence Degradability No information available Persistence is unlikely.

Degradation in sewage

Not relevant for inorganic substances.

treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Calcium sulfate	-0.2	No data available
Cobaltous chloride	0.85	No data available

No information available. Mobility in soil

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

Contaminated Packaging Dispose of this container to hazardous or special waste collection point.

Drierite®, indicating (CaSO4) Revision Date 01-Apr-2025

> Do not flush to sewer Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains Do not let this chemical

enter the environment

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

Other Information

UN-No UN3077 **Hazard Class** 9 **Packing Group** Ш

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s. Cobaltous chloride

Road and Rail Transport

UN3077 **UN-No Hazard Class** 9 **Packing Group**

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s. Cobaltous chloride

IATA

UN-No UN3077 **Hazard Class Packing Group**

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s. Cobaltous chloride

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Calcium sulfate	231-900-3	X	Х	Х	Х	Х	Х	Х	KE-04614
Cobaltous chloride	231-589-4	X	Х	X	Х	Х	X	X	KE-06095

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Drierite®, indicating (CaSO4)

Revision Date 01-Apr-2025

PICCS - Philippines Inventory of Chemicals and Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances **NZIOC** - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment LD50 - Lethal Dose 50%

LC50 - Lethal Concentration 50%
POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

Tran

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate
VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 01-Apr-2025 Revision Summary 01-Apr-2025 Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet