

SAFETY DATA SHEET

Revision Date 01-April-2024 Revision Number 4

1. Identification

Product Name Multi-element standard solution

Cat No.: 96786

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Importer/Distributor

Fisher Scientific 112 Colonnade Road, Ottawa, ON K2E 7L6,

Canada

Tel: 1-800-234-7437

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Corrosive to metals
Category 1
Acute Inhalation Toxicity
Category 4
Skin Corrosion/Irritation
Category 1
Serious Eye Damage/Eye Irritation
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals Harmful if inhaled

Causes severe skin burns and eye damage May cause respiratory irritation



Precautionary Statements

Prevention

Keep only in original container

Do not breathe dust/fumes/gas/mist/vapours/spray

Wash face, hands and any exposed skin thoroughly after handling

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Response

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

Absorb spillage to prevent material damage

Storage

Store locked up

Store in a well-ventilated place. Keep container tightly closed

Store in corrosive resistant polypropylene container with a resistant inliner

Store in a dry place

Disposal

Dispose of contents/container to an approved waste disposal plant

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Water	7732-18-5	93.65
Nitric acid	7697-37-2	5
(+)-Tartaric acid	87-69-4	1
Potassium chloride	7447-40-7	0.2
Hydrofluoric acid	7664-39-3	0.15

4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

Inhalation If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration

with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an Ingestion

unconscious person. Call a physician immediately.

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric Most important symptoms/effects

lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically

5. Fire-fighting measures

Suitable Extinguishing Media CO₂, dry chemical, dry sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

No information available **Flash Point** Method -No information available

Autoignition Temperature

Explosion Limits

No data available

No information available

Upper Lower No data available Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

Hazardous Combustion Products

Nitrogen oxides (NOx). Hydrogen fluoride. Carbon monoxide (CO). Carbon dioxide (CO2). Potassium oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

Health	Flammability	Instability	Physical hazards
3	0	0	-

Accidental release measures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate **Personal Precautions**

personnel to safe areas. Keep people away from and upwind of spill/leak.

Should not be released into the environment. **Environmental Precautions**

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Up

	7. Handling and storage
Handling	Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.
Storage.	Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials

8. Exposure controls / personal protection

Exposure Guidelines

Component	Alberta		Ontario TWAEV	Quebec	ACGIH TLV	OSHA PEL	NIOSH
		Columbia					
Nitric acid	TWA: 2 ppm	(Vacated) TWA:	IDLH: 25 ppm				
	TWA: 5.2 mg/m ³	STEL: 4 ppm	STEL: 4 ppm	TWA: 5.2 mg/m ³	STEL: 4 ppm	2 ppm	TWA: 2 ppm
	STEL: 4 ppm			STEL: 4 ppm	· · ·	(Vacated) TWA:	TWA: 5 mg/m ³
	STEL: 10 mg/m ³			STEL: 10 mg/m ³		5 mg/m ³	STEL: 4 ppm
						(Vacated) STEL:	STEL: 10 mg/m ³
						4 ppm	
						(Vacated) STEL:	
						10 mg/m ³	
						TWA: 2 ppm	
						TWA: 5 mg/m ³	
Hydrofluoric acid	Ceiling: 2 ppm	TWA: 2.5 mg/m ³	TWA: 0.5 ppm	TWA: 2.5 mg/m ³	TWA: 0.5 ppm	(Vacated) TWA:	IDLH: 30 ppm
	Ceiling: 1.6	Ceiling: 2 ppm	TWA: 2.5 mg/m ³	Ceiling: 3 ppm	TWA: 2.5 mg/m ³	3 ppm (Vacated)	IDLH: 250
	mg/m³	Skin	CEV: 2 ppm	Ceiling: 2.6	Ceiling: 2 ppm	TWA: 2.5 mg/m ³	mg/m³
	TWA: 0.5 ppm		Skin	mg/m³	Skin	(Vacated) STEL:	TWA: 3 ppm
	TWA: 0.4 mg/m ³			_		6 ppm	TWA: 2.5 mg/m ³
	TWA: 2.5 mg/m ³					TWA: 3 ppm	Ceiling: 6 ppm
							Ceiling: 5 mg/m ³

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

None under normal use conditions. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye Protection Goggle

Hand Protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Glove material	Breakthrough time	Glove thickness	Glove comments
Natural rubber	See manufacturers	-	Splash protection only
Nitrile rubber	recommendations		
Neoprene			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection

No protective equipment is needed under normal use conditions.

Recommended Filter type: Particle filter

Environmental exposure controls

No information available.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

9. Physical and chemical properties

Physical State Liquid

No information available **Appearance**

Characteristic Odor

No information available **Odor Threshold** No information available

pН

No data available **Melting Point/Range**

Boiling Point/Range No information available approx °C / °F

Flash Point No information available No information available **Evaporation Rate**

Not applicable Flammability (solid,gas)

Flammability or explosive limits

Upper No data available Lower No data available No information available **Vapor Pressure Vapor Density** No information available **Specific Gravity** No information available g/cm3

Solubility No information available

Partition coefficient; n-octanol/water No data available **Autoignition Temperature** No information available **Decomposition Temperature** No information available

Viscosity No information available

10. Stability and reactivity

None known, based on information available **Reactive Hazard**

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products.

Incompatible Materials

Hazardous Decomposition Products Nitrogen oxides (NOx), Hydrogen fluoride, Carbon monoxide (CO), Carbon dioxide (CO2),

Potassium oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50**

Vapor LC50 Based on ATE data, the classification criteria are not met. ATE > 20 mg/l. Category 4. ATE

= 10 - 20 mg/l.

Component Information

ponent information	•		·		
Component	LD50 Oral	LD50 Dermal	LC50 Inhalation		
Water	-	-	-		
Nitric acid	Not listed	Not listed	LC50 = 2500 ppm. (Rat) 1h		
(+)-Tartaric acid	Not listed	LD50 > 2000 mg/kg (Rat)	Not listed		
Potassium chloride	LD50 = 2600 mg/kg (Rat)	Not listed	Not listed		
Hydrofluoric acid	Not listed	Not listed	LC50 = 0.79 mg/L (Rat) 1 h		

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

No information available Irritation

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Water	7732-18-5	Not listed				
Nitric acid	7697-37-2	Not listed				
(+)-Tartaric acid	87-69-4	Not listed				
Potassium chloride	7447-40-7	Not listed				
Hydrofluoric acid	7664-39-3	Not listed				

Mutagenic Effects No information available

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure Respiratory system STOT - repeated exposure None known

No information available **Aspiration hazard**

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
(+)-Tartaric acid	-	-	-	EC50=230 mg/L 48h
Potassium chloride	EC50: 2500 mg/L/72h	Lepomis macrochirus: LC50: 1060 mg/L /96h Pimephales promelas: LC50: 750 - 1020 mg/L /96h		EC50: 825 mg/L/48h
Hydrofluoric acid	Not listed	LC50 = 660 mg/L, 48h (Leuciscus idus)	Not listed	EC50 = 270 mg/L, 48h (Daphnia species)

Persistence and Degradability Miscible with water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation No information available.

Mobility Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Nitric acid	-2.3
(+)-Tartaric acid	-1.7
Hydrofluoric acid	-1.4

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

Component	RCRA - U Series Wastes	RCRA - P Series Wastes		
Hydrofluoric acid - 7664-39-3	U134	-		

14. Transport information

DOT

UN-No UN3264

Proper Shipping Name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Technical Name Nitric acid, Hydrogen fluoride

Hazard Class 8
Packing Group III

TDG

UN-No UN3264

Proper Shipping Name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN3264

Proper Shipping Name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group

IMDG/IMO

UN-No UN3264

Proper Shipping Name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Hazard Class 8
Packing Group III

15. Regulatory information

All of the components in the product are on the following Inventory lists: China X = listed Australia U.S.A. (TSCA) Canada (DSL/NDSL) Europe (EINECS/ELINCS/NLP) Australia (AICS) Korea (KECL) China (IECSC) Japan (ENCS) Philippines (PICCS)

International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Water	7732-18-5	Х	-	Х	ACTIVE	231-791-2	-	-
Nitric acid	7697-37-2	Х	-	Х	ACTIVE	231-714-2	-	-
(+)-Tartaric acid	87-69-4	Х	-	Х	ACTIVE	201-766-0	-	-
Potassium chloride	7447-40-7	Х	-	Х	ACTIVE	231-211-8	-	-
Hydrofluoric acid	7664-39-3	Х	-	Х	ACTIVE	231-634-8	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Water	7732-18-5	Х	KE-35400	Х	-	X	Х	Х	Х
Nitric acid	7697-37-2	Х	KE-25911	X	Х	X	Х	Х	Х
(+)-Tartaric acid	87-69-4	Х	KE-10801	X	Х	Х	Х	Х	X
Potassium chloride	7447-40-7	Х	KE-29086	X	Х	Х	Х	Х	Х
Hydrofluoric acid	7664-39-3	Х	KE-20198	X	Х	X	Х	Х	Х

Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

Component	Canada - National Pollutant Release Inventory (NPRI)	Canadian Environmental Protection Agency (CEPA) - List of Toxic Substances	Canada's Chemicals Management Plan (CEPA)
Nitric acid	Part 1, Group A Substance		
Hydrofluoric acid	Part 1, Group A Substance		

Legend

NPRI - National Pollutant Release Inventory

Other International Regulations

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	, ,
Nitric acid	-	Use restricted. See item 75. (see link for restriction details)	-
Hydrofluoric acid	-	Use restricted. See item 75. (see link for restriction details)	-

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Nitric acid	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
(+)-Tartaric acid	87-69-4	Listed	Not applicable	Not applicable	Not applicable
Potassium chloride	7447-40-7	Listed	Not applicable	Not applicable	Not applicable
Hydrofluoric acid	7664-39-3	Listed	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Water	7732-18-5	Not applicable	Not applicable	Not applicable	Not applicable
Nitric acid	7697-37-2	Not applicable	Not applicable	Not applicable	Annex I - Y34
(+)-Tartaric acid	87-69-4	Not applicable	Not applicable	Not applicable	Not applicable
Potassium chloride	7447-40-7	Not applicable	Not applicable	Not applicable	Not applicable
Hydrofluoric acid	7664-39-3	Not applicable	Not applicable	Not applicable	Annex I - Y34

16. Other information

Prepared By Product Safety Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

Revision Date 01-April-2024

Multi-element standard solution

Revision Date 01-April-2024 Print Date 01-April-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS