

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING**
**Product Identifier**

Perihal Produk: **2-Ethylhexyl acetate**  
 Product Description: **2-Ethylhexyl acetate**  
 Cat No. : L16227  
 Synonyms 2-Ethylhexyl ethanoate.; Acetic acid, 2-ethylhexyl ester  
 CAS No 103-09-3  
 Molecular Formula C10 H20 O2

**Relevant identified uses of the substance or mixture and uses advised against**

Recommended Use Laboratory chemicals.  
 Uses advised against No Information available

**Company**

Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd  
 Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square,  
 No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,  
 Selangor Darul Ehsan, Malaysia.  
 Main line: +60 3-5525 7888

**Supplier**

E-mail address Enquiry.my@thermofisher.com

**Emergency Telephone Number**

Tel: +03-5525 7888  
 CHEMTREC Malaysia **1-800-815-308** (Malay)  
 CHEMTREC Malaysia (Kuala Lumpur) **+(60)-327884561** (Malay)

**SECTION 2: HAZARDS IDENTIFICATION**
**Classification of the substance or mixture**

Skin Corrosion/Irritation	
	Category 2 (H315)

**Label Elements**

**Signal Word**
**Warning**
**Hazard Statements**

H315 - Causes skin irritation

# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

## Precautionary Statements

### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling  
P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
P270 - Do not eat, drink or smoke when using this product  
P280 - Wear protective gloves/protective clothing/eye protection/face protection

### Response

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell  
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water  
P332 + P313 - If skin irritation occurs: Get medical advice/attention  
P337 + P313 - If eye irritation persists: Get medical advice/attention  
P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish  
P362 + P364 - Take off contaminated clothing and wash it before reuse

### Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

Combustible liquid

This product does not contain any known or suspected endocrine disruptors

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
2-Ethylhexyl acetate	103-09-3	>95

## SECTION 4: FIRST AID MEASURES

### Description of first aid measures

<b>Eye Contact</b>	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.
<b>Skin Contact</b>	Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention.
<b>Ingestion</b>	Clean mouth with water. Get medical attention.
<b>Inhalation</b>	Remove from exposure, lie down. Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention.
<b>Self-Protection of the First Aider</b>	Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

### Most important symptoms and effects, both acute and delayed

Difficulty in breathing. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** Treat symptomatically.

# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

## SECTION 5: FIREFIGHTING MEASURES

### Extinguishing media

#### **Suitable Extinguishing Media**

Water spray. Carbon dioxide (CO<sub>2</sub>). Dry chemical. Chemical foam. Water mist may be used to cool closed containers.

#### **Extinguishing media which must not be used for safety reasons**

No information available.

### Special hazards arising from the substance or mixture

Combustible material. Containers may explode when heated.

### **Hazardous Combustion Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>).

### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment and Emergency Procedures

Remove all sources of ignition. Take precautionary measures against static discharges.

### Environmental precautions

See Section 12 for additional Ecological Information.

### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the environment. Remove all sources of ignition.

### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## SECTION 7: HANDLING AND STORAGE

### Precautions for Safe Handling

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

### Conditions for Safe Storage, Including any Incompatibilities

Keep away from heat, sparks and flame. Keep containers tightly closed in a dry, cool and well-ventilated place.

### Specific End Uses

Use in laboratories.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

## Control Parameters

Component	European Union	The United Kingdom	Germany
2-Ethylhexyl acetate			TWA: 10 ppm (8 Stunden). AGW - exposure factor 1 TWA: 71 mg/m <sup>3</sup> (8 Stunden). AGW - exposure factor 1 TWA: 10 ppm (8 Stunden). MAK can occur as vapor and aerosol at the same time TWA: 71 mg/m <sup>3</sup> (8 Stunden). MAK can occur as vapor and aerosol at the same time Höhepunkt: 10 ppm Höhepunkt: 71 mg/m <sup>3</sup>

## Exposure Controls

### Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

#### **Eye Protection**

Wear safety glasses with side shields (or goggles)

#### **Hand Protection**

Protective gloves

#### **Skin and body protection**

Wear appropriate protective gloves and clothing to prevent skin exposure

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.

(Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

#### **Respiratory Protection**

No protective equipment is needed under normal use conditions

### Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice

### Environmental exposure controls

No information available

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

#### **Appearance**

Colorless

#### **Physical State**

Liquid

#### **Odor**

Odorless

#### **Odor Threshold**

No data available

#### **pH**

No information available

# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

Melting Point/Range	-45 °C / -49 °F	
Softening Point	No data available	
Boiling Point/Range	197 °C / 386.6 °F	
Flash Point	71 °C / 159.8 °F	Method - No information available

Evaporation Rate	No data available	
Flammability (solid,gas)	Not applicable	Liquid
Explosion Limits	<b>Lower</b> 0.76 Vol% <b>Upper</b> 8.14 Vol%	

Vapor Pressure	No information available	
Vapor Density	5.93	(Air = 1.0)
Specific Gravity / Density	0.870	
Bulk Density	Not applicable	Liquid
Water Solubility	Insoluble	
Solubility in other solvents	No information available	

Partition Coefficient (n-octanol/water)	
Component	<b>log Pow</b>
2-Ethylhexyl acetate	4.2

Autoignition Temperature	295 °C / 563 °F	
Decomposition Temperature	No data available	
Viscosity	No data available	
Explosive Properties		explosive air/vapour mixtures possible
Oxidizing Properties	No information available	

Molecular Formula	C10 H20 O2
Molecular Weight	172.27

## SECTION 10: STABILITY AND REACTIVITY

### Reactivity

None known, based on information available.

### Chemical Stability

Stable under normal conditions.

### Possibility of Hazardous Reactions

Hazardous Polymerization	No information available.
Hazardous Reactions	No information available.

### Conditions to Avoid

Incompatible products. Keep away from open flames, hot surfaces and sources of ignition.

### Incompatible Materials

Strong oxidizing agents.

# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

## Hazardous Decomposition Products

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

## SECTION 11: TOXICOLOGICAL INFORMATION

### Information on Toxicological Effects

#### Product Information

##### (a) acute toxicity;

Oral

Based on available data, the classification criteria are not met

Dermal

No data available

Inhalation

No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
2-Ethylhexyl acetate	LD50 = 3 g/kg ( Rat )	-	-

##### (b) skin corrosion/irritation;

Category 2

##### (c) serious eye damage/irritation;

No data available

##### (d) respiratory or skin sensitization;

Respiratory

No data available

Skin

No data available

##### (e) germ cell mutagenicity;

No data available

##### (f) carcinogenicity;

No data available

There are no known carcinogenic chemicals in this product

##### (g) reproductive toxicity;

No data available

##### (h) STOT-single exposure;

No data available

##### (i) STOT-repeated exposure;

No data available

Target Organs

No information available.

##### (j) aspiration hazard;

No data available

#### Other Adverse Effects

The toxicological properties have not been fully investigated. See actual entry in RTECS for complete information

#### Symptoms / effects, both acute and delayed

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

#### Endocrine Disrupting Properties

Assess endocrine disrupting properties for human health. This product does not contain any

# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

known or suspected endocrine disruptors.

## SECTION 12: ECOLOGICAL INFORMATION

### Ecotoxicity effects

Do not empty into drains.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
2-Ethylhexyl acetate	LC50: = 8.27 mg/L, 96h semi-static (Oncorhynchus mykiss)			

### Persistence and degradability

#### **Persistence**

Insoluble in water, May persist, based on information available.

### Bioaccumulative potential

May have some potential to bioaccumulate

Component	log Pow	Bioconcentration factor (BCF)
2-Ethylhexyl acetate	4.2	No data available

### Mobility in soil

The product is insoluble and floats on water. The product evaporates slowly. Spillage unlikely to penetrate soil. Is not likely mobile in the environment due its low water solubility. Spillage unlikely to penetrate soil.

### Endocrine Disruptor Information

This product does not contain any known or suspected endocrine disruptors

### Other adverse effects

No information available

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

#### **Waste from Residues/Unused Products**

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations

#### **Contaminated Packaging**

Dispose of this container to hazardous or special waste collection point.

#### **Other Information**

Waste codes should be assigned by the user based on the application for which the product was used Do not empty into drains

## SECTION 14: TRANSPORT INFORMATION

### IMDG/IMO

Not regulated

### Road and Rail Transport

Not regulated

### IATA

Not regulated

### Special Precautions for User

No special precautions required

## SECTION 15: REGULATORY INFORMATION

# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

## Safety, health and environmental regulations/legislation specific for the substance or mixture

### International Inventories

X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
2-Ethylhexyl acetate	203-079-1	X	X	X	X	X	X	X	KE-00048

## National Regulations

### Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance

This product does not contain any known or suspected substance

## SECTION 16: OTHER INFORMATION

### Legend

**CAS** - Chemical Abstracts Service

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDL** - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances

**AICS** - Australian Inventory of Chemical Substances

**NZIoC** - New Zealand Inventory of Chemicals

**WEL** - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**RPE** - Respiratory Protective Equipment

**LC50** - Lethal Concentration 50%

**POW** - Partition coefficient Octanol:Water

**TWA** - Time Weighted Average

**IARC** - International Agency for Research on Cancer

**LD50** - Lethal Dose 50%

**EC50** - Effective Concentration 50%

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

**ICAO/IATA** - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

**ATE** - Acute Toxicity Estimate

**VOC** - (Volatile Organic Compound)

### Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

### Prepared By

Health, Safety and Environmental Department

### Revision Date

25-Mar-2025

### Revision Summary

Not applicable.

**In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013**

### Disclaimer



# SAFETY DATA SHEET

2-Ethylhexyl acetate

Revision Date 25-Mar-2025

---

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**