

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

**Product Name** 1,6-Diaminohexane 5% in water

**Product Code** D/0765/PB07

Address ThermoFisher Scientific Australia Pty Ltd

> 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

**Emergency Tel. CHEMTREC®** 

03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers** Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

**Recommended Use** Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

### Physical hazards

No hazards identified

#### **Health hazards**

Skin Corrosion/Irritation Category 1 B Serious Eye Damage/Eye Irritation Category 1

### **Environmental hazards**

No hazards identified

### **Label Elements**



**FSUD0765** Version 2 18-Nov-2022 Page 1/10 Signal Word Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

#### **Precautionary Statements**

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P363 - Wash contaminated clothing before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	95
Hexamethylenediamine	124-09-4	5

## Section 4 - First Aid Measures

If not breathing, give artificial respiration. Remove from exposure, lie down. Do not use Inhalation

> mouth-to-mouth method if victim indested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an Ingestion

unconscious person. Call a physician immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Eye Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**General Advice** Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

**First Aid Facilities** Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should

be investigated

**FSUD0765** Version 2 18-Nov-2022 Page 2/10 **Notes to Physician** 

Treat symptomatically.

## Section 5 - Fire Fighting Measures

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Hazardous Decomposition Products**

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Nitrogen oxides (NOx).

#### Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## Section 6 - Accidental Release Measures

#### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

## Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

FSUD0765 Version 2 18-Nov-2022 Page 3 / 10

#### **Exposure limits**

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Hexamethylenediami			TWA: 0.5 ppm		
ne					

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

#### **Exposure Controls**

#### **Engineering Measures**

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber	See manufacturers	-	AS/NZS 2161	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

**Repiratory Protection**Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 or Ammonia and organic ammonia derivatives filter

Type K Green conforming to EN14387 (or AUS/NZ equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance No information available

Physical State Liquid

FSUD0765 Version 2 18-Nov-2022 Page 4/10

Liquid

Odor
Odor Threshold
PH
No information available
No data available
No information available
No information available
No data available
No data available
No data available
No information available

Boiling Point/Range No information available

Flash Point No information available

No information available

Method - No information available

Evaporation RateNo data availableFlammability (solid,gas)Not applicableLiquidExplosion LimitsNo data available

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density

Bulk Density

No data available

Not applicable

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow

Hexamethylenediamine 0.02

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other information

Molecular Formula C6 H16 N2 Molecular Weight 116.21

# Section 10 - Stability and Reactivity

**Reactivity** None known, based on information available

**Stability** Stable under normal conditions.

Conditions to Avoid Incompatible products, Excess heat.

**Incompatible Materials** Strong oxidizing agents, Acids.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2). Nitrogen oxides (NOx).

Hazardous Polymerization Hazardous polymerization does not occur.

# Section 11 - Toxicological Information

#### Information on Toxicological Effects

**Product Information** See actual entry in RTECS for complete information.

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

FSUD0765 Version 2 18-Nov-2022 Page 5/10

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Hexamethylenediamine	LD50 = 750 mg/kg (Rat)	LD50 = 1110 mg/kg ( Rabbit )	

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

No data available (g) reproductive toxicity;

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

No information available. **Target Organs** 

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated

# Section 12 - Ecological Information

**Ecotoxicity effects** 

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Hexamethylenediamine	Leuciscus idus: LC50:	EC50: = 23.4 mg/L, 48h	EC50: = 15 mg/L, 72h	EC50 = 85 mg/L 2 h
	62 mg/L/96h	(Daphnia magna)	(Pseudokirchneriella	
			subcapitata)	
			EC50: = 14.8 mg/L, 96h	
			(Pseudokirchneriella	
			subcapitata)	

Persistence and Degradability

**Persistence** Soluble in water, Persistence is unlikely, based on information available.

**Bioaccumulative Potential** Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Hexamethylenediamine	0.02	No data available
Mobility	The product is water soluble, and may spread	in water systems. : Will likely be mobile in

**Endocrine Disruptor Information** 

This product does not contain any known or suspected endocrine disruptors

the environment due to its water solubility Highly mobile in soils

**Persistent Organic Pollutant** This product does not contain any known or suspected substance **Ozone Depletion Potential** This product does not contain any known or suspected substance

## Section 13 - Disposal Considerations

**FSUD0765** Version 2 18-Nov-2022 Page 6/10

\_\_\_\_\_

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not empty into drains. Do not flush to sewer. Large amounts will

affect pH and harm aquatic organisms.

# Section 14 - Transport Information

#### IMDG/IMO

UN-No UN3267

Proper Shipping Name Corrosive liquid, basic, organic, n.o.s.

Technical Shipping Name Contains hexamethylene diamine

Hazard Class 8
Packing Group III

<u>ADG</u>

UN-No UN3267

Proper Shipping Name
Corrosive liquid, basic, organic, n.o.s.
Contains hexamethylene diamine

Hazard Class 8

· doining of our	
Component	Hazchem Code
Hexamethylenediamine	2X
124-09-4 ( 5 )	

#### IATA

UN-No UN3267

Proper Shipping Name
Corrosive liquid, basic, organic, n.o.s.
Contains hexamethylene diamine

Hazard Class 8
Packing Group

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

## Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

FSUD0765 Version 2 18-Nov-2022 Page 7/10

No poison schedule number allocated.

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component Australian Industrial		Additional information
	Chemicals Introduction	
	Scheme (AICIS)	
Water - 7732-18-5	Present	-
Hexamethylenediamine - 124-09-4 Present		-

#### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Not applicable

### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

#### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Water	Χ	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Hexamethylenediamin	Х	Х	204-679-6	-	Х	Х	-	Х	Х	Х	Х	KE-18611
e												

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report
				Notification	Requirements

FSUD0765 Version 2 18-Nov-2022 Page 8 / 10

Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Hexamethylenediamine	124-09-4	Listed	Not applicable	Not applicable	Not applicable

#### Authorisation/Restrictions according to EU REACH

Component	,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	, ,
Hexamethylenediamine	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

## Section 16 - Other Information

#### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

Ships NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ADG Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Health Hazards Calculation method **Environmental hazards** Calculation method

**Training Advice** 

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

18-Nov-2022 **Revision Date Revision Summary** Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

**Disclaimer** 

**FSUD0765** Page 9/10 Version 2 18-Nov-2022

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of Safety Data Sheet**

FSUD0765 Version 2 18-Nov-2022 Page 10 / 10