

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

### Section 1 - Identification

Product Name PhenoCure Phenolic Powder and Premolds

Product Code BUE20-3100, BUE20-3111, BUE20-3313, BUE20-3312, BUE20-3200, BUE20-3213,

BUE20-3212

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

### Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

#### Physical hazards

No hazards identified

#### **Health hazards**

Acute Oral Toxicity

Acute Inhalation Toxicity - Dusts and Mists

Category 4

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Germ Cell Mutagenicity

Specific target organ toxicity - (repeated exposure)

Category 2

Category 2

**Environmental hazards** 

No hazards identified

**Label Elements** 

AUS-000292 Version 3 12-Mar-2025 Page 1/10







**Exclamation Mark** 

Health Hazard

Signal Word Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H341 - Suspected of causing genetic defects if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure

H302 + H332 - Harmful if swallowed or if inhaled

#### **Precautionary Statements**

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P363 - Wash contaminated clothing before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Mica	12001-26-2	30-60
Graphite	7782-42-5	20-40
Coal dust	RR-00011-3	10-30
Talc	14807-96-6	10-30
Carbon black	1333-86-4	5-10
Phenol	108-95-2	3-7

# Section 4 - First Aid Measures

**Inhalation** Remove to fresh air.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

AUS-000292 Version 3 12-Mar-2025 Page 2/10

clothes and shoes.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes, lifting lower and upper eyelids.

Consult a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

Causes burns by all exposure routes. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue

and danger of perforation

Notes to Physician Treat symptomatically.

### Section 5 - Fire Fighting Measures

#### **Suitable Extinguishing Media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### Section 6 - Accidental Release Measures

#### **Emergency procedures**

Ensure adequate ventilation.

#### **Environmental Precautions**

See Section 12 for additional Ecological Information.

#### Methods for Containment and Clean Up

Clean-up methods - small spillage

#### Clean-up methods - large spillage

No information available.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

### Section 7 - Handling and Storage

#### **Precautions for Safe Handling**

Ensure adequate ventilation.

#### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AUS-000292 Version 3 12-Mar-2025 Page 3/10

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Mica	TWA: 2.5 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 0.1 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> 15 min STEL: 2.4 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr TWA: 0.8 mg/m <sup>3</sup> 8 hr	
Graphite	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	STEL: 30 mg/m <sup>3</sup> 15 min STEL: 12 mg/m <sup>3</sup> 15 min TWA: 10 mg/m <sup>3</sup> 8 hr TWA: 4 mg/m <sup>3</sup> 8 hr	TWA: 1.5 mg/m³ (8 Stunden) MAKTWA: 4 mg/m³ (8Stunden). MAK
Coal dust	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>			
Talc	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2 mg/m³	TWA: 2 mg/m³	STEL: 3 mg/m³ 15 min TWA: 1 mg/m³ 8 hr	TWA: 1.25 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 10 mg/m³ (8 Stunden). AGW - exposure factor 2
Carbon black	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	STEL: 7 mg/m <sup>3</sup> 15 min TWA: 3.5 mg/m <sup>3</sup> 8 hr	
Phenol	TWA: 1 ppm TWA: 4 mg/m³	TWA: 1 ppm TWA: 3.8 mg/m³ STEL: 2 ppm STEL: 7.7 mg/m³ Skin	TWA: 5 ppm Skin	STEL: 4 ppm 15 min STEL: 16 mg/m³ 15 min TWA: 2 ppm 8 hr TWA: 7.8 mg/m³ 8 hr Skin	TWA: 2 ppm (8 Stunden). AGW - exposure factor 2 TWA: 8 mg/m³ (8 Stunden). AGW - exposure factor 2 Haut

#### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

	Component	Australia	New Zealand	European Union	United Kingdom	Germany
	Phenol		100 mg/L (urine) end of shift (Phenol)			Phenol (after hydrolysis): 120 mg/g Creatinine urine (end of shift)
L						Still )

# Exposure Controls Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment Eye Protection

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

AUS-000292 Version 3 12-Mar-2025 Page 4/10

Hand Protection	Protective gloves			
Glove material Disposable gloves	Breakthrough time See manufacturers recommendations	Glove thickness -	AUS/NZ Standard AS/NZS 2161	Glove comments (minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

(Air = 1.0)

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

### Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

Appearance Varies
Physical State Solid Powder

Odor No information available
Odor Threshold No data available
pH No data available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No data available
No data available

Flash Point No data available Method - No information available

**Evaporation Rate**Flammability (solid,gas)
No data available
No information available

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density

Bulk Density

No data available

No data available

No data available

Water Solubility
Solubility in other solvents
No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

Componentlog PowPhenol1.5

Autoignition Temperature
Decomposition Temperature
Viscosity
Explosive Properties
Oxidizing Properties
No data available
No data available
No information available
No information available

#### Other information

AUS-000292 Version 3 12-Mar-2025 Page 5 / 10

# Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous Polymerization No information available.

# Section 11 - Toxicological Information

#### Information on Toxicological Effects

(a) acute toxicity;

Oral No data available
Dermal No data available
Inhalation No data available

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Graphite			LC50 > 2000 mg/m <sup>3</sup> ( Rat ) 4 h
Carbon black	LD50 > 15400 mg/kg (Rat)	LD50 > 3 g/kg ( Rabbit )	LC50 > 4.6 mg/m <sup>3</sup> (Rat) 4 h
Phenol	LD50 = 340 mg/kg ( Rat )	LD50 = 630 mg/kg ( Rabbit )	LC50 = 316 mg/m <sup>3</sup> ( Rat ) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Coal dust								Cat.3B
Talc								Cat.3B
Carbon black		Suspected carcinogen			Group 2B			Cat. 3B
Phenol								Cat. 3B

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

AUS-000292 Version 3 12-Mar-2025 Page 6 / 10

No information available. **Target Organs** 

(i) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

# Section 12 - Ecological Information

**Ecotoxicity effects** Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Graphite	LC50: > 100 mg/L, 96h semi-static (Danio rerio)	I .		
Talc	LC50: > 100 g/L, 96h semi-static (Brachydanio rerio)			
Carbon black		EC50: > 5600 mg/L, 24h (Daphnia magna)		
Phenol	4-7 mg/L LC50 96 h 32 mg/L LC50 96 h	EC50: 10.2 - 15.5 mg/L, 48h (Daphnia magna) EC50: 4.24 - 10.7 mg/L, 48h Static (Daphnia magna)	72h static (Desmodesmus subspicatus) EC50: 0.0188 - 0.1044 mg/L, 96h static	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min

Persistence and Degradability **Bioaccumulative Potential** 

No information available No information available

Component	log Pow	Bioconcentration factor (BCF)
Phenol	1.5	17.5 dimensionless
		647 dimensionless

Mobility

**Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential** 

No information available.

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### Section 13 - Disposal Considerations

Waste from Residues/Unused **Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service.

# Section 14 - Transport Information

AUS-000292 Version 3 12-Mar-2025 Page 7/10

IMDG/IMO Not regulated

ADG Not regulated

Component	Hazchem Code
Phenol	3X
108-95-2 ( 3-7 )	2X

IATA Not regulated

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

### Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

#### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Phenol - 108-95-2	Schedule 2 listed
	Schedule 4 listed - in preparations for injection
	Schedule 5 listed - including Cresols and Xylenols and any other homologue of phenol boiling below
	220°C;when in animal feed additives;except in preparations containing <=1% of Phenol and in
	preparations containing <=3% of Cresols and Xylenols and any other homologues of Phenols
	Schedule 6 listed - including Cresols and Xylenols and any other homologue of phenol boiling below
	220°C; except when separately specified in these Schedules, or in preparations containing <=1% of
	Phenols, and in preparations containing <=3% of Cresols and Xylenols and other homologues of
	Phenol

#### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Mica - 12001-26-2	Present	-
Graphite - 7782-42-5	Present	÷
Talc - 14807-96-6	Present	÷
Carbon black - 1333-86-4	Present	-
Phenol - 108-95-2	Present	-

#### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

#### **Chemicals of Security Concern**

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

AUS-000292 Version 3 12-Mar-2025 Page 8/10

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Phenol - 108-95-2	10 tonne/yr. Threshold category 1

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

Component	Australia	New South Wales	Western Australia	New Zealand
Carbon black - 1333-86-4				Suspected carcinogen

#### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Mica	Х	Х	-	-	-	Х	-	Х	-		Х	Х
Graphite	Х	Х	231-955-3	-	Х	Х	-	Х	-		Х	Х
Talc	Х	Х	238-877-9	-	X	Х	-	Χ	Х	Х	Х	Х
Carbon black	Х	Х	215-609-9	435-640- 3	Х	Х	-	Х	Х	Х	Х	Х
Phenol	Х	Х	203-632-7	-	X	Х	-	Х	Х	Х	Х	Х

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

#### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Phenol - 108-95-2	Annex I - Y39	Y39

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Mica	12001-26-2	Listed	Not applicable	Not applicable	Not applicable
Graphite	7782-42-5	Listed	Not applicable	Not applicable	Not applicable
Coal dust	RR-00011-3	Not applicable	Not applicable	Not applicable	Not applicable
Talc	14807-96-6	Listed	Not applicable	Not applicable	Not applicable
Carbon black	1333-86-4	Listed	Not applicable	Not applicable	Not applicable
Phenol	108-95-2	Listed	Not applicable	Not applicable	Not applicable

#### Authorisation/Restrictions according to EU REACH

AUS-000292 Version 3 12-Mar-2025 Page 9 / 10

REACH (1907/2006) - Annex XIV -REACH (1907/2006) - Annex XVII -**REACH Regulation (EC** Component **Substances Subject to Restrictions on Certain Dangerous** 1907/2006) article 59 - Candidate List of Substances of Very High Authorization Substances Concern (SVHC) Carbon black Use restricted. See entry 75. (see link for restriction details) Use restricted. See entry 75. Phenol (see link for restriction details)

https://echa.europa.eu/substances-restricted-under-reach

### Section 16 - Other Information

#### Legend

AICS - Australian Inventory of Chemical Substances

**TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

**IECSC** - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit DNEL - Derived No Effect Level

**POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

**VOC** - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances ENCS - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$  - Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development **LC50** - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 12-Mar-2025

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of Safety Data Sheet**

AUS-000292 Version 3 12-Mar-2025 Page 10 / 10