SAFETY DATA SHEET



Revision Date 27-Dec-2023 WAI1 - AGHS - OSHA Revision Number 3

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product Identifier

Product Name ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration Solution

Product No 01X211244

Pure substance/mixture Mixture

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Use as laboratory reagent

Uses advised against No Information available

Manufacturer, Importer, Supplier Eutech Instruments Pte Ltd

part of Thermo Fisher Scientific

7 Gul Circle, #2M-01 Keppel Logistics Building Singapore 629563

Emergency Telephone 24 Hour Emergency Phone Number

CHEMTREC®

Within USA and Canada: 1-800-424-9300 Outside USA and Canada: 1-703-527-3887

(collect calls accepted)

Singapore: English and Mandarin Local (National) +65 3158 1349

Toll Free: 800 101 2201

E-mail address wlp.techsupport@thermofisher.com

Made in Singapore

Product Name

Revision Date 27-Dec-2023

ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration

Solution

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Label Elements

Emergency Overview

Appearance Clear Physical State Liquid Odor Odorless

Precautionary Statements

Storage

Store in a closed container

Disposal

Dispose of contents in accordance with all local, regional, national and international guidelines.

Hazards not otherwise classified (HNOC)

No information available

Other Information

No information available

3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % |
|--------------------|-----------|----------|
| Water | 7732-18-5 | >90.0% |
| Potassium Chloride | 7447-40-7 | 1 - 10% |

^{*}The exact percentage (concentration) of composition has been withheld as a trade secret.

4. FIRST AID MEASURES

Description of first aid measures

General Advice Use first aid treatment according to the nature of the injury. Get medical attention

immediately if symptoms occur. Show this safety data sheet to the doctor in attendance.

Eye Contact Rinse thoroughly with plenty of water, also under the eyelids. Get medical attention.

ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration Solution

Skin Contact Wash off immediately with soap and plenty of water for at least 15 minutes. Take off

contaminated clothing and shoes immediately. In case of skin reactions, consult a

physician.

Inhalation Remove to fresh air. If breathing is difficult, give oxygen. Get medical attention if symptoms

occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Do NOT induce vomiting. Call

a physician or poison control center immediately.

Self-Protection of the First Aider

Use personal protective equipment as required. See section 8 for more information. Do not

use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper

respiratory medical device.

Most important symptoms and effects, both acute and delayed

Most important symptoms and

effects

No information available

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

No information available

Specific Hazards Arising from the Chemical

No information available.

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personal Precautions Use personal protective equipment as required. For further specification, refer to section 8

of the SDS. Evacuate personnel to safe areas.

Environmental Precautions Collect spillage. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Methods for Containment Prevent further leakage or spillage if safe to do so.

Methods for Cleaning Up Soak up with inert absorbent material. Pick up and transfer to properly labeled containers.

7. HANDLING AND STORAGE

Product No 01X211244

Product Name Revision Date 27-Dec-2023

ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration

Solution

Precautions for Safe Handling

To avoid risks to human health and the environment, comply with the instructions for use Handling

> Wear personal protective equipment/face protection Avoid breathing dust/fume/gas/mist/vapors/spray Ensure adequate ventilation, especially in confined areas

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place Storage

Store at room temperature in the original container

Protect from direct sunlight

Incompatible Products No information available

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

This product does not contain any hazardous materials with occupational exposure **Exposure Guidelines**

limitsestablished by the region specific regulatory bodies.

Appropriate engineering controls

Engineering Measures Showers

> Eyewash stations Ventilation systems

Individual protection measures, such as personal protective equipment

Wear chemical splash goggles and face shield. If splashes are likely to occur:. Face **Eye/face Protection**

protection shield.

Skin and Body Protection Wear protective gloves/protective clothing.

Respiratory Protection None under normal use conditions. In case of inadequate ventilation wear respiratory

protection.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Physical State Liquid **Appearance** Clear Odor Odorless

Odor Threshold No information available

PH Range 6 - 8 @ 25 °C

Property Values Remarks • Method

Melting point/freezing point No information available

100 °C **Boiling Point/Range** Flash Point (High in °C) N/A

Evaporation Rate No information available Flammability (solid, gas) No information available

Product No 01X211244

ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration Solution

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor Density
Specific Gravity
No information available
No information available
No information available
No information available

Water Solubility Soluble in water

Solubility in other solvents
Partition coefficient
No information available
No information available

Autoignition Temperature -

Decomposition TemperatureNo information availableKinematic viscosityNo information availableDynamic viscosityNo information availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other Information

Softening Point
Molecular Weight
VOC Content(%)
Density
No information available
No information available
No information available
1.0 g/cm³ @ 25°C
Bulk Density
No information available

10. STABILITY AND REACTIVITY

Reactivity

No Information available

Chemical Stability

Stable under normal conditions

Possibility of Hazardous Reactions

None under normal processing

Conditions to Avoid

Extremes of temperature and direct sunlight.

Incompatible Materials

No information available

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

11. TOXICOLOGICAL INFORMATION

Information on likely routes of exposure

Inhalation No information available

Eye Contact No information available

Skin Contact No information available

Ingestion No information available

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------|-------------------------|-------------|-----------------|
| Water | LD50 > 90 mL/kg (Rat) | - | - |
| 7732-18-5 | | | |
| Potassium Chloride | LD50 = 2600 mg/kg (Rat) | - | - |

Product Name Revision Date 27-Dec-2023

ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration

Solution

7447-40-7

Information on Toxicological Effects

No information available **Symptoms**

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Sensitization No information available

Mutagenic Effects No information available

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

| | Component | CAS No | IARC | NTP | ACGIH | OSHA |
|---|--------------------|-----------|------------|------------|------------|------------|
| | Water | 7732-18-5 | Not listed | Not listed | Not listed | Not listed |
| Ī | Potassium Chloride | 7447-40-7 | Not listed | Not listed | Not listed | Not listed |

Reproductive Effects No information available

STOT - single exposure No information available

STOT - repeated exposure No information available

Aspiration hazard No information available

Numerical measures of toxicity - Product Information

12. ECOLOGICAL INFORMATION

Ecotoxicity

| Component | Freshwater Algae | Freshwater Fish | Water Flea |
|--------------------|---------------------------|---|---|
| Potassium Chloride | EC50: = 2500 mg/L, 72h | LC50: = 1060 mg/L, 96h static | EC50: = 83 mg/L, 48h Static |
| 7447-40-7 | (Desmodesmus subspicatus) | (Lepomis macrochirus) LC50: 750 - 1020 mg/L, 96h static (Pimephales promelas) | (Daphnia magna) EC50: = 825 mg/L, 48h (Daphnia magna) |

Persistence and Degradability

No information available

Bioaccumulation/ Accumulation

No information available

Mobility

No information available

Other adverse effects

No information available

13. DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste Disposal Methods Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated Packaging Improper disposal or reuse of this container may be dangerous and illegal

ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration Solution

14. TRANSPORT INFORMATION

DOT Not regulated

ICAO Not regulated

IATA Not regulated

IMDG/IMO Not regulated

15. REGULATORY INFORMATION

International Inventories

United States of America Inventory
CANINV
EINECS/ELINCS
ENCS
ECSC
KECL
PICCS
AICS
Complies

Legend:

USINV/ TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

CANINY/ DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications. Under the amended regulations at 40 CFR 370, EPCRA 311/312 Tier II reporting for the 2017 calendar year will need to be consistent with updated hazard classifications.

CWA (Clean Water Act)

Not applicable

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

U.S. State Regulations

ECCON1118BT, Eutech 111.8mS/cm Conductivity Calibration Solution

California Proposition 65

This product does not contain any Proposition 65 chemicals

U.S. State Right-to-Know Regulations

| Component | New Jersey | Massachusetts | Pennsylvania |
|-----------|------------|---------------|--------------|
| Water | = | = | X |
| 7732-18-5 | | | |

U.S. EPA Label Information

No information available

16. OTHER INFORMATION

Prepared By Regulatory Affairs

Prepared For Thermo Fisher Scientific Inc.©

Issue Date No information available

Revision Date 27-Dec-2023

Reason for revision SDS sections updated.

Disclaimer

IMPORTANT: The information contained in this SDS is correct to the best of our knowledge as of the issue date (or subsequent revision date, if any), and is to be used only as a guide. This SDS does not constitute a guarantee (express or implied) of any kind and we make no warranties of any kind as to the accuracy or completeness of the information contained herein or the merchantability or fitness of the product or this information for a particular purpose. It is the responsibility of each individual buyer/user to determine the suitability of this information and the product for its intended purposes. Product sales are subject to Thermo Fisher Scientifics standard terms and conditions of sale. This information relates only to the designated product as shipped and may not be valid if the product is used in combination with any other materials or is not used in accordance with our instructions, or is altered in any way. It is the responsibility of the buyer/user to ensure that its activities comply with all applicable government requirements. Since conditions of use of the product are not under direct control of Thermo Fisher Scientific, it is the duty of the buyer/user to determine the necessary conditions for the safe use of the product. Thermo Fisher Scientific will not be liable for any injuries or damages resulting from handling, use, misuse or contact with the product.

End of Safety Data Sheet