

#### Classified as hazardous in accordance with the criteria of EPA New Zealand

### **Section 1 - Identification**

**Product Identifier** 

Product Name <u>Ethanol denatured 70% WFI spray bottle</u>

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Product Code AGM1139

Address Thermo Fisher Scientific New Zealand Ltd

244 Bush Road, Albany, Auckland, New Zealand

Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Telephone / Fax Numbers Tel: 09 980 6700

Fax: 09 980 6788

E-mail address ANZinfo@thermofisher.com

# **Section 2 - Hazard(s) Identification**

Classification under Work Safe New Zealand

Classified as hazardous in accordance with the criteria of EPA New Zealand

HSNO Approval Number HSR002553

**GHS Classification** 

Physical hazards

Flammable liquids Category 2

**Health hazards** 

Serious Eye Damage/Eye Irritation Category 2

**Environmental hazards** 

Based on available data, the classification criteria are not met

#### **Label Elements**



NZ-000852A Version 2 14-Jul-2023 Page 1/11

Signal Word Danger

#### **Hazard Statements**

H225 - Highly flammable liquid and vapor H319 - Causes serious eye irritation

#### **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

#### Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P308 + P313 - IF exposed or concerned: Get medical advice/attention

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

P403 + P235 - Store in a well-ventilated place. Keep cool

#### Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other hazards which do not result in classification

This product does not contain any known or suspected endocrine disruptors

### Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %		
Ethyl alcohol	64-17-5	50-70		
Isopropyl alcohol	67-63-0	1-10		

### **Section 4 - First Aid Measures**

#### **Description of first aid measures**

General Advice If symptoms persist, call a physician.

New Zealand Emergency Tel. CHEMTREC®

09 980 6780 or +64 9 980 6780

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

NZ-000852A Version 2 14-Jul-2023 Page 2 / 11

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable. Inhalation of high vapor concentrations may cause

symptoms like headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically. Symptoms may be delayed.

### **Section 5 - Fire Fighting Measures**

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### **Specific Hazards Arising from the Chemical**

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

None under normal use conditions.

#### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **Section 6 - Accidental Release Measures**

#### Personal Precautions, Protective Equipment and Emergency Procedures

#### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required. Remove all sources of ignition. Take precautionary measures against static discharges.

#### **Environmental Precautions**

Should not be released into the environment.

#### Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

#### Precautions to prevent secondary hazards

Clean contaminated objects and areas thoroughly observing environmental regulations

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# Section 7 - Handling and Storage

#### **Precautions for Safe Handling**

#### Advice on safe handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

#### **Hygiene Measures**

NZ-000852A Version 2 14-Jul-2023 Page 3 / 11

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

#### Conditions for Safe Storage, Including any Incompatibilities

#### **Storage Conditions**

Keep container tightly closed in a dry and well-ventilated place. Keep away from heat, sparks and flame.

#### **Incompatible Materials**

None known.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

### **Section 8 - Exposure Controls and Personal Protection**

#### **Control parameters**

#### **Exposure limits**

**NZ** - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor **UK** - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**AUS** - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

**ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

Component	New Zealand WEL	Australia	ACGIH TLV	The United Kingdom
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA; 1920
	TWA: 1880 mg/m <sup>3</sup>	TWA: 1880 mg/m <sup>3</sup>		mg/m³ TWA
		_		WEL - STEL: 3000 ppm
				STEL; 5760 mg/m <sup>3</sup> STEL
Isopropyl alcohol	TWA: 400 ppm	STEL: 500 ppm	TWA: 200 ppm	STEL: 500 ppm 15 min
	TWA: 983 mg/m <sup>3</sup>	STEL: 1230 mg/m <sup>3</sup>	STEL: 400 ppm	STEL: 1250 mg/m <sup>3</sup> 15 min
	STEL: 500 ppm	TWA: 400 ppm		TWA: 400 ppm 8 hr
	STEL: 1230 mg/m <sup>3</sup>	TWA: 983 mg/m <sup>3</sup>		TWA: 999 mg/m <sup>3</sup> 8 hr

#### **Biological limit values**

**ACGIH** - American Conference of Governmental Industrial Hygienists (ACGIH) TLVs® and BEIs®- Threshold Limit Values for Chemical Substances and Physical Agents & Biological Exposure Indices. 2022 Edition

Component	New Zealand	Australia	ACGIH - Biological Exposure Indices	United Kingdom
Isopropyl alcohol			40 mg/L Medium: urine Time: end of shift at end of workweek Determinant: Acetone	

#### Appropriate engineering controls

#### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Individual protection measures, such as personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

NZ-000852A Version 2 14-Jul-2023 Page 4/11

Hand Protection	Protectiv	e gloves		
Glove material Viton (R).	Breakthrough time See manufacturers recommendations	Glove thickness -	AUS/NZ Standard AS/NZS 2161	Glove comments (minimum requirement)

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

On basis of test data

Method - No information available

and maintenance of repiratory protective devices

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and

vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

### **Section 9 - Physical and Chemical Properties**

#### Information on basic physical and chemical properties

Physical State Liquid

Appearance Clear, colorless solution
Odor No information available
Odor Threshold No data available
PH Not applicable
Not applicable
No data available

Melting Point/Range
No data available
Softening Point
Boiling Point/Range
Flammability (liquid)
Not applicable
Highly flammable

Flammability (solid,gas) Not applicable Liquid

Explosion Limits

No data available

**Flash Point** 20.5 °C / 68.9 °F

Autoignition Temperature
Decomposition Temperature
Viscosity
Water Solubility
Solubility in other solvents

No data available
No data available
No information available
No information available

Partition Coefficient (n-octanol/water)

Component log Pow
Ethyl alcohol -0.32
Isopropyl alcohol 0.05

Vapor Pressure No data available
Density / Specific Gravity No data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

Other information

NZ-000852A Version 2 14-Jul-2023 Page 5 / 11

**Explosive Properties** Vapors may form explosive mixtures with air

# **Section 10 - Stability and Reactivity**

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

Sensitivity to Mechanical Impact No information available

Sensitivity to Static Discharge No information available

**Hazardous Polymerization** No information available.

**Hazardous Reactions**None under normal processing.

**Conditions to Avoid** Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

### **Section 11 - Toxicological Information**

#### **Acute Effects**

Information on likely routes of exposure

#### **Product Information**

InhalationNot an expected route of exposure.EyesNot an expected route of exposure.

**Skin** No known effect based on information supplied.

**Ingestion** Not an expected route of exposure.

#### Numerical measures of toxicity

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	alcohol LD50 = 7060 mg/kg ( Rat )		20000 ppm/10H ( Rat )
Isopropyl alcohol	oropyl alcohol 5045 mg/kg (Rat ) 3600 mg/kg (Mouse )		72.6 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

NZ-000852A Version 2 14-Jul-2023 Page 6 / 11

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

#### Symptoms / effects,both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

# **Section 12 - Ecological Information**

#### **Ecotoxicity**

**Aquatic ecotoxicity** 

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl alcohol	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	EC50 = 9268 mg/L/48h EC50 = 10800 mg/L/24h	EC50 (72h) = 275 mg/l	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/L/5 min
Isopropyl alcohol	flow-through		(Desmodesmus	= 35390 mg/L EC50 Photobacterium phosphoreum 5 min

#### **Terrestrial ecotoxicity**

Component Earthworm		Avian	Honeybees
Ethyl alcohol	Acute toxicity: LC50 0.1 - 1		
	mg/cm2 (Eisenia foetida, 48 h,		
	filter paper)		

Persistence and Degradability No information available

#### Bioaccumulative Potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Ethyl alcohol	-0.32	No data available
Isopropyl alcohol	0.05	No data available

NZ-000852A Version 2 14-Jul-2023 Page 7 / 11

**Mobility** No information available.

Other adverse effects

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **Section 13 - Disposal Considerations**

#### Waste treatment methods

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Disposal agencies or waste contractors must comply with the New Zealand Hazardous Substances (Disposal) Regulations . Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

# **Section 14 - Transport Information**

Component	Hazchem Code
Ethyl alcohol	2YE
64-17-5 ( 50-70 )	2Y
Isopropyl alcohol	1Z
67-63-0 ( 1-10 )	

#### NZS 5433:2020

UN-No UN1170
Proper Shipping Name ETHANOL

Technical Shipping Name

Ethanol denatured 70% WFI spray bottle (Ethanol,Isopropanol)

Hazard Class 3
Packing Group ||

<u>IATA</u>

UN-No UN1170 Proper Shipping Name ETHANOL

**Technical Shipping Name** 

Ethanol denatured 70% WFI spray bottle (Ethanol, Isopropanol)

Hazard Class 3
Packing Group ||

IMDG/IMO

UN-No UN1170
Proper Shipping Name ETHANOL

**Technical Shipping Name** 

Ethanol denatured 70% WFI spray bottle (Ethanol, Isopropanol)

Hazard Class 3
Packing Group ||

NZ-000852A Version 2 14-Jul-2023 Page 8 / 11

Environmental hazards No hazards identified

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable, packaged goods

Special Precautions

No special precautions required. Please refer to the applicable dangerous goods

regulations for additional information.

Additional information None known

## **Section 15 - Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

HSNO Approval Number	HSR002553

#### **National Regulations**

There are no applicable tolerable exposure limits or environmental exposure limits according to the EPA Controls for Hazardous Substances

#### Certified handlers, tracking and controlled substance license requirements

Certified handlers are required for some substances. This includes substances requiring a controlled substance license, and most explosives, vertebrates toxic agents, and certain fumigants. Acutely toxic substances which are a Category 1 or 2, such as pesticides also require Certified handlers. Please check the Health and Safety at Work Act 2015 for further information. Tracking is required for some highly hazardous substances. These substances need to be under the control of an appropriately trained person or appropriately secured. Please check the Health and Safety at Work Act 2015 for further information.

#### Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

#### International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

# Authorisation/Restrictions according to EU REACH

Component	, ,	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	, ,
Isopropyl alcohol	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

#### **International Inventories**

New Zealand (NZIoC), Australia (AICS), Europe (EINECS/ELINCS/NLP), Korea (KECL), China (IECSC), Taiwan (TCSI), Japan (ISHL), Canada (DSL/NDSL), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

L	Component	CAS No	NZIoC	AICS	EINECS	ELINCS	NLP	KECL	IECSC	TCSI
	Ethyl alcohol	64-17-5	X	Χ	200-578-6	ı	-	KE-13217	Χ	X
	Isopropyl alcohol	67-63-0	Х	Х	200-661-7	-	-	KE-29363	Χ	Χ

NZ-000852A Version 2 14-Jul-2023 Page 9/11

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	DSL	NDSL	PICCS	ISHL	ENCS
Ethyl alcohol	64-17-5	X	ACTIVE	X	-	X	Х	Х
Isopropyl alcohol	67-63-0	Х	ACTIVE	Х	-	Х	Χ	Х

Legend: X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

### **Section 16 - Other Information**

# This safety data sheet complies with the requirements of the EPA Hazardous Substances (Hazard Classification) Notice 2020 and WorkSafe New Zealand Regulations

#### Legend

NZIoC - New Zealand Inventory of Chemicals

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

**DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

NZS 5433:2020 - Transport of Dangerous Goods on Land

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**MARPOL** - International Convention for the Prevention of Pollution from Ships

LD50 - Lethal Dose 50%

**EC50** - Effective Concentration 50% **WEL** - Workplace Exposure Limit

**DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

AICS - Australian Inventory of Chemical Substances

**EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**CAS** - Chemical Abstracts Service

**ACGIH** - American Conference of Governmental Industrial Hygienists

PNEC - Predicted No Effect Concentration

**OECD** - Organisation for Economic Co-operation and Development **IMO/IMDG** - International Maritime Organization/International Maritime

Dangerous Goods Code

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

HSNO classifications provided in the New Zealand Chemical Classification Information Database (CCID).

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

EPA Guide to classifying hazardous substances in New Zealand

EPA - Assigning a product to an existing HSNO approval guide

#### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts.

Revision Date 14-Jul-2023

Revision Summary Update to GHS format

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

NZ-000852A Version 2 14-Jul-2023 Page 10 / 11

# **End of Safety Data Sheet**

NZ-000852A Version 2 14-Jul-2023 Page 11 / 11