Thermo Fisher

SAFETY DATA SHEET

Page 1/9 Creation Date 12-Mar-2009 Revision Date 29-Apr-2024 Version 4

ALFAA38747

Nitric acid, 67-70%

SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: 硝酸, 环境级, 67-70% **Product Description:** Nitric acid, 67-70%

Cat No.: 38747

Synonyms Azotic acid; Engraver's acid; Aqua fortis

CAS No 7697-37-2 HNO3 Molecular Formula

Avocado Research Chemicals Ltd. **Supplier**

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY. United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11

Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

E-mail address begel.sdsdesk@thermofisher.com

Laboratory chemicals. **Recommended Use** Uses advised against No Information available

SECTION 2. HAZARD IDENTIFICATION

Physical State Odor **Appearance** Liquid Clear Colorless, Light yellow Strong Acrid

Emergency Overview

May intensify fire; oxidizer. Causes severe skin burns and eye damage. May be corrosive to metals. Corrosive to the respiratory

tract. Toxic if inhaled.

Classification of the substance or mixture

| Oxidizing liquids | Category 3 |
|--|--------------|
| Substances/mixtures corrosive to metal | Category 1 |
| Acute Inhalation Toxicity - Vapors | Category 3 |
| Skin Corrosion/Irritation | Category 1 A |
| Serious Eye Damage/Eye Irritation | Category 1 |

Label Elements



Page 2/9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

Signal Word

Danger

Hazard Statements

H272 - May intensify fire; oxidizer

H290 - May be corrosive to metals

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

Precautionary Statements

Prevention

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P220 - Keep away from clothing and other combustible materials

P221 - Take any precaution to avoid mixing with combustibles

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P284 - Wear respiratory protection

Response

P390 - Absorb spillage to prevent material damage

P301 + P330 + P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P362 + P364 - Take off contaminated clothing and wash it before reuse

Storage

P402 - Store in a dry place

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P405 - Store locked up

Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Physical and Chemical Hazards

Oxidizing. Contact with combustible material may cause fire. May be corrosive to metals.

Health Hazards

Corrosive. Causes skin and eye burns. Causes serious eye damage. Toxic if inhaled.

Environmental hazards

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Component | CAS No | Weight % | | |
|-------------------------|-----------|----------|--|--|
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | 65 - 70 | | |
| Water | 7732-18-5 | 30 - 35 | | |

SECTION 4. FIRST AID MEASURES

General Advice

Immediate medical attention is required. Show this safety data sheet to the doctor in attendance.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Immediate medical attention is required.

Page 3/9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

Skin Contact

Wash off immediately with plenty of water for at least 15 minutes. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Call a physician immediately.

Inhalation

If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove from exposure, lie down. Call a physician immediately.

Ingestion

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean mouth with water. Call a physician immediately.

Most important symptoms and effects

Causes burns by all exposure routes. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Oxidizer: Contact with combustible/organic material may cause fire. May ignite combustibles (wood paper, oil, clothing, etc.).

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Use personal protective equipment as required.

Environmental Precautions

Should not be released into the environment. Do not flush into surface water or sanitary sewer system. See Section 12 for additional Ecological Information.

Methods for Containment and Clean Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Sweep up and shovel into suitable containers for disposal. Wear self-contained breathing apparatus and protective suit.

Page 4/9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

Refer to protective measures listed in Sections 8 and 13.

SECTION 7. HANDLING AND STORAGE

Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Do not breathe mist/vapors/spray. Keep away from clothing and other combustible materials.

Storage

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store near combustible materials. Do not store in metal containers. Keep in properly labeled containers. Corrosives area.

Specific Use(s)

Use in laboratories

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| Component | China | Taiwan | Thailand | Hong Kong |
|-------------------------|-------|----------------------------|------------|----------------------------|
| Nitric acid% [C ≤ 70 %] | = | TWA: 2 ppm | TWA: 2 ppm | TWA: 2 ppm |
| | | TWA: 5.2 mg/m ³ | • • | TWA: 5.2 mg/m ³ |
| | | _ | | STEL: 4 ppm |
| | | | | STEL: 10 mg/m ³ |

| Component | ACGIH TLV | OSHA PEL | NIOSH | The United Kingdom | European Union |
|-------------------------|-------------|--------------------------------|--------------------------|--------------------------------|-----------------------------|
| Nitric acid% [C ≤ 70 %] | TWA: 2 ppm | (Vacated) TWA: 2 ppm | IDLH: 25 ppm | STEL: 1 ppm 15 min | STEL: 1 ppm (15min) |
| | STEL: 4 ppm | (Vacated) TWA: 5 | TWA: 2 ppm | STEL: 2.6 mg/m ³ 15 | STEL: 2.6 mg/m ³ |
| | | mg/m³ | TWA: 5 mg/m ³ | min | (15min) |
| | | (Vacated) STEL: 4 | STEL: 4 ppm | | |
| | | ppm STEL: 10 mg/m ³ | | | |
| | | (Vacated) STEL: 10 | | | |
| | | mg/m³ | | | |
| | | TWA: 2 ppm | | | |
| | | TWA: 5 mg/m ³ | | | |

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Exposure Controls

Engineering Measures

Use only under a chemical fume hood. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

Personal protective equipment

Eye Protection Goggles (European standard - EN 166)

Hand Protection Protective gloves

| Glove material | Breakthrough time | Glove thickness | EU standard | Glove comments |
|-----------------|-------------------|-----------------|-------------|--|
| Neoprene gloves | > 480 minutes | 0.45 mm | Level 6 | As tested under EN374-3 Determination of |
| Butyl rubber | > 480 minutes | 0.35 mm | EN 374 | Resistance to Permeation by Chemicals |
| Nitrile rubber | < 10 minutes | 0.38 mm | | • |

Inspect gloves before use.

Page 5/9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143 or Acid gases filter

Type E Yellow conforming to EN14387

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

Recommended half mask:- Valve filtering: EN405; or; Half mask: EN140; plus filter, EN

141

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Keep away from food, drink and animal feeding stuffs. When using do not eat, drink or

smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before

re-use. Wear suitable gloves and eye/face protection.

Environmental exposure controls Prevent product from entering drains.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Clear Colorless, Light yellow

Physical State Liquid

Odor Strong Acrid
Odor Threshold No data available

pH < 1.0 (0.1M)

Melting Point/Range -41 °C / -41.8 °F Softening Point No data available

Boiling Point/Range Not applicable
Flash Point Not applicable

Flash Point Not applicable Method - No information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Flammability (solid,gas) Not applicable Liquid Explosion Limits No data available

Vapor Pressure 0.94 kPa (20°C)

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density 1.40

Bulk Density Not applicable Liquid

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component $[C \le 70 \%]$ | Component $[C \ge 70 \%$

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
No data available
No data available

Explosive Properties No information available

Page 6 / 9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

Oxidizing Properties Oxidizer

Molecular FormulaHNO3Molecular Weight63.01

SECTION 10. STABILITY AND REACTIVITY

Stability Oxidizer: Contact with combustible/organic material may cause fire.

Hazardous Reactions None under normal processing.

Hazardous Polymerization Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products. Combustible material. Excess heat. Exposure to air or moisture over

prolonged periods.

Materials to avoid Combustible material. Strong bases. Reducing Agent. Metals. Finely powdered metals.

Organic materials. Aldehydes. Alcohols. Cyanides. Ammonia. Strong reducing agents.

Hazardous Decomposition Products Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and

vapors.

SECTION 11. TOXICOLOGICAL INFORMATION

Product Information

(a) acute toxicity;

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation | | |
|-------------------------|-----------|-------------|---------------------------|--|--|
| Nitric acid% [C ≤ 70 %] | | | LC50 = 2500 ppm. (Rat) 1h | | |
| Water | - | - | - | | |

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

RespiratoryBased on available data, the classification criteria are not met **Skin**Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

Page 7/9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

Based on available data, the classification criteria are not met (j) aspiration hazard;

delayed

Symptoms / effects, both acute and Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity effects Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Persistence and Degradability

Persistence

Readily biodegradable

Miscible with water, Persistence is unlikely, based on information available.

Bioaccumulative Potential Bioaccumulation is unlikely

| Component | log Pow | Bioconcentration factor (BCF) |
|-------------------------|---------|-------------------------------|
| Nitric acid% [C ≤ 70 %] | -2.3 | No data available |

Mobility in soil The product is water soluble, and may spread in water systems. Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13. DISPOSAL CONSIDERATIONS

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives

on waste and hazardous waste. Dispose of in accordance with local regulations.

Dispose of this container to hazardous or special waste collection point. **Contaminated Packaging**

Other Information Do not flush to sewer. Waste codes should be assigned by the user based on the

application for which the product was used. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms. Solutions with low pH-value must be neutralized

before discharge.

SECTION 14. TRANSPORT INFORMATION

Road and Rail Transport

UN2031 **UN-No Proper Shipping Name** NITRIC ACID

Hazard Class Subsidiary Hazard Class 5.1 **Packing Group**

IMDG/IMO

UN-No UN2031 **Proper Shipping Name** NITRIC ACID

Hazard Class Subsidiary Hazard Class 5.1 **Packing Group** Ш

Page 8/9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

IATA

UN-No UN2031
Proper Shipping Name NITRIC ACID

Hazard Class 8
Subsidiary Hazard Class 5.1
Packing Group II

Special Precautions for User No special precautions required

SECTION 15. REGULATORY INFORMATION

International Inventories

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

| Component | The Inventory of Hazardous Chemicals (2015 Edition) | | TCSI | IECSC | EINECS | TSCA | DSL | PICCS | ENCS | ISHL | AICS | KECL |
|-------------------------|--|---|------|-------|-----------|------|-----|-------|------|------|------|----------|
| Nitric acid% [C ≤ 70 %] | X | Х | Χ | Х | 231-714-2 | Х | Х | Х | Х | Х | Х | KE-25911 |
| Water | - | - | Х | Х | 231-791-2 | Χ | Х | Х | Χ | | Х | KE-35400 |

National Regulations

SECTION 16. OTHER INFORMATION

Prepared By Health, Safety and Environmental Department

Creation Date12-Mar-2009Revision Date29-Apr-2024

Revision Summary New emergency telephone response service provider.

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Chemical incident response training.

Legend

CAS - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b)

Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic

Substances/EU List of Notified Chemical Substances Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

AICS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances NZIOC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit TWA - Time Weighted Average

ACGIH - American Conference of Governmental Industrial Hygienists IARC - International Agency for Research on Cancer

DNEL - Derived No Effect Level PNEC - Predicted No Effect Concentration

Page 9/9 Revision Date 29-Apr-2024

Nitric acid, 67-70%

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50% NOEC - No Observed Effect Concentration PBT - Persistent, Bioaccumulative, Toxic LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

ADR - European Agreement Concerning the International Carriage of

Dangerous Goods by Road

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet