

# **SAFETY DATA SHEET**

Creation Date 19-Apr-2012 Revision Date 28-Mar-2024 Revision Number 3

# 1. Identification

Product Name N,N-Dimethylaniline

Cat No. : L05173

CAS No 121-69-7 Synonyms DMA

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

### Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids
Category 4
Acute oral toxicity
Category 3
Acute dermal toxicity
Category 3
Acute Inhalation Toxicity - Vapors
Carcinogenicity
Category 2

## Label Elements

### Signal Word

Danger

### **Hazard Statements**

Combustible liquid
Suspected of causing cancer

Toxic if swallowed, in contact with skin or if inhaled



# **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Avoid breathing dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep cool

### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician

#### Skin

IF ON SKIN: Wash with plenty of soap and water

Call a POISON CENTER or doctor/physician if you feel unwell

Remove/Take off immediately all contaminated clothing

Wash contaminated clothing before reuse

#### Ingestion

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician

Rinse mouth

#### Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

### **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

## **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Dimethylaniline	121-69-7	>95

# 4. First-aid measures

Eye Contact Immediate medical attention is required. Rinse immediately with plenty of water, also under

the eyelids, for at least 15 minutes.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Immediate medical attention is required.

Inhalation Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

Revision Date 28-Mar-2024 N,N-Dimethylaniline

respiration. Immediate medical attention is required.

Ingestion Call a physician immediately. Clean mouth with water.

Most important symptoms and

effects

Notes to Physician

Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

Treat symptomatically

# 5. Fire-fighting measures

**Suitable Extinguishing Media** Carbon dioxide (CO<sub>2</sub>). Dry chemical. Water mist may be used to cool closed containers.

Water mist may be used to cool closed containers.

**Unsuitable Extinguishing Media** No information available

63 °C / 145.4 °F **Flash Point** 

Method -No information available

370 °C / 698 °F **Autoignition Temperature** 

**Explosion Limits** 

Upper 7.0% 1.2% Lower

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

#### Specific Hazards Arising from the Chemical

Combustible material. Containers may explode when heated.

### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
3	2	0	N/A

### Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges. Do not flush into surface water or sanitary sewer system.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Wear self-contained breathing apparatus and protective suit. Do not let this chemical enter the environment. Remove all sources of ignition.

# 7. Handling and storage

Handling

Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Take precautionary measures against static discharges. Do not ingest. If swallowed then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Keep away from open flames, hot surfaces and sources of ignition.

Storage. Keep away from heat, sparks and flame. Protect from direct sunlight. Keep containers

tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Strong

oxidizing agents. Halogens. Acid anhydrides. Acid chlorides. Chloroformates.

# 8. Exposure controls / personal protection

#### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Dimethylaniline	TWA: 5 ppm	(Vacated) TWA: 5 ppm	IDLH: 100 ppm	TWA: 5 ppm
	STEL: 10 ppm	(Vacated) TWA: 25 mg/m <sup>3</sup>	TWA: 5 ppm	STEL: 10 ppm
	Skin	(Vacated) TWA: 2 ppm	TWA: 25 mg/m <sup>3</sup>	
		(Vacated) TWA: 8 mg/m <sup>3</sup>	STEL: 10 ppm	
		(Vacated) STEL: 10 ppm	STEL: 50 mg/m <sup>3</sup>	
		(Vacated) STEL: 50 mg/m <sup>3</sup>		
		Skin		
		TWA: 5 ppm		
		TWA: 25 mg/m <sup>3</sup>		

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection**Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143. Ammonia and organic ammonia derivatives filter.

Type K. Green. conforming to EN14387.

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

# 9. Physical and chemical properties

Physical StateLiquidAppearanceYellowOdorFishy

Odor Threshold No information available

**pH** 7.4 1 g/l water

Melting Point/Range 1.5 - 2.5 °C / 34.7 - 36.5 °F

**Boiling Point/Range** 193 - 194 °C / 379.4 - 381.2 °F @ 760 mmHg

Flash Point 63 °C / 145.4 °F
Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

Upper 7.0% Lower 7.2%

Vapor Pressure0.53 mbar @ 20 °CVapor DensityNo information available

Specific Gravity 0.950

Solubility Soluble in water
Partition coefficient; n-octanol/water No data available

Revision Date 28-Mar-2024 N,N-Dimethylaniline

**Autoignition Temperature Decomposition Temperature** 

**Viscosity** 

**Molecular Formula Molecular Weight** 

370 °C / 698 °F No information available No information available

C8 H11 N 121.18

# 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stability Stable under normal conditions.

**Conditions to Avoid** Excess heat. Exposure to air. Exposure to light. Incompatible products. Keep away from

open flames, hot surfaces and sources of ignition.

Acids, Strong oxidizing agents, Halogens, Acid anhydrides, Acid chlorides, Chloroformates **Incompatible Materials** 

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2)

Hazardous polymerization does not occur. **Hazardous Polymerization** 

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Dimethylaniline	LD50 = 951 mg/kg (Rat)	LD50 = 1770 mg/kg (Rabbit)	LC50 > 0.5 - 5.0 mg/L (Rat) 4 h

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Dimethylaniline	121-69-7	Not listed				

**Mutagenic Effects** No information available

No information available. **Reproductive Effects** No information available. **Developmental Effects Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

**Aspiration hazard** No information available

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting

delayed

No information available **Endocrine Disruptor Information** 

#### Other Adverse Effects

The toxicological properties have not been fully investigated.

# 12. Ecological information

#### **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Component Dimethylaniline	Freshwater Algae  EC50: = 340 mg/L, 96h (Desmodesmus subspicatus)	Freshwater Fish  LC50: = 53.7 mg/L, 96h semi-static (Poecilia reticulata)  LC50: = 51.1 mg/L, 96h semi-static (Brachydanio rerio)  LC50: 0.183 - 0.186 mg/L, 96h (Brachydanio rerio)  LC50: = 65.6 mg/L, 96h (Pimephales promelas)  LC50: = 52.6 mg/L, 96h flow-through (Pimephales promelas)	Microtox EC50 = 110 mg/L 24 h EC50 = 13.6 mg/L 5 min EC50 = 14.6 mg/L 30 min	Water Flea EC50: = 5 mg/L, 48h (Daphnia magna)
		promotes,		

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation** No information available.

**Mobility** . Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Dimethylaniline	2.278

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN2253
Hazard Class 6.1
Packing Group II

TDG

UN-No UN2253
Hazard Class 6.1
Packing Group II

**IATA** 

UN-No UN2253

Proper Shipping Name N,N-DIMETHYLANILINE

Hazard Class 6.1 Packing Group II

IMDG/IMO

UN-No UN2253

Proper Shipping Name N,N-DIMETHYLANILINE

Hazard Class 6.1
Packing Group

# 15. Regulatory information

### **United States of America Inventory**

Revision Date 28-Mar-2024 N,N-Dimethylaniline

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Dimethylaniline	121-69-7	X	ACTIVE	TP

### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TP - Indicates a substance that is the subject of a proposed TSCA Section 4 test rule

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT) Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Dimethylaniline	121-69-7	Х	-	204-493-5	Χ	Χ	Χ	Х	Х	KE-05-0532

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Dimethylaniline	121-69-7	>95	1.0 %	-

## SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Health Administration

Not applicable

# Clean Air Act

Component	HAPS Data	Class 1 Ozone Depletors	Class 2 Ozone Depletors
Dimethylaniline	X		-

**OSHA** - Occupational Safety and

Not applicable

# **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Dimethylaniline	100 lb	-	100 lb 45.4 ka

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know

Regu	lations	
------	---------	--

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Dimethylaniline	X	X	X	X	X

**U.S. Department of Transportation** 

Reportable Quantity (RQ): **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Dimethylaniline	121-69-7	-	Use restricted. See item 75. (see link for restriction details)	-

### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Dimethylaniline	121-69-7	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)?

Not applicable

### Other International Regulations

Component	CAS No	Qualifying Quantities for Major Accident Notification  Qualifying Quantities for Safety Report Requirements		Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Dimethylaniline	121-69-7	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Health, Safety and Environmental Department **Prepared By** 

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 19-Apr-2012

 Revision Date
 28-Mar-2024

 Print Date
 28-Mar-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**