

Page 1 / 10 Creation Date 01-May-2012 Revision Date 27-Mar-2025 Version 5

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: 4-tert-Butylcatechol Product Description: 4-tert-Butylcatechol

Cat No.: L02681

Synonyms 4-tert-Butylpyrocatechol; 4-(1,1-Dimethylethyl)-1,2-benzenediol; TBC

CAS No 98-29-3 Molecular Formula C10 H14 O2

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

**Supplier** 

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

# **SECTION 2: HAZARDS IDENTIFICATION**

#### Classification of the substance or mixture

Acute oral toxicity	Category 4 (H302)
Acute dermal toxicity	Category 4 (H312)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Skin Sensitization	Category 1 (H317)
Carcinogenicity	Category 1B (H350)
Acute aquatic toxicity	Category 1 (H400)
Chronic aquatic toxicity	Category 2 (H411)

## Label Elements



#### Signal Word

#### Danger

#### **Hazard Statements**

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H350 - May cause cancer

H400 - Very toxic to aquatic life

H411 - Toxic to aquatic life with long lasting effects

H302 + H312 - Harmful if swallowed or in contact with skin

#### **Precautionary Statements**

#### Prevention

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

## Response

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor

P330 - Rinse mouth

P331 - Do NOT induce vomiting

P362 + P364 - Take off contaminated clothing and wash it before reuse

#### Storage

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

## Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

## Other Hazards

Toxic to terrestrial vertebrates

Contains a known or suspected endocrine disruptor

Contains a substance on the National Authorities Endocrine Disruptor Lists

# **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
4-tert-Butyl catechol	98-29-3	<=100
Catechol	120-80-9	<=0.5

#### 4-tert-Butylcatechol

Revision Date 27-Mar-2025

# **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

**Eye Contact**Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. May cause allergic skin reaction. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness,

lightheadedness, chest pain, muscle pain or flushing.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

# **SECTION 5: FIREFIGHTING MEASURES**

Extinguishing media

**Suitable Extinguishing Media** 

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Do not allow run-off from fire-fighting to enter drains or water courses.

**Hazardous Combustion Products** 

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Fumes, Thermal decomposition can lead to release of irritating gases and vapors.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

4-tert-Butylcatechol

Revision Date 27-Mar-2025

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid contact with skin, eyes or clothing.

#### **Environmental precautions**

Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system. Prevent product from entering drains. Local authorities should be advised if significant spillages cannot be contained.

#### Methods and Material for Containment and Cleaning Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7: HANDLING AND STORAGE**

#### **Precautions for Safe Handling**

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If swallowed then seek immediate medical assistance.

#### Conditions for Safe Storage, Including any Incompatibilities

Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place. Store under an inert atmosphere. Protect from moisture.

#### Specific End Uses

Use in laboratories.

# **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

## **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Catechol		TWA: 5 ppm	(Vacated) TWA: 5 ppm
		Skin	(Vacated) TWA: 20 mg/m <sup>3</sup>
			Skin

Component	European Union	The United Kingdom	Germany
Catechol		STEL: 15 ppm 15 min	
		STEL: 69 mg/m <sup>3</sup> 15 min	
		TWA: 5 ppm 8 hr	
		TWA: 23 mg/m <sup>3</sup> 8 hr	

#### **Exposure Controls**

## **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

#### Personal protective equipment

4-tert-Butylcatechol Revision Date 27-Mar-2025

Eye Protection Goggles
Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice

**Environmental exposure controls** Prevent product from entering drains Do not allow material to contaminate ground water

system Local authorities should be advised if significant spillages cannot be contained

Solid

# **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

Appearance Off-white Physical State Solid Odor aromatic

Odor Threshold

pH

No data available

No information available

Melting Point/Range 53 - 56 °C / 127.4 - 132.8 °F

Softening Point No data available Boiling Point/Range 285 °C / 545 °F

Boiling Point/Range 285 °C / 545 °F @ 760 mmHg

Flash Point 129 °C / 264.2 °F Method - No information available

Evaporation Rate Not applicable Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNot applicable

Specific Gravity / Density

Bulk Density

Water Solubility

No data available
No data available
0.2% (25°C)

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

**Component** log Pow 4-tert-Butyl catechol 1.98

4-tert-Butylcatechol Revision Date 27-Mar-2025

Catechol 0.84 - 1.01

Autoignition Temperature Decomposition Temperature

No data available No data available

Viscosity Not applicable

Solid

**Explosive Properties** Oxidizing Properties

No information available No information available

Molecular FormulaC10 H14 O2Molecular Weight166.22

# **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

**Chemical Stability** 

Hygroscopic.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

**Conditions to Avoid** 

Incompatible products. Excess heat. Exposure to moist air or water.

Incompatible Materials

Strong oxidizing agents. Alkaline. Metals.

**Hazardous Decomposition Products** 

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>). Fumes. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 11: TOXICOLOGICAL INFORMATION**

#### Information on Toxicological Effects

## **Product Information**

(a) acute toxicity;

Oral Category 4
Dermal Category 4

**Inhalation** Based on available data, the classification criteria are not met

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
4-tert-Butyl catechol	815 mg/kg ( Rat )	1331 mg/kg ( Rat )	-
Catechol	ECHA (RAC) ATE = 300 mg/kg	ECHA (RAC) ATE = 600 mg/kg	-

Revision Date 27-Mar-2025 4-tert-Butylcatechol

LD50 = 260 mg/kg (Rat)	LD50 = 800 mg/kg (Rabbit)	

Component	ECHA (RAC) ATE (Oral)	ECHA (RAC) ATE (Dermal)	ECHA (RAC) ATE (Inhalation)
Catechol	ATE = 300  mg/kg bw	ATE = 600  mg/kg bw	-

ECHA (RAC) - Committee for Risk Assessment - European CHemicals Agency ATE - Acute Toxiciy Estimate; mg/kg bw - milligrams per kilogram of body weight

Category 1 B (b) skin corrosion/irritation;

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available

Skin Category 1

No information available

No data available (e) germ cell mutagenicity;

(f) carcinogenicity; Category 1B

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU UK		Germany	IARC	
Catechol	Carc Cat. 1B			Group 2B	

No data available (g) reproductive toxicity;

(h) STOT-single exposure: No data available

(i) STOT-repeated exposure: No data available

**Target Organs** No information available.

Not applicable (j) aspiration hazard;

Solid

Other Adverse Effects The toxicological properties have not been fully investigated.

delayed

Symptoms / effects,both acute and Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing.

**Endocrine Disrupting Properties** 

Assess endocrine disrupting properties for human health

Contains a substance on the National Authorities Endocrine Disruptor Lists

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox

#### 4-tert-Butylcatechol

Revision Date 27-Mar-2025

4-tert-Butyl catechol	LC50 = 0.12 mg/L 96h	EC50=0.48 mg/L 48h	
Catechol	LC50: = 3.5 mg/L, 96h flow-through (Pimephales promelas) LC50: = 8.9 mg/L, 96h flow-through (Oncorhynchus mykiss)		EC50 = 174 mg/L 210 min EC50 = 29.7 mg/L 30 min EC50 = 32.0 mg/L 5 min EC50 = 620 mg/L 48 h

Persistence and degradability

Persistence

Biodegradability Persistence is unlikely.

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative** potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
4-tert-Butyl catechol	1.98	No data available
Catechol	0.84 - 1.01	No data available

The product is water soluble, and may spread in water systems. Will likely be mobile in the Mobility in soil

environment due to its water solubility. Highly mobile in soils.

**Endocrine Disruptor Information** Assess endocrine disrupting properties for the environment

This product does not contain any known or suspected endocrine disruptors Contains a substance on the National Authorities Endocrine Disruptor Lists.

No information available Other adverse effects

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Waste is classified as hazardous Dispose of in accordance with the European Directives on waste and hazardous waste Dispose of in accordance with local regulations Should not be

released into the environment

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Do not flush to sewer Waste codes should be assigned by the user based on the

application for which the product was used Do not empty into drains Large amounts will affect pH and harm aquatic organisms Do not let this chemical enter the environment

# **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN3261 **UN-No Hazard Class** 8 **Packing Group** 

**Proper Shipping Name** Corrosive solid, acidic, organic, n.o.s. 4-tert-Butylcatechol

Road and Rail Transport

**UN-No** UN3261 **Hazard Class** 8 **Packing Group** Ш

Revision Date 27-Mar-2025 4-tert-Butylcatechol

**Proper Shipping Name** Corrosive solid, acidic, organic, n.o.s. 4-tert-Butylcatechol

**IATA** 

**UN-No** UN3261 **Hazard Class** 8 **Packing Group** Ш

**Proper Shipping Name** Corrosive solid, acidic, organic, n.o.s. 4-tert-Butylcatechol

**Special Precautions for User** No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

X = listedInternational Inventories

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
4-tert-Butyl catechol	202-653-9	X	X	Х	X	X	Χ	Χ	KE-11368
Catechol	204-427-5	Х	Х	Х	X	X	Χ	Χ	KE-02556

Component	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Catechol				Annex I - Y39

#### National Regulations

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

TWA - Time Weighted Average IARC - International Agency for Research on Cancer LD50 - Lethal Dose 50%

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

POW - Partition coefficient Octanol:Water

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate

4-tert-Butylcatechol Revision Date 27-Mar-2025

**BCF** - Bioconcentration factor

**VOC** - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Prepared By Health, Safety and Environmental Department

Revision Date 27-Mar-2025 Revision Summary Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**