

# SAFETY DATA SHEET

Revision Date 25-December-2021 **Revision Number 4** 

1. Identification

**Product Name** 3,5-Dimethylphenyl isocyanate

AC314160000; AC314160050 Cat No.:

**CAS-No** 54132-75-1

**Synonyms** 3,5-Xylyl isocyanate.

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane One Reagent Lane 112 Colonnade Road. Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

> Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 4 Acute oral toxicity Category 4 Acute dermal toxicity Category 4 Acute Inhalation Toxicity Category 4 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Category 1 Respiratory Sensitization Specific target organ toxicity (single exposure) Category 3

Target Organs - Respiratory system.

**Label Elements** 

Signal Word Danger

#### **Hazard Statements**

Combustible liquid

Harmful if swallowed, in contact with skin or if inhaled

Causes skin irritation

Causes serious eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause respiratory irritation

Harmful if inhaled



### **Precautionary Statements**

#### Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

Wear respiratory protection

# Response

If experiencing respiratory symptoms: Call a POISON CENTER/doctor

Take off contaminated clothing

IF ON SKIN: Wash with plenty of soap and water

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER/ doctor if you feel unwell

Rinse mouth

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
3,5-Xylyl isocyanate	54132-75-1	99

4. First-aid measures	
4. FILST-AIU HIEASULES	
Ti i ii st aid iii sasai ss	

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Get medical attention.

**Inhalation** Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial

respiration. Get medical attention.

Ingestion Clean mouth with water. Get medical attention.

Difficulty in breathing. May cause allergy or asthma symptoms or breathing difficulties if Most important symptoms/effects

inhaled. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle

pain or flushing

Treat symptomatically **Notes to Physician** 

# Fire-fighting measures

**Suitable Extinguishing Media** Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam. Water mist may be used

to cool closed containers.

Unsuitable Extinguishing Media No information available

83 °C / 181.4 °F **Flash Point** 

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper No data available No data available Lower Sensitivity to Mechanical Impact No information available **Sensitivity to Static Discharge** No information available

### Specific Hazards Arising from the Chemical

Combustible material. Flammable. Containers may explode when heated.

### **Hazardous Combustion Products**

Nitrogen oxides (NOx). Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen cyanide (hydrocyanic acid).

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 2 2 0 N/A

# Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges. See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Do not let this chemical enter the

environment. Remove all sources of ignition.

## 7. Handling and storage

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not ingest. If Handling

swallowed then seek immediate medical assistance. Keep away from open flames, hot

surfaces and sources of ignition.

Keep in a dry place. Keep container tightly closed. Keep away from heat, sparks and flame. Storage.

> Keep under nitrogen. Keep refrigerated. Keep containers tightly closed in a dry, cool and well-ventilated place. Incompatible Materials. Acids. Water. Strong oxidizing agents.

Strong bases. Alcohols. Amines.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Neoprene	recommendations		
Natural rubber			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

### **Environmental exposure controls**

Flammability or explosive limits

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

### 9. Physical and chemical properties

Physical StateLiquidAppearanceLight yellowOdorNo informati

Odor
Odor No information available
Odor Threshold No information available
pH No information available
Melting Point/Range No data available

Boiling Point/Range 75 °C / 167 °F @ 5 mmHg
Flash Point 83 °C / 181.4 °F
Even position Plate

Evaporation Rate No information available Flammability (solid,gas) Not applicable

### 3,5-Dimethylphenyl isocyanate

UpperNo data availableLowerNo data availableVapor PressureNo information availableVapor DensityNo information available

Specific Gravity 1.045

Solubility

No information available

Partition coefficient; n-octanol/water

No data available

Autoignition Temperature

Decomposition Temperature

Viscosity

No information available
No information available
No information available

Molecular Formula C9 H9 N O Molecular Weight 147.18

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Moisture sensitive.

Conditions to Avoid Excess heat. Incompatible products. Exposure to moist air or water. Keep away from open

flames, hot surfaces and sources of ignition.

Incompatible Materials Acids, Water, Strong oxidizing agents, Strong bases, Alcohols, Amines

Hazardous Decomposition Products Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen cyanide

(hydrocyanic acid)

**Hazardous Polymerization**No information available.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Product Information Component Information

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

IrritationNo information availableSensitizationNo information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
3,5-Xylyl isocyanate	54132-75-1	Not listed				

Mutagenic Effects No information available

Reproductive Effects No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

**STOT - single exposure** Respiratory system **STOT - repeated exposure** None known

Aspiration hazard No information available

delayed

Symptoms / effects.both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and yomiting: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence is unlikely based on information available. Persistence and Degradability

**Bioaccumulation/ Accumulation** No information available.

Will likely be mobile in the environment due to its volatility. **Mobility** 

### Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN2206 **UN-No** 

**Proper Shipping Name** Isocyanates, toxic, n.o.s.

**Hazard Class** 6.1 **Packing Group** 

TDG

UN2206 **UN-No** 

**Proper Shipping Name** Isocyanates, toxic, n.o.s.

**Hazard Class** 6.1 **Packing Group** Ш

**IATA** 

**UN-No** UN2206

**Proper Shipping Name** ISOCYANATES, TOXIC, N.O.S.\*

**Hazard Class** 6.1 **Packing Group** Ш

IMDG/IMO

**UN-No** UN2206

**Proper Shipping Name** Isocyanates, toxic, n.o.s.

**Hazard Class** 6.1 **Packing Group** Ш

# 15. Regulatory information

### International Inventories

	Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
Γ	3,5-Xylyl isocyanate	54132-75-1	-	-	-	-	258-987-0	-	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
3.5-Xvlvl isocvanate	54132-75-1	-	-	-	Х	Х	-	-	-

#### Legend:

### 3,5-Dimethylphenyl isocyanate

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

#### Other International Regulations

### Authorisation/Restrictions according to EU REACH

### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Pollutant Potential		Restriction of Hazardous Substances (RoHS)
3,5-Xylyl isocyanate	54132-75-1	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS-No	Seveso III Directive (2012/18/EC) -	Seveso III Directive (2012/18/EC) -	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)

-	Component	CAS-No	Seveso III Directive   Seveso III Directive		Rotterdam	Basel Convention
-			( )   ( )		Convention (PIC)	(Hazardous Waste)
			<b>Qualifying Quantities</b>	<b>Qualifying Quantities</b>		
			for Major Accident	for Safety Report		
L			Notification	Requirements		
	3,5-Xylyl isocyanate	54132-75-1	Not applicable	Not applicable	Not applicable	Not applicable

### 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 25-December-2021 Print Date 25-December-2021

Revision Summary

This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

### **End of SDS**