

Page 1/8
Revision Date 29-Mar-2023
Version 1

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

# SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**Product Identifier** 

Perihalan Produk: SULFURIC ACID 5% 250ml
Product Description: SULFURIC ACID 5% 250ml

Cat No.: R40125

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Thermo Scientific Microbiology Sdn Bhd

No.6, Jalan TTC 6, Taman Teknologi Cheng,

Cheng, 75250 Melaka, Malaysia

+606 334 0975 .

**Supplier** Remel

12076 Santa Fe Drive Lenexa,

KS 66215 United States Telephone: 1-800-255-6730

Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

**Emergency Telephone Number** 

(603) 5122 8888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

## **SECTION 2: HAZARDS IDENTIFICATION**

## Classification of the substance or mixture

Skin Corrosion/Irritation	Category 1 A (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)

#### Label Elements



Signal Word Danger

**Hazard Statements** 

H314 - Causes severe skin burns and eye damage

SULFURIC ACID 5% 250ml Revision Date 29-Mar-2023

Precautionary Statements

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

#### Other Hazards

This product does not contain any known or suspected endocrine disruptors

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %	
Sulfuric acid	7664-93-9	5	

## **SECTION 4: FIRST AID MEASURES**

Description of first aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. Remove and wash

contaminated clothing and gloves, including the inside, before re-use. Call a physician

immediately.

**Ingestion** Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Clean

mouth with water. Call a physician immediately.

**Inhalation** If breathing is difficult, give oxygen. Remove from exposure, lie down. Do not use

mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory

medical device. Call a physician immediately.

**Self-Protection of the First Aider** Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

## Most important symptoms and effects, both acute and delayed

Causes burns by all exposure routes. . Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

### Indication of any immediate medical attention and special treatment needed

**Notes to Physician** 

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

Revision Date 29-Mar-2023

### **SECTION 5: FIREFIGHTING MEASURES**

#### Extinguishing media

#### **Suitable Extinguishing Media**

CO<sub>2</sub>, dry chemical, dry sand, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

#### Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors.

#### **Hazardous Combustion Products**

Thermal decomposition can lead to release of irritating gases and vapors.

#### Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### Personal Precautions, Protective Equipment and Emergency Procedures

Evacuate personnel to safe areas. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Ensure adequate ventilation.

Refer to protective measures listed in Sections 7 and 8.

## **Environmental precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information.

#### Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

## **SECTION 7: HANDLING AND STORAGE**

## **Precautions for Safe Handling**

Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance.

### Conditions for Safe Storage, Including any Incompatibilities

Keep out of the reach of children. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Corrosives area.

#### Specific End Uses

Use in laboratories.

**SULFURIC ACID 5% 250ml** 

Revision Date 29-Mar-2023

## **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	Malaysia	ACGIH TLV	OSHA PEL
Sulfuric acid		TWA: 0.2 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>
			TWA: 1 mg/m <sup>3</sup>

Component	European Union	The United Kingdom	Germany
Sulfuric acid	TWA: 0.05 mg/m <sup>3</sup> (8h)	STEL: 0.15 mg/m <sup>3</sup> 15 min	TWA: 0.1 mg/m³ (8 Stunden). AGW
		TWA: 0.05 mg/m <sup>3</sup> 8 hr	- exposure factor 1
			TWA: 0.1 mg/m³ (8 Stunden). MAK
			Höhepunkt: 0.1 mg/m <sup>3</sup>

#### **Exposure Controls**

## **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

## Personal protective equipment

**Eye Protection** Goggles

Hand Protection Protective gloves
Skin and body protection Long sleeved clothing

#### Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

Recommended Filter type: Particulates filter conforming to EN 143 or Acid gases filter Type E Yellow conforming to

EN14387

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures When using do not eat, drink or smoke Remove and wash contaminated clothing and

gloves, including the inside, before re-use Keep away from food, drink and animal feeding stuffs Contaminated work clothing should not be allowed out of the workplace Provide regular cleaning of equipment, work area and clothing Avoid contact with skin, eyes or clothing Remove and wash contaminated clothing and gloves, including the inside, before

re-use Wear suitable gloves and eye/face protection

**Environmental exposure controls** No information available

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Information on basic physical and chemical properties

\_\_\_\_\_

#### SULFURIC ACID 5% 250ml Revision Date 29-Mar-2023

Liquid

(Air = 1.0)

Liquid

**Appearance** Clear **Physical State** Liquid

No information available Odor **Odor Threshold** No data available

рH < 1

**Melting Point/Range** No data available **Softening Point** No data available **Boiling Point/Range** Not applicable

Flash Point Not applicable Method - No information available

**Evaporation Rate** No data available Flammability (solid,gas) Not applicable

**Explosion Limits** No data available

No data available **Vapor Pressure** Vapor Density No data available

Specific Gravity / Density No data available

**Bulk Density** Not applicable Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

No data available **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available

**Explosive Properties** No information available **Oxidizing Properties** No information available

## **SECTION 10: STABILITY AND REACTIVITY**

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

**Hazardous Polymerization** No information available. **Hazardous Reactions** None under normal processing.

**Conditions to Avoid** 

Exposure to air or moisture over prolonged periods.

Incompatible Materials

Revision Date 29-Mar-2023

None known.

#### **Hazardous Decomposition Products**

Thermal decomposition can lead to release of irritating gases and vapors.

## **SECTION 11: TOXICOLOGICAL INFORMATION**

Information on Toxicological Effects

**Acute Toxicity** 

Toxicology data for the components

	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ī	Sulfuric acid	2140 mg/kg (Rat)		LC50 = 0.375  mg/L  (Rat) 4  h
- 1				

**Chronic Toxicity** 

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen

This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly

carcinogenic to humans (Group 2B)

Component	IARC	UK
Sulfuric acid	Group 1	

Sensitization No information available **Mutagenic Effects** No information available **Reproductive Effects** No information available **Developmental Effects** No information available **Target Organs** No information available.

**Symptoms** Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

perforation. Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated.

## **SECTION 12: ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Harmful to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Sulfuric acid	LC50: > 500 mg/L, 96h static (Brachydanio rerio)	EC50: 29 mg/L/24h	-	-

No information available Persistence and degradability

SULFURIC ACID 5% 250ml Revision Date 29-Mar-2023

Bioaccumulative potential No information available

Mobility in soil No information available.

Other adverse effects No information available

## **SECTION 13: DISPOSAL CONSIDERATIONS**

Waste treatment methods

Waste from Residues/Unused

**Products** 

Dispose of in accordance with local regulations

Contaminated Packaging Do not reuse empty containers

Other Information According to the European Waste Catalog, Waste Codes are not product specific, but

application specific Waste codes should be assigned by the user based on the application for which the product was used Solutions with low pH-value must be neutralized before

discharge

## **SECTION 14: TRANSPORT INFORMATION**

IMDG/IMO

UN-No UN2796 Hazard Class 8 Packing Group III

Proper Shipping Name SULPHURIC ACID

**Road and Rail Transport** 

UN-No UN2796 Hazard Class 8 Packing Group III

Proper Shipping Name SULPHURIC ACID

<u>IATA</u>

UN-No UN2796 Hazard Class 8 Packing Group III

Proper Shipping Name SULPHURIC ACID

Special Precautions for User No special precautions required

## **SECTION 15: REGULATORY INFORMATION**

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Sulfuric acid	=	X	Х	Х	X	X	Χ	Χ	KE-32570

	Component	Seveso III Directive	Seveso III Directive	Rotterdam Convention	Basel Convention
--	-----------	----------------------	----------------------	----------------------	------------------

#### SULFURIC ACID 5% 250ml

	(2012/18/EC) - Qualifying (2012/18/EC) - Qualifying		(PIC)	(Hazardous Waste)
	Quantities for Major	Quantities for Safety		
	Accident Notification	Report Requirements		
Sulfuric acid				Annex I - Y34

**National Regulations** 

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

### **SECTION 16: OTHER INFORMATION**

#### Legend

**CAS** - Chemical Abstracts Service

WEL - Workplace Exposure Limit

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 29-Mar-2023

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

**KECL** - Korean Existing and Evaluated Chemical Substances

TWA - Time Weighted Average

LD50 - Lethal Dose 50%

**ACGIH** - American Conference of Governmental Industrial Hygienists

IARC - International Agency for Research on Cancer

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50%

EC50 - Effective Concentration 50%

POW - Partition coefficient Octanol:Water

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association** 

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

**Revision Date** 29-Mar-2023 **Revision Summary** Not applicable.

## In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**