

Australian statement of hazardous nature : Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Methyl alcohol

| | |
|--------------------------------|--|
| Product Code | PIE88323 |
| Address | ThermoFisher Scientific Australia Pty Ltd 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia |
| Emergency Tel. | CHEMTREC® 03 9757 4559 or +613 9757 4559 |
| Telephone / Fax Numbers | Tel: 1300 735 292 Fax: 1800 067 639 |
| E-mail address | ANZinfo@thermofisher.com |

Recommended Use Laboratory chemicals.

Uses advised against This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances. This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids

Category 2

Health hazards

Acute Oral Toxicity
Acute Dermal Toxicity
Acute Inhalation Toxicity - Vapors
Skin Corrosion/Irritation
Serious Eye Damage/Eye Irritation
Specific target organ toxicity - (single exposure)

Category 4
Category 4
Category 3
Category 1 A
Category 1
Category 1

Environmental hazards

No hazards identified

Label Elements



Flame



Skull and Crossbones



Health Hazard



Corrosion

Signal Word**Danger****Hazard Statements**

H225 - Highly flammable liquid and vapor
 H314 - Causes severe skin burns and eye damage
 H331 - Toxic if inhaled
 H370 - Causes damage to organs
 H302 + H312 - Harmful if swallowed or in contact with skin

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 P233 - Keep container tightly closed
 P240 - Ground and bond container and receiving equipment
 P242 - Use non-sparking tools
 P243 - Take action to prevent static discharges
 P264 - Wash face, hands and any exposed skin thoroughly after handling
 P270 - Do not eat, drink or smoke when using this product
 P271 - Use only outdoors or in a well-ventilated area
 P280 - Wear protective gloves/protective clothing/eye protection/face protection
 P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower
 P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing
 P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
 P310 - Immediately call a POISON CENTER or doctor
 P330 - Rinse mouth
 P331 - Do NOT induce vomiting
 P363 - Wash contaminated clothing before reuse
 P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish
 P403 + P233 - Store in a well-ventilated place. Keep container tightly closed
 P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Toxicity to Soil Dwelling Organisms
 Toxic to terrestrial vertebrates
 This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

| Component | CAS No | Weight % |
|----------------|---------|----------|
| Acetonitrile | 75-05-8 | 50-75 |
| Methyl alcohol | 67-56-1 | 20-25 |
| Acetic acid | 64-19-7 | <10 |

Section 4 - First Aid Measures

Inhalation

If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or

| | |
|--|---|
| | inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate medical attention is required. |
| Ingestion | Do NOT induce vomiting. Call a physician or poison control center immediately. |
| Skin Contact | Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required. |
| Eye Contact | Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. |
| General Advice | Show this safety data sheet to the doctor in attendance. Immediate medical attention is required. |
| Self-Protection of the First Aider | Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination. |
| First Aid Facilities | Eyewash, safety shower and washroom. |
| Most important symptoms and effects | Difficulty in breathing. Causes burns by all exposure routes. . Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting; Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation |
| Notes to Physician | Treat symptomatically. |

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO₂), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Use personal protective equipment as required. Ensure adequate ventilation. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use

spark-proof tools and explosion-proof equipment.

Clean-up methods - large spillage

Typically only supplied in small quantities as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component | Australia | New Zealand WEL | ACGIH TLV | The United Kingdom | Germany |
|----------------|--|--|---------------------------------------|---|--|
| Acetonitrile | STEL: 60 ppm STEL: 101 mg/m ³ TWA: 40 ppm TWA: 67 mg/m ³ | TWA: 40 ppm TWA: 67 mg/m ³ STEL: 60 ppm STEL: 101 mg/m ³ Skin | TWA: 20 ppm Skin | STEL: 60 ppm 15 min STEL: 102 mg/m ³ 15 min TWA: 40 ppm 8 hr TWA: 68 mg/m ³ 8 hr | TWA: 10 ppm (8 Stunden). AGW - exposure factor 2 TWA: 17 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 17 mg/m ³ (8 Stunden). MAK TWA: 2 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 34 mg/m ³ Höhepunkt: 2 mg/m ³ Haut |
| Methyl alcohol | STEL: 250 ppm STEL: 328 mg/m ³ TWA: 200 ppm TWA: 262 mg/m ³ | TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ Skin | TWA: 200 ppm STEL: 250 ppm Skin | WEL - TWA: 200 ppm TWA: 266 mg/m ³ TWA WEL - STEL: 250 ppm STEL: 333 mg/m ³ STEL | 100 ppm TWA MAK; 130 mg/m ³ TWA MAK Skin absorber |
| Acetic acid | STEL: 15 ppm | TWA: 10 ppm | TWA: 10 ppm | STEL: 37 mg/m ³ | TWA: 10 ppm (8 |

| | | | | | |
|--|--|---|--------------|--|--|
| | STEL: 37 mg/m ³ TWA: 10 ppm TWA: 25 mg/m ³ | TWA: 25 mg/m ³ STEL: 15 ppm STEL: 37 mg/m ³ | STEL: 15 ppm | STEL: 15 ppm TWA: 10 ppm TWA: 25 mg/m ³ | Stunden). AGW - exposure factor 2 TWA: 25 mg/m ³ (8 Stunden). AGW - exposure factor 2 TWA: 10 ppm (8 Stunden). MAK TWA: 25 mg/m ³ (8 Stunden). MAK Höhepunkt: 20 ppm Höhepunkt: 50 mg/m ³ |
|--|--|---|--------------|--|--|

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

| Component | Australia | New Zealand | European Union | United Kingdom | Germany |
|----------------|-----------|---|----------------|----------------|---|
| Methyl alcohol | | 15 mg/L (urine) end of shift (Methyl alcohol) | | | Methanol: 15 mg/L urine (end of shift) Methanol: 15 mg/L urine (for long-term exposures: at the end of the shift after several shifts) |

Exposure Controls**Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment**Eye Protection**

Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection

Protective gloves

| Glove material | Breakthrough time | Glove thickness | AUS/NZ Standard | Glove comments |
|-------------------|-----------------------------------|-----------------|-----------------|-----------------------|
| Disposable gloves | See manufacturers recommendations | - | AS/NZS 2161 | (minimum requirement) |

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatibility, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection

Long sleeved clothing

Respiratory Protection

Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use and maintenance of respiratory protective devices (or AUS/NZ equivalent)
When RPE is used a face piece Fit Test should be conducted

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls

No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

| | | |
|--|--------------------------|---|
| Appearance | Clear | |
| Physical State | Liquid | |
| Odor | No information available | |
| Odor Threshold | No data available | |
| pH | No data available <3 | |
| Melting Point/Range | No data available | |
| Softening Point | No data available | |
| Boiling Point/Range | No information available | |
| Flash Point | 22.2 °C / 72 °F | Method - No information available |
| Evaporation Rate | No data available | |
| Flammability (solid,gas) | Not applicable | Liquid |
| Explosion Limits | No data available | |
| Vapor Pressure | No data available | |
| Vapor Density | No data available | (Air = 1.0) |
| Specific Gravity / Density | No data available | |
| Bulk Density | Not applicable | Liquid |
| Water Solubility | No information available | |
| Solubility in other solvents | No information available | |
| Partition Coefficient (n-octanol/water) | | |
| Component | log Pow | |
| Acetonitrile | -0.34 | |
| Methyl alcohol | -0.74 | |
| Acetic acid | -0.2 | |
| Autoignition Temperature | No data available | |
| Decomposition Temperature | No data available | |
| Viscosity | No data available | |
| Explosive Properties | | Vapors may form explosive mixtures with air |
| Oxidizing Properties | No information available | |

Other information**Section 10 - Stability and Reactivity**

| | |
|---|---|
| Reactivity | None known, based on information available |
| Stability | Stable under normal conditions. |
| Conditions to Avoid | Incompatible products, Excess heat, Keep away from open flames, hot surfaces and sources of ignition. |
| Incompatible Materials | None known. |
| Hazardous Decomposition Products | None under normal use conditions. |
| Hazardous Polymerization | Hazardous polymerization does not occur. |

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

| | |
|-----------------------------|------------|
| (a) acute toxicity; Oral | Category 4 |
|-----------------------------|------------|

Dermal
Inhalation

Category 4
Category 3

Toxicology data for the components

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|----------------|---|-------------------------------|---|
| Acetonitrile | 450-787 mg/kg (Rat) 2460 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | LC50 = 3587 ppm (6.022 mg/l) (Mouse) 4h LC50 = 16,000 ppm (26.8 mg/l) (Rat) 4h |
| Methyl alcohol | LD50 = 1187 – 2769 mg/kg (Rat) | LD50 = 17100 mg/kg (Rabbit) | LC50 = 128.2 mg/L (Rat) 4 h |
| Acetic acid | 3310 mg/kg (Rat) | - | > 40 mg/L (Rat) 4 h |

(b) skin corrosion/irritation; Category 1 A

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory
Skin

No data available
No data available

| Component | Test method | Test species | Study result |
|-------------------------------------|---|--------------|-----------------|
| Methyl alcohol 67-56-1 (20-25) | OECD Test Guideline 406 Guinea Pig Maximisation Test (GPMT) | guinea pig | non-sensitising |

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

| Component | Test method | Test species / Duration | Study result |
|-------------------------------------|-------------------------|-------------------------------|------------------------|
| Methyl alcohol 67-56-1 (20-25) | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |

(h) STOT-single exposure; Category 1

Results / Target organs

Optic nerve
Central nervous system (CNS)

(i) STOT-repeated exposure; No data available

Target Organs

No information available.

(j) aspiration hazard; No data available

Symptoms / effects, both acute and delayed

Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Section 12 - Ecological Information

Ecotoxicity effects

Contains no substances known to be hazardous to the environment or that are not degradable in waste water treatment plants.

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|--------------|--|------------|------------------|---------------------------|
| Acetonitrile | LC50: = 1850 mg/L, 96h static (Lepomis) | | | EC50 = 28000 mg/L 48 h |

| | | | | |
|----------------|--|-----------------------|---|---|
| | macrochirus) LC50: = 1000 mg/L, 96h static (Pimephales promelas) LC50: 1600 - 1690 mg/L, 96h flow-through (Pimephales promelas) LC50: = 1650 mg/L, 96h static (Poecilia reticulata) | | | EC50 = 73 mg/L 24 h EC50 = 7500 mg/L 15 h |
| Methyl alcohol | Pimephales promelas: LC50 > 10000 mg/L 96h | EC50 > 10000 mg/L 24h | | EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min |
| Acetic acid | Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h | EC50 = 95 mg/L/24h | - | Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min |

Persistence and Degradability No information available

| Component | Degradability |
|-------------------------------------|--------------------------------|
| Methyl alcohol 67-56-1 (20-25) | DT50 ~ 17.2d >94% after 20d |

Bioaccumulative Potential No information available

| Component | log Pow | Bioconcentration factor (BCF) |
|----------------|---------|-------------------------------|
| Acetonitrile | -0.34 | No data available |
| Methyl alcohol | -0.74 | <10 dimensionless |
| Acetic acid | -0.2 | No data available |

Mobility No information available.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Persistent Organic Pollutant This product does not contain any known or suspected substance

Ozone Depletion Potential This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Section 14 - Transport Information

IMDG/IMO

UN-No

UN1992

Proper Shipping Name Flammable liquid, toxic, n.o.s.
Technical Shipping Name Acetonitrile, Methanol
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

ADG

UN-No UN1992
Proper Shipping Name Flammable liquid, toxic, n.o.s.
Technical Shipping Name Acetonitrile, Methanol
Hazard Class 3
Subsidiary Hazard Class 3, 6.1
Packing Group II

| Component | Hazchem Code |
|-------------------------------------|--------------|
| Acetonitrile 75-05-8 (50-75) | 2YE |
| Methyl alcohol 67-56-1 (20-25) | 2WE |
| Acetic acid 64-19-7 (<10) | 2P 2R |

IATA

UN-No UN1992
Proper Shipping Name Flammable liquid, toxic, n.o.s.
Technical Shipping Name Acetonitrile, Methanol
Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group II

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

| Component | Standard for the Uniform Scheduling of Medicines and Poisons |
|--------------------------|---|
| Methyl alcohol - 67-56-1 | Schedule 5 listed - except its derivatives; in preparations except a) when included in Schedule 10, or b) in preparations containing $\leq 2\%$ of Methanol, or c) when Methanol is present only as a denaturant of Ethanol Schedule 6 listed - except its derivatives; except a) when included in Schedule 5, or b) when included in Schedule 10, or c) in preparations containing $\leq 2\%$ of Methanol Schedule 10 listed |
| Acetic acid - 64-19-7 | Schedule 2 listed Schedule 5 listed - except its salts and derivatives; in preparations except when included in Schedule 2 or 6, or for therapeutic use Schedule 6 listed - except its salts and derivatives; except when included in Schedule 2 |

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Component | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|--------------------------|---|------------------------|
| Acetonitrile - 75-05-8 | Present | - |
| Methyl alcohol - 67-56-1 | Present | - |
| Acetic acid - 64-19-7 | Present | - |

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

| Component | Australian - Illicit Drug Precursors/Reagents Substance List | Chemicals of Security Concern |
|------------------------|--|-------------------------------|
| Acetonitrile - 75-05-8 | Category 3 | |
| Acetic acid - 64-19-7 | Category 3 | |

Legend

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

National pollutant inventory

Subject to reporting requirements

| Component | National pollutant inventory |
|--------------------------|-----------------------------------|
| Acetonitrile - 75-05-8 | 10 tonne/yr. Threshold category 1 |
| Methyl alcohol - 67-56-1 | 10 tonne/yr. Threshold category 1 |
| Acetic acid - 64-19-7 | 10 tonne/yr. Threshold category 1 |

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licensing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

| Component | AICS | NZIoC | EINECS | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL |
|----------------|------|-------|-----------|--------|------|-----|------|-------|------|------|-------|----------|
| Acetonitrile | X | X | 200-835-2 | - | X | X | - | X | X | X | X | KE-00067 |
| Methyl alcohol | X | X | 200-659-6 | - | X | X | - | X | X | X | X | KE-23193 |
| Acetic acid | X | X | 200-580-7 | - | X | X | - | X | X | X | X | X |

Legend: X - Listed. '-' - Not Listed. **KECL** - NIER number or KE number (<http://ncis.nier.go.kr/en/main.do>)

International Regulations

Ozone Depletion Potential

This product does not contain any known or suspected substance

Persistent Organic Pollutant

This product does not contain any known or suspected substance

Rotterdam Convention (PIC)

Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their disposal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

| Component | Basel Convention (Hazardous Waste) | Australian Hazardous Waste Act - Categories of Wastes to Be Controlled |
|------------------------|------------------------------------|--|
| Acetonitrile - 75-05-8 | | Y38 |
| Acetic acid - 64-19-7 | Annex I - Y34 | Y34 solid or solution |

| Component | CAS No | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|----------------|---------|----------|--|---|--|
| Acetonitrile | 75-05-8 | Listed | Not applicable | Not applicable | Not applicable |
| Methyl alcohol | 67-56-1 | Listed | Not applicable | 500 tonne | 5000 tonne |
| Acetic acid | 64-19-7 | Listed | Not applicable | Not applicable | Not applicable |

Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|----------------|---|--|---|
| Acetonitrile | - | Use restricted. See item 75. (see link for restriction details) | - |
| Methyl alcohol | - | Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | - |
| Acetic acid | - | Use restricted. See item 75. (see link for restriction details) | - |

<https://echa.europa.eu/substances-restricted-under-reach>

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances
TSCA - United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - Chinese Inventory of Existing Chemical Substances
PICCS - Philippines Inventory of Chemicals and Chemical Substances
TWA - Time Weighted Average
IARC - International Agency for Research on Cancer
ICAO/IATA - International Civil Aviation Organization/International Air Transport Association
MARPOL - International Convention for the Prevention of Pollution from Ships
NZS 5433:2020 - Transport of Dangerous Goods on Land
LD50 - Lethal Dose 50%
EC50 - Effective Concentration 50%
WEL - Workplace Exposure Limit
DNEL - Derived No Effect Level
POW - Partition coefficient Octanol:Water
vPvB - very Persistent, very Bioaccumulative
VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals
EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
ENCS - Japanese Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances
CAS - Chemical Abstracts Service
ACGIH - American Conference of Governmental Industrial Hygienists
PNEC - Predicted No Effect Concentration
IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code
ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail
OECD - Organisation for Economic Co-operation and Development
LC50 - Lethal Concentration 50%
ATE - Acute Toxicity Estimate
RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration
BCF - Bioconcentration factor
PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

<https://echa.europa.eu/information-on-chemicals>
Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| | |
|------------------------------|-----------------------|
| Physical hazards | On basis of test data |
| Health Hazards | Calculation method |
| Environmental hazards | Calculation method |

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

| | |
|-------------------------|-----------------------|
| Revision Date | 14-Jul-2023 |
| Revision Summary | Update to GHS format. |

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet