

SAFETY DATA SHEET

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name VB Blend

Product Code VBRV4500ML

Address ThermoFisher Scientific Australia Pty Ltd

> 5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. **CHEMTREC®**

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids Category 2

Health hazards

Acute Oral Toxicity Category 3 **Acute Dermal Toxicity** Category 3 Acute Inhalation Toxicity - Vapors Category 3 Specific target organ toxicity - (single exposure) Category 1

Environmental hazards

No hazards identified

Label Elements







FSHVBRV4500ML Version 2 21-Nov-2022 Page 1/11

Signal Word Danger

Hazard Statements

H225 - Highly flammable liquid and vapor

H370 - Causes damage to organs

H301 + H311 + H331 - Toxic if swallowed, in contact with skin or if inhaled

Precautionary Statements

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P310 - IF SWALLOWED: Immediately call a POISON CENTER or doctor

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P311 - Call a POISON CENTER or doctor

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P330 - Rinse mouth

P363 - Wash contaminated clothing before reuse

P403 + P233 - Store in a well-ventilated place. Keep container tightly closed

P405 - Store locked up

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

Toxic to terrestrial vertebrates

Section 3 - Composition and Information on Ingredients

| Component | CAS No | Weight % |
|-------------------|------------|----------|
| Methyl alcohol | 67-56-1 | >99 |
| Ammonium fluoride | 12125-01-8 | 0.01 |

Section 4 - First Aid Measures

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth

method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

FSHVBRV4500ML Version 2 21-Nov-2022 Page 2 / 11

Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

Self-Protection of the First Aider

effects

Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

Notes to Physician Treat symptomatically. Symptoms may be delayed.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

Do not use a solid water stream as it may scatter and spread fire.

Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. Use spark-proof tools and explosion-proof

 equipment. Take precautionary measures against static discharges. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded.

Conditions for Safe Storage, Including any Incompatibilities

Keep away from heat, sparks and flame. Flammables area. Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace. UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020. DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

| Component | Australia | New Zealand WEL | ACGIH TLV | The United Kingdom | Germany |
|-------------------|--|--|---------------------------------------|---|---|
| Methyl alcohol | STEL: 250 ppm STEL: 328 mg/m³ TWA: 200 ppm TWA: 262 mg/m³ | TWA: 200 ppm TWA: 262 mg/m ³ STEL: 250 ppm STEL: 328 mg/m ³ | TWA: 200 ppm STEL: 250 ppm Skin | WEL - TWA: 200 ppm TWA; 266 mg/m³ TWA WEL - STEL: 250 ppm STEL; 333 mg/m³ STEL | 100 ppm TWA MAK; 130 mg/m³ TWA MAKSkin absorber |
| | | Skin | | | |
| Ammonium fluoride | TWA: 2.5 mg/m³ | | TWA: 2.5 mg/m³ | STEL: 7.5 mg/m ³ 15 min TWA: 2.5 mg/m ³ 8 hr | TWA: 1 mg/m³ (8 Stunden). AGW - exposure factor 4 TWA: 1 mg/m³ (8 Stunden). MAK Haut |

Biological limit values

NZ - Substances assigned Biological Exposure Indices in the New Zealand Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

| Component | Australia | New Zealand | European Union | United Kingdom | Germany |
|----------------|-----------|------------------------|----------------|----------------|--------------------------|
| Methyl alcohol | | 15 mg/L (urine) end of | | | Methanol: 15 mg/L urine |
| | | shift (Methyl alcohol) | | | (end of shift) |
| | | | | | Methanol: 15 mg/L urine |
| | | | | | (for long-term |
| | | | | | exposures: at the end of |
| | | | | | the shift after several |
| | | | | | shifts) |

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection

Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material Breakthrough time Glove thickness AUS/NZ Standard Glove comments

Nitrile rubber See manufacturers - AS/NZS 2161 (minimum requirement)

Viton (R) recommendations

Inspect gloves before use.

FSHVBRV4500ML Version 2 21-Nov-2022 Page 4/11

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

Method - No information available

Vapors may form explosive mixtures with air

Liquid

(Air = 1.0)

and maintenance of repiratory protective devices

Recommended Filter type: low boiling organic solvent Type AX Brown conforming to EN371 or Organic gases and

vapours filter Type A Brown conforming to EN14387 (or AUS/NZ equivalent)

Recommended half mask:- Valve filtering: EN405 or Half mask: EN140 plus filter, EN 141 (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls No information available.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance

Physical State Liquid

Odor
Odor Threshold
PH
No information available
No data available
No information available
No information available
No data available
No data available
No data available

Softening Point

Boiling Point/Range

Flash Point

No data available

No information available

12 °C / 53.6 °F

Evaporation Rate No data available

Flammability (solid,gas)

No data available
Not applicable

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density 0.791

Bulk Density Not applicable Liquid

Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Methyl alcohol -0.74

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data available

Explosive Properties

Oxidizing Properties No information available

Other information

Section 10 - Stability and Reactivity

SAFETY DATA SHEET

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials None known.

Hazardous Decomposition Products None under normal use conditions.

Hazardous PolymerizationNo information available.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Oral Category 3
Dermal Category 3
Inhalation Category 3

Toxicology data for the components

| Component | LD50 | 0 Oral LD50 Derm | al LC50 Inhalation |
|---------------|-----------------|-------------------------------------|--|
| Methyl alcoho | LD50 = 1187 – 2 | 2769 mg/kg (Rat) LD50 = 17100 mg/kg | g (Rabbit) LC50 = 128.2 mg/L (Rat) 4 h |

(b) skin corrosion/irritation; Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Based on available data, the classification criteria are not met

(d) respiratory or skin sensitization;

RespiratorySkin

Based on available data, the classification criteria are not met
Based on available data, the classification criteria are not met

| Component | Test method | Test species | Study result |
|----------------|------------------------------|--------------|-----------------|
| Methyl alcohol | OECD Test Guideline 406 | guinea pig | non-sensitising |
| 67-56-1 (>99) | Guinea Pig Maximisation Test | | _ |
| | (GPMT) | | |

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity: Based on available data, the classification criteria are not met

| Component | Test method | Test species / Duration | Study result |
|----------------|-------------------------|-------------------------------|------------------------|
| Methyl alcohol | OECD Test Guideline 416 | Rat / Inhalation 2 Generation | NOAEC = 1.3 mg/l (air) |
| 67-56-1 (>99) | | | |

(h) STOT-single exposure; Category 1

Results / Target organs Optic nerve

Central nervous system (CNS)

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

FSHVBRV4500ML Version 2 21-Nov-2022 Page 6 / 11

(j) aspiration hazard;

Based on available data, the classification criteria are not met

delayed

Symptoms / effects, both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting

Section 12 - Ecological Information

Ecotoxicity effects

| Component | Freshwater Fish | Water Flea | Freshwater Algae | Microtox |
|-------------------|--|-----------------------|------------------|--|
| Methyl alcohol | Pimephales promelas: LC50 > 10000 mg/L 96h | EC50 > 10000 mg/L 24h | | EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min |
| Ammonium fluoride | LC50: = 364.0 mg/L, 96h static (Pimephales promelas) | | | |

Persistence and Degradability

No information available

Persistence

Persistence is unlikely.

| Component | Degradability |
|----------------|----------------|
| Methyl alcohol | DT50 ~ 17.2d |
| 67-56-1 (>99) | >94% after 20d |

Bioaccumulative Potential

Bioaccumulation is unlikely

| | Component | log Pow | Bioconcentration factor (BCF) |
|---|----------------|-------------------------------|-------------------------------|
| | Methyl alcohol | -0.74 | <10 dimensionless |
| | Mobility | No information available. | |
| Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors | | uspected endocrine disruptors | |
| Parsistant Organic Pollutant This product does not contain any known or suspected substance | | ignacted gubetance | |

Persistent Organic Pollutant **Ozone Depletion Potential**

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused **Products**

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which the product was used. Do not flush to sewer. Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

IMDG/IMO

UN-No UN1230

Proper Shipping Name METHANOL SOLUTION

Hazard Class Subsidiary Hazard Class 6.1 **Packing Group**

FSHVBRV4500ML Version 2 Page 7/11 21-Nov-2022

ADG

UN-No UN1230

Proper Shipping Name METHANOL SOLUTION

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group

| Component | Hazchem Code |
|---------------------|--------------|
| Methyl alcohol | 2WE |
| 67-56-1 (>99) | |
| Ammonium fluoride | 2X |
| 12125-01-8 (0.01) | |

IATA

UN-No UN1230

Proper Shipping Name METHANOL SOLUTION

Hazard Class 3
Subsidiary Hazard Class 6.1
Packing Group ||

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

| Component | Standard for the Uniform Scheduling of Medicines and Poisons |
|--------------------------------|---|
| Methyl alcohol - 67-56-1 | Schedule 5 listed - except its derivatives;in preparations except a) when included in Schedule 10, or b) |
| | in preparations containing <=2% of Methanol, or c) when Methanol is present only as a denaturant of |
| | Ethanol |
| | Schedule 6 listed - except its derivatives; except a) when included in Schedule 5, or b) when included in |
| | Schedule 10, or c) in preparations containing <=2% of Methanol |
| | Schedule 10 listed |
| Ammonium fluoride - 12125-01-8 | Schedule 2 listed |
| | Schedule 3 listed |
| | Schedule 4 listed - in preparations for human use except when included in or expressly excluded from |
| | Schedule 2 or 3 |
| | Schedule 5 listed - in preparations except: in preparations for human use, or in preparations containing |
| | <=15 mg/kg of Fluoride ion;as Fluoride ion |
| | Schedule 6 listed - except: when included in Schedule 5, in preparations for human use, or in |
| | preparations containing <=15 mg/kg of Fluoride ion |

Australian Industrial Chemicals Introduction Scheme (AICIS)

| Component | Australian Industrial Chemicals Introduction Scheme (AICIS) | Additional information |
|--------------------------|---|------------------------|
| Methyl alcohol - 67-56-1 | Present | - |

FSHVBRV4500ML Version 2 21-Nov-2022 Page 8 / 11

| Ammonium fluoride - 12125-01-8 Present | - |
|--|---|
|--|---|

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Subject to reporting requirements

| Component | National pollutant inventory |
|--------------------------|-----------------------------------|
| Methyl alcohol - 67-56-1 | 10 tonne/yr. Threshold category 1 |

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

| Component | AICS | NZIoC | EINECS | ELINCS | TSCA | DSL | NDSL | PICCS | ENCS | ISHL | IECSC | KECL |
|-------------------|------|-------|-----------|--------|------|-----|------|-------|-------------|------|-------|----------|
| Methyl alcohol | Х | Χ | 200-659-6 | - | Х | Х | - | Х | Χ | Х | Χ | KE-23193 |
| Ammonium fluoride | Х | X | 235-185-9 | - | X | Х | - | Х | Х | Х | Х | KE-01665 |

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal Not applicable.

| Component | CAS No | OECD HPV | Restriction of Hazardous Substances (RoHS) | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements |
|-------------------|------------|----------|--|---|--|
| Methyl alcohol | 67-56-1 | Listed | Not applicable | 500 tonne | 5000 tonne |
| Ammonium fluoride | 12125-01-8 | Listed | Not applicable | Not applicable | Not applicable |

Authorisation/Restrictions according to EU REACH

| Component | REACH (1907/2006) - Annex XIV - | REACH (1907/2006) - Annex XVII - | REACH Regulation (EC |
|-----------|---------------------------------|-----------------------------------|-----------------------------------|
| - | Substances Subject to | Restrictions on Certain Dangerous | 1907/2006) article 59 - Candidate |
| | Authorization | Substances | List of Substances of Very High |
| | | | Concern (SVHC) |

FSHVBRV4500ML Version 2 21-Nov-2022 Page 9 / 11

SAFETY DATA SHEET

| Methyl alcohol | - | Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details) | - |
|-------------------|---|--|---|
| Ammonium fluoride | - | Use restricted. See item 75. (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Shins

NZS 5433:2012 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances **ENCS** - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data Calculation method **Health Hazards** Calculation method **Environmental hazards**

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

Fire prevention and fighting, identifying hazards and risks, static electricity, explosive atmospheres posed by vapours and dusts. Chemical incident response training.

21-Nov-2022 **Revision Date Revision Summary** Not applicable.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information

FSHVBRV4500ML Version 2 21-Nov-2022 Page 10 / 11 relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

FSHVBRV4500ML Version 2 21-Nov-2022 Page 11 / 11