

# SAFETY DATA SHEET

Revision Date 25-December-2021 **Revision Number 4** 

1. Identification

**Product Name** 3-Chloro-3-methyl-1-butyne

AC378010000; AC378010010; AC378010050; AC378010250 Cat No.:

CAS-No 1111-97-3

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane 112 Colonnade Road. One Reagent Lane Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

> Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

# 2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Flammable liquids Category 2 Acute oral toxicity Category 4 Acute dermal toxicity Category 4 Acute Inhalation Toxicity Category 4 Skin Corrosion/Irritation Category 2 Serious Eye Damage/Eye Irritation Category 2 Category 3 Specific target organ toxicity (single exposure)

Target Organs - Respiratory system. Physical Hazards Not Otherwise Classified Category 1

Hazardous polymerization may occur

**Label Elements** 

Signal Word

#### Danger

#### **Hazard Statements**

Highly flammable liquid and vapor
Harmful if swallowed, in contact with skin or if inhaled
Causes skin irritation
Causes serious eye irritation
May cause respiratory irritation
Harmful if inhaled
Hazardous polymerization may occur



### **Precautionary Statements**

#### Prevention

Keep cool. Protect from sunlight

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting/equipment

Use only non-sparking tools

Take precautionary measures against static discharges

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Use only outdoors or in a well-ventilated area

Wear protective gloves/protective clothing/eye protection/face protection

#### Response

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower

IF INHALED: Remove person to fresh air and keep comfortable for breathing

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Call a POISON CENTER/ doctor if you feel unwell

Rinse mouth

Wash contaminated clothing before reuse

In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

#### Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Other Hazards

Light sensitive

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %	
1-Butyne, 3-chloro-3-methyl-	1111-97-3	96	

# 4. First-aid measures

### 3-Chloro-3-methyl-1-butyne

**Eve Contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Wash off immediately with soap and plenty of water while removing all contaminated **Skin Contact** 

clothes and shoes. Get medical attention.

Remove from exposure, lie down. Remove to fresh air. If not breathing, give artificial Inhalation

respiration. Get medical attention.

Clean mouth with water. Get medical attention. Ingestion

Most important symptoms/effects Difficulty in breathing. Inhalation of high vapor concentrations may cause symptoms like

headache, dizziness, tiredness, nausea and vomiting

**Notes to Physician** Treat symptomatically

# 5. Fire-fighting measures

**Suitable Extinguishing Media** Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam. Water mist may be used

to cool closed containers.

**Unsuitable Extinguishing Media** No information available

**Flash Point** 4 °C / 39.2 °F

Method -No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

No data available Upper No data available Lower Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

### Specific Hazards Arising from the Chemical

Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Hydrogen chloride gas.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health **Flammability** Instability Physical hazards 2 N/A 3 0

# 6. Accidental release measures

**Personal Precautions Environmental Precautions**  Remove all sources of ignition. Take precautionary measures against static discharges.

See Section 12 for additional Ecological Information.

Up

Methods for Containment and Clean Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment. Do not let this chemical enter the environment.

# Handling and storage

Avoid contact with skin and eyes. Do not breathe mist/vapors/spray. Do not ingest. If Handling

swallowed then seek immediate medical assistance. Use spark-proof tools and explosion-proof equipment. Use only non-sparking tools. Keep away from open flames, hot surfaces and sources of ignition. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage.

Keep in a dry place. Keep container tightly closed. Keep away from heat, sparks and flame. Protect from direct sunlight. Keep refrigerated. Keep container tightly closed in a dry and well-ventilated place. Incompatible Materials. Acids. Bases. Strong oxidizing agents.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

# **Engineering Measures**

Use explosion-proof electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

Eye Protection Goggles

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Viton (R)	See manufacturers	-	Splash protection only
	recommendations		

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Organic gases and vapours filter Type A Brown conforming to EN14387

When RPE is used a face piece Fit Test should be conducted

# **Environmental exposure controls**

No information available.

#### **Hygiene Measures**

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

# 9. Physical and chemical properties

Physical State Appearance Odor Odor Threshold Liquid Light yellow

No information available No information available

### 3-Chloro-3-methyl-1-butyne

**pH** No information available

Melting Point/Range No data available

**Boiling Point/Range** 73 - 75 °C / 163.4 - 167 °F @ 760 mmHg

Flash Point 4 °C / 39.2 °F
Evaporation Rate No information available

Flammability (solid,gas)
Not applicable
Flammability or explosive limits

UpperNo data availableLowerNo data available

Vapor PressureNo information availableVapor DensityNo information available

Specific Gravity 0.910

Solubility

No information available

Partition coefficient; n-octanol/water

No data available

Autoignition Temperature

No information available
No information available

Decomposition TemperatureNo information availableViscosityNo information available

Molecular FormulaC5 H7 ClMolecular Weight102.56

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Stable under normal conditions. heat sensitive. Light sensitive.

Conditions to Avoid Heat, flames and sparks. Keep away from open flames, hot surfaces and sources of

ignition. Exposure to light. Incompatible products.

Incompatible Materials Acids, Bases, Strong oxidizing agents

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Hydrogen chloride gas

Hazardous Polymerization Hazardous polymerization may occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

Product Information
Component Information

Toxicologically Synergistic No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

 Irritation
 No information available

 Sensitization
 No information available

**Carcinogenicity** The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
1-Butyne,	1111-97-3	Not listed				
3-chloro-3-methyl-						

Mutagenic Effects No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

**Teratogenicity** No information available.

STOT - single exposure Respiratory system

None known STOT - repeated exposure

No information available **Aspiration hazard** 

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness,

tiredness, nausea and vomiting

**Endocrine Disruptor Information** No information available

**Other Adverse Effects** The toxicological properties have not been fully investigated.

# 12. Ecological information

**Ecotoxicity** 

Do not empty into drains.

Persistence and Degradability Persistence is unlikely based on information available.

**Bioaccumulation/ Accumulation** No information available.

**Mobility** Will likely be mobile in the environment due to its volatility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN1993 **UN-No Hazard Class** 3 **Packing Group** Ш

TDG

UN-No UN1993 **Hazard Class** 3 Ш **Packing Group** 

IATA

**UN-No** UN1993

**Proper Shipping Name** FLAMMABLE LIQUID, N.O.S.\*

**Hazard Class** 3 Ш **Packing Group** 

IMDG/IMO

UN1993 **UN-No** 

Flammable liquid, n.o.s. **Proper Shipping Name** 

**Hazard Class Packing Group** Ш

# 15. Regulatory information

#### International Inventories

Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
1-Butyne, 3-chloro-3-methyl-	1111-97-3	-	Х	Х	ACTIVE	214-188-9	-	-

### 3-Chloro-3-methyl-1-butyne

\_\_\_\_\_

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
1-Butyne, 3-chloro-3-methyl-	1111-97-3	-	-	-	-	X	-	-	-

#### Leaend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

#### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

### Other International Regulations

#### Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
1-Butyne, 3-chloro-3-methyl-	1111-97-3	Not applicable	Not applicable	Not applicable	Not applicable

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Seveso III Directive (2012/18/EC) - Qualifying Quantities	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
		for Major Accident	for Safety Report		
		Notification	Requirements		
1-Butyne, 3-chloro-3-methyl-	1111-97-3	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 25-December-2021 Print Date 25-December-2021

**Revision Summary**This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

# **End of SDS**