

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Shandon Cytospin Collection Fluid

Product Code ALP6768001, ALP6768315

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product does not contain any substance(s) listed on the voluntary National

Code of Practice for Chemicals of Security Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids Category 3

Health hazards

Specific target organ toxicity - (single exposure)

Category 1

Environmental hazards

No hazards identified

Label Elements





Signal Word Danger

AUS-002752 Version 2 14-Jul-2023 Page 1/12

Hazard Statements

H226 - Flammable liquid and vapor H370 - Causes damage to organs

Precautionary Statements

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

P370 + P378 - In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

P403 + P235 - Store in a well-ventilated place. Keep cool

P501 - Dispose of contents/ container to an approved waste disposal plant

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	52 - 54
Ethyl alcohol	64-17-5	40 - 41
Polyethylene glycol	25322-68-3	2.0 - 2.5
Methyl alcohol	67-56-1	1.5 - 2.5
Isopropyl alcohol	67-63-0	2.0 - 2.5
Methylene blue trihydrate	7220-79-3	< 0.001
FD&C yellow No. 5	1934-21-0	< 0.001

Section 4 - First Aid Measures

Inhalation Remove to fresh air. Do not use mouth-to-mouth method if victim ingested or inhaled the

substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Get medical attention. If not breathing,

give artificial respiration.

Ingestion Do NOT induce vomiting. Get medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and Difficulty in breathing. Symptoms of overexposure may be headache, dizziness, tiredness,

AUS-002752 Version 2 14-Jul-2023 Page 2 / 12

effects nausea and vomiting

Notes to Physician Treat symptomatically.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Carbon monoxide (CO), Carbon dioxide (CO2).

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Vapors may form explosive mixtures with air.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Remove all sources of ignition. Use personal protective equipment as required. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Remove all sources of ignition. Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Take precautionary measures against static discharges. Use spark-proof tools and explosion-proof equipment.

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Use spark-proof tools and explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe mist/vapors/spray. Use only non-sparking tools.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Flammables area.

AUS-002752 Version 2 14-Jul-2023 Page 3 / 12

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Ethyl alcohol	TWA: 1000 ppm	TWA: 1000 ppm	STEL: 1000 ppm	TWA: 1000 ppm TWA;	200 ppm TWA MAK;
	TWA: 1880 mg/m ³	TWA: 1880 mg/m ³		1920 mg/m ³ TWA	380 mg/m³ TWA MAK
				WEL - STEL: 3000 ppm	
				STEL; 5760 mg/m ³	
				STEL	
Polyethylene glycol					TWA: 200 mg/m³ (8
					Stunden). AGW -
					exposure factor 2
					TWA: 250 mg/m³ (8
					Stunden). MAK average molecular weight
					200-600:because
					formation of a mist is
					possible, exposure
					should be minimized for
					reasons of occupational
					safety and hygiene
					Höhepunkt: 500 mg/m ³
Methyl alcohol	STEL: 250 ppm	TWA: 200 ppm	TWA: 200 ppm	WEL - TWA: 200 ppm	100 ppm TWA MAK;
	STEL: 328 mg/m ³	TWA: 262 mg/m ³	STEL: 250 ppm	TWA; 266 mg/m ³ TWA	130 mg/m³ TWA
	TWA: 200 ppm	STEL: 250 ppm	Skin	WEL - STEL: 250 ppm	MAKSkin absorber
	TWA: 262 mg/m ³	STEL: 328 mg/m ³		STEL; 333 mg/m ³ STEL	
		Skin			
Isopropyl alcohol	STEL: 500 ppm	TWA: 400 ppm	TWA: 200 ppm	STEL: 500 ppm 15 min	TWA: 200 ppm (8
	STEL: 1230 mg/m ³	TWA: 983 mg/m ³	STEL: 400 ppm	STEL: 1250 mg/m ³ 15	Stunden). AGW -
	TWA: 400 ppm	STEL: 500 ppm		min	exposure factor 2
	TWA: 983 mg/m ³	STEL: 1230 mg/m ³		TWA: 400 ppm 8 hr	TWA: 500 mg/m³ (8
				TWA: 999 mg/m ³ 8 hr	Stunden). AGW -
					exposure factor 2
					TWA: 200 ppm (8
					Stunden). MAK TWA: 500 mg/m³ (8
					Stunden). MAK
					Höhepunkt: 400 ppm
					Höhepunkt: 1000 mg/m ³

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Component	Australia	New Zealand	European Union	United Kingdom	Germany
Methyl alcohol		15 mg/L (urine) end of			Methanol: 15 mg/L urine
		shift (Methyl alcohol)			(end of shift)
					Methanol: 15 mg/L urine
					(for long-term
					exposures: at the end of
					the shift after several
					shifts)
Isopropyl alcohol					Acetone: 25 mg/L whole

AUS-002752 Version 2 14-Jul-2023 Page 4/12

|--|

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (Australian/New Zealand Standard

AS/NZS 1337 - Eye protectors for Industrial applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Light green Physical State Liquid

Odor Characteristic
Odor Threshold No data available
pH Not applicable
Melting Point/Range No data available
Softening Point No data available

Boiling Point/Range 85 - 29.4 °C / 185 - 84.9 °F

Flash Point 27.2 °C / 81 °F

Flash Point 27.2 °C / 81 °F
Evaporation Rate No data available
Flammability (solid,gas) Not applicable

Explosion Limits Lower 2.6 vol %

Upper 19 vol %

AUS-002752 Version 2 14-Jul-2023 Page 5 / 12

Method - No information available

Liquid

Vapor Pressure 46 mmHg

Vapor Density 1.5 (Air = 1.0)

No information available

Specific Gravity / Density 0.950

Bulk DensityNot applicableLiquidWater SolubilityNo information available

Solubility in other solvents No Partition Coefficient (n-octanol/water)

Componentlog PowEthyl alcohol-0.32Methyl alcohol-0.74Isopropyl alcohol0.05FD&C yellow No. 5-1.572

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available
No data available
No data available

Explosive Properties explosive air/vapour mixtures possible

Oxidizing Properties No information available

Other information

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under normal conditions.

Conditions to Avoid Incompatible products, Heat, flames and sparks, Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials Strong oxidizing agents, Peroxides, Acids, Acid anhydrides, Acid chlorides, Metals.

Hazardous Decomposition Products Carbon monoxide (CO). Carbon dioxide (CO2).

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Ethyl alcohol	LD50 = 7060 mg/kg (Rat)		20000 ppm/10H (Rat)
Polyethylene glycol	LD50 = 22 g/kg (Rat)	LD50 > 20 g/kg (Rabbit)	
Methyl alcohol	LD50 = 1187 – 2769 mg/kg (Rat)	LD50 = 17100 mg/kg (Rabbit)	LC50 = 128.2 mg/L (Rat) 4 h
Isopropyl alcohol	5045 mg/kg (Rat) 3600 mg/kg (Mouse)	12800 mg/kg (Rat)	72.6 mg/L (Rat) 4 h
FD&C yellow No. 5	12750 mg/kg (Mouse)		

(b) skin corrosion/irritation; No data available

AUS-002752 Version 2 14-Jul-2023 Page 6/12

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Component	Test method	Test species	Study result
Polyethylene glycol	in vivo: Test method Human	Man	non-sensitising
25322-68-3 (2.0 - 2.5)	Repeat Insult Patch Test		
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 (1.5 - 2.5)	Guinea Pig Maximisation Test		_
, , , ,	(GPMT)		

(e) germ cell mutagenicity; No data available

Component	Test method	Test species	Study result
Polyethylene glycol	OECD Test Guideline 471	in vivo	negative
25322-68-3 (2.0 - 2.5)			_

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation 2 Generation	NOAEC = 1.3 mg/l (air)
67-56-1 (1.5 - 2.5)			- ' '

Developmental Effects Teratogenicity Substances known to cause developmental toxicity in humans

Teratogenic effects have occurred in humans.

(h) STOT-single exposure; Category 2

Results / Target organs Optic nerve

Central nervous system (CNS)

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Other Adverse Effects Tumorigenic effects have been reported in experimental animals.

Symptoms / effects,both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting delayed

Section 12 - Ecological Information

Ecotoxicity effectsContains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl alcohol	Fathead minnow	EC50 = 9268 mg/L/48h	EC50 (72h) = 275 mg/l	Photobacterium
	(Pimephales promelas)	EC50 = 10800 mg/L/24h	(Chlorella vulgaris)	phosphoreum:EC50 =
	LC50 = 14200 mg/l/96h			34634 mg/L/30 min
				Photobacterium
				phosphoreum:EC50 =
				35470 mg/L/5 min
Polyethylene glycol	LC50 > 100 mg/L 96h,	EC50 > 100 mg/L 48h,	EC50 > 100 mg/L 96h,	
	(Poecilia reticulata)	(Daphnia magna)	(Scenedesmus	
	OECD Guideline 203	OECD Guideline 202	subspicatus) OECD	
			Guideline 201	

AUS-002752 Version 2 14-Jul-2023 Page 7/12

Methyl alcohol	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 > 10000 mg/L 24h		EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min
Isopropyl alcohol	flow-through '	h 9714 mg/L EC50 = 24 h	EC50: > 1000 mg/L, 72h (Desmodesmus subspicatus) EC50: > 1000 mg/L, 96h (Desmodesmus subspicatus)	Photobacterium phosphoreum 5 min
FD&C yellow No. 5	LC50: > 1000 ppm/48 h (Oryzias latipes)			

Persistence and Degradability

No information available

Persistence Persistence is unlikely, based on information available.

Component	Degradability
Methyl alcohol	DT50 ~ 17.2d
67-56-1 (1.5 - 2.5)	>94% after 20d

Degradation in sewage treatment plant Bioaccumulative Potential

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethyl alcohol	-0.32	No data available
Methyl alcohol	-0.74	<10 dimensionless
Isopropyl alcohol	0.05	No data available
FD&C yellow No. 5	-1.572	No data available

Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility. Disperses rapidly in

aır

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors. This product does not contain any known or suspected substance.

This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure

conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and

empty container away from heat and sources of ignition.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations.

Section 14 - Transport Information

IMDG/IMO

UN-No UN1170
Proper Shipping Name Ethanol solution

AUS-002752 Version 2 14-Jul-2023 Page 8/12

Technical Shipping Name Shandon Cytospin Collection Fluid

Hazard Class 3
Packing Group III

<u>ADG</u>

UN-No UN1170
Proper Shipping Name Ethanol solution

Technical Shipping Name Shandon Cytospin Collection Fluid

Hazard Class 3
Packing Group III

Component	Hazchem Code
Ethyl alcohol	2YE
64-17-5 (40 - 41)	2Y
Methyl alcohol	2WE
67-56-1 (1.5 - 2.5)	
Isopropyl alcohol	1Z
67-63-0 (2.0 - 2.5)	

IATA

UN-No UN1170
Proper Shipping Name Ethanol solution

Technical Shipping Name Shandon Cytospin Collection Fluid

Hazard Class 3
Packing Group III

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons		
Polyethylene glycol - 25322-68-3	Schedule 2 listed		
	Schedule 3 listed		
Methyl alcohol - 67-56-1	Schedule 5 listed - except its derivatives;in preparations except a) when included in Schedule 10, or b)		
	in preparations containing <=2% of Methanol, or c) when Methanol is present only as a denaturant of		
	Ethanol		
	Schedule 6 listed - except its derivatives; except a) when included in Schedule 5, or b) when included in		
	Schedule 10, or c) in preparations containing <=2% of Methanol		
	Schedule 10 listed		
FD&C yellow No. 5 - 1934-21-0	Schedule 7 listed		

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction	Additional information
	Chemicals introduction	

AUS-002752 Version 2 14-Jul-2023 Page 9/12

	Scheme (AICIS)	
Water - 7732-18-5	Present	-
Ethyl alcohol - 64-17-5	Present	-
Polyethylene glycol - 25322-68-3	Present	-
Methyl alcohol - 67-56-1	Present	-
Isopropyl alcohol - 67-63-0	Present	-
FD&C yellow No. 5 - 1934-21-0	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

National pollutant inventory Su

Subject to reporting requirements

Component	National pollutant inventory
Ethyl alcohol - 64-17-5	10 tonne/yr. Threshold category 1
Methyl alcohol - 67-56-1	10 tonne/yr. Threshold category 1

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Water	Х	Х	231-791-2	-	X	Х	-	Х	Х		Х	KE-35400
Ethyl alcohol	X	X	200-578-6	-	X	Х	-	Х	Х	Х	Х	KE-13217
Polyethylene glycol	X	X	-	-	X	Х	-	Χ	Х	Х	Х	KE-20228
Methyl alcohol	X	Х	200-659-6	-	X	Χ	-	Χ	Χ	Х	Х	KE-23193
Isopropyl alcohol	X	X	200-661-7	-	Χ	Х	-	Χ	Χ	Х	Х	KE-29363
Methylene blue trihydrate	-	Х	-	-	-	-	-	ı	-		-	ı
FD&C yellow No. 5	Х	Х	217-699-5	-	X	Х	-	Х	Х	Х	Х	KE-06857

Legend: X - Listed. '-' - Not Listed. XU - Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B). KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

AUS-002752 Version 2 14-Jul-2023 Page 10 / 12

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Ethyl alcohol - 64-17-5	Annex I - Y42	Y42 except Halogenated solvents
Isopropyl alcohol - 67-63-0	Annex I - Y42	Y42 except Halogenated solvents

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Polyethylene glycol	25322-68-3	Listed	Not applicable	Not applicable	Not applicable
Methyl alcohol	67-56-1	Listed	Not applicable	500 tonne	5000 tonne
Isopropyl alcohol	67-63-0	Listed	Not applicable	Not applicable	Not applicable
Methylene blue trihydrate	7220-79-3	Not applicable	Not applicable	Not applicable	Not applicable
FD&C yellow No. 5	1934-21-0	Not applicable	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Methyl alcohol	-	Use restricted. See item 69. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-
Isopropyl alcohol	-	Use restricted. See item 75. (see link for restriction details)	-
FD&C yellow No. 5	-	Use restricted. See item 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% **WEL** - Workplace Exposure Limit

DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water **vPvB** - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

 $\ensuremath{\mathbf{ADG}}$ - Australian Code for the Transport of Dangerous Goods by Road and Rail

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment
NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

AUS-002752 Version 2 14-Jul-2023 Page 11 / 12

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Calculation method

Environmental hazards

On basis of test data

Calculation method

Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 14-Jul-2023

Revision Summary Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-002752 Version 2 14-Jul-2023 Page 12 / 12