

# **SAFETY DATA SHEET**

Creation Date 22-Nov-2010 Revision Date 28-Mar-2024 Revision Number 4

# 1. Identification

Product Name Maleic acid

Cat No. : L04394

**CAS No** 110-16-7

Synonyms cis-Butenedioic acid

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

#### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street

Ward Hill, MA 01835-8099 Tel: 800-343-0660

Fax: 800-343-0660

#### **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

## 2. Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute oral toxicity
Category 4
Acute dermal toxicity
Category 4
Skin Corrosion/Irritation
Category 1
Serious Eye Damage/Eye Irritation
Category 1
Skin Sensitization
Category 1
Specific target organ toxicity (single exposure)
Category 3

Target Organs - Respiratory system.

#### Label Elements

## Signal Word

Danger

#### **Hazard Statements**

Causes severe skin burns and eye damage May cause respiratory irritation May cause an allergic skin reaction Harmful if swallowed or in contact with skin



#### **Precautionary Statements**

#### Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

Wear protective gloves/protective clothing/eye protection/face protection

Do not breathe dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Use only outdoors or in a well-ventilated area

#### Response

Immediately call a POISON CENTER or doctor/physician

#### Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Skin

Wash contaminated clothing before reuse

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

If skin irritation or rash occurs: Get medical advice/attention

#### **Eyes**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

# Ingestion

Rinse mouth

Do NOT induce vomiting

#### **Storage**

Store locked up

Store in a well-ventilated place. Keep container tightly closed

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

# Hazards not otherwise classified (HNOC)

None identified

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Maleic acid	110-16-7	>95

## 4. First-aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Immediate medical attention is required. Keep eye wide open while rinsing.

Skin Contact Wash off immediately with soap and plenty of water while removing all contaminated

clothes and shoes. Call a physician immediately.

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Call a physician or poison

control center immediately. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a

one-way valve or other proper respiratory medical device.

**Ingestion** Immediate medical attention is required. Do NOT induce vomiting. Drink plenty of water.

Never give anything by mouth to an unconscious person.

Most important symptoms and

effects

Causes burns by all exposure routes. May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation

Treat symptomatically

Not applicable

**Notes to Physician** 

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO2). Dry chemical. Chemical foam. CO2, dry chemical, dry

sand, alcohol-resistant foam.

Unsuitable Extinguishing Media No information available

**Flash Point** 127 °C / 260.6 °F

Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

The product causes burns of eyes, skin and mucous membranes.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2).

## **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA

HealthFlammabilityInstabilityPhysical hazards310N/A

#### 6. Accidental release measures

Personal Precautions Use personal protective equipment as required. Evacuate personnel to safe areas. Avoid

contact with skin, eyes or clothing.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Avoid dust formation. **Up** 

## 7. Handling and storage

Handling Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Use only under a chemical fume hood. Do not breathe dust. Do not ingest. If

swallowed then seek immediate medical assistance.

**Storage.** Corrosives area. Keep containers tightly closed in a dry, cool and well-ventilated place.

Incompatible Materials. Bases. Strong oxidizing agents. Reducing Agent.

## 8. Exposure controls / personal protection

Exposure Guidelines This product does not contain any hazardous materials with occupational exposure

limitsestablished by the region specific regulatory bodies.

Engineering Measures Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations

and safety showers are close to the workstation location.

Personal Protective Equipment

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

**Skin and body protection** Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

**Recommended Filter type:** Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

## Physical and chemical properties

Physical StatePowder SolidAppearanceWhiteOdorIrritating

Odor ThresholdNo information availablepH1.310% aq.solution

Melting Point/Range 134 - 138 °C / 273.2 - 280.4 °F
Boiling Point/Range No information available
Flash Point 127 °C / 260.6 °F

Flash Point 127 °C / 260.6 °F
Evaporation Rate Not applicable

Flammability (solid,gas)

No information available Flammability or explosive limits

Upper No data available
Lower No data available

Vapor Pressure30 hPa @ 20 °CVapor DensityNot applicable

Specific GravityNo information availableSolubility790 g/L water (25°C)Partition coefficient; n-octanol/waterNo data available

Partition coefficient; n-octanol/waterNo data availableAutoignition TemperatureNot applicableDecomposition Temperature> 135°C

ViscosityNot applicableMolecular FormulaC4 H4 O4Molecular Weight116.07

## 10. Stability and reactivity

Revision Date 28-Mar-2024 Maleic acid

None known, based on information available Reactive Hazard

Stable under normal conditions. Stability

Incompatible products. Exposure to moist air or water. **Conditions to Avoid** 

**Incompatible Materials** Bases, Strong oxidizing agents, Reducing Agent

Hazardous Decomposition Products Carbon monoxide (CO<sub>2</sub>), Carbon dioxide (CO<sub>2</sub>)

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# Toxicological information

#### **Acute Toxicity**

#### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Maleic acid	LD50 = 708 mg/kg (Rat)	LD50 = 1560 mg/kg ( Rabbit )	LC50 > 720 mg/m <sup>3</sup> (Rat) 1 h

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Causes severe burns by all exposure routes

Sensitization May cause sensitization by skin contact

Carcinogenicity The table below indicates whether each agency has listed any ingredient as a carcinogen.

	Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
ı	Maleic acid	110-16-7	Not listed				

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

Respiratory system STOT - single exposure STOT - repeated exposure None known

No information available

delayed

Aspiration hazard

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing:

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes

severe swelling, severe damage to the delicate tissue and danger of perforation

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

## 12. Ecological information

**Ecotoxicity** 

.

	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Ī	Maleic acid	Not listed	LC50: = 5 mg/L, 96h static	Not listed	EC50: 250 - 400 mg/L, 48h
١			(Pimephales promelas)		(Daphnia magna)
١					

Persistence and Degradability

Persistence is unlikely

**Bioaccumulation/ Accumulation** 

No information available.

**Mobility** 

. Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Maleic acid	-0.34

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

# 14. Transport information

DOT

UN-No UN3261

Proper Shipping Name Corrosive solid, acidic, organic, n.o.s.

Technical Name Maleic acid

Hazard Class 8
Packing Group ||

TDG

UN-No UN3261

Proper Shipping Name Corrosive solid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group ||

IATA

UN-No UN3261

Proper Shipping Name Corrosive solid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group ||

IMDG/IMO

UN-No UN3261

Proper Shipping Name Corrosive solid, acidic, organic, n.o.s.

Hazard Class 8
Packing Group ||

# 15. Regulatory information

## **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Maleic acid	110-16-7	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

#### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Maleic acid	110-16-7	Х	-	203-742-5	Х	Χ	Х	Х	Х	KE-13657

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Maleic acid	X	5000 lb	-	-

Clean Air Act Not applicable

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Maleic acid	5000 lb	-	5000 lb 2270 kg

**California Proposition 65** 

This product does not contain any Proposition 65 chemicals.

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Maleic acid	X	X	X	-	-

**U.S. Department of Transportation** 

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Security

Other International Regulations

Mexico - Grade No information available

## Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization		REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Maleic acid	110-16-7	-	Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

	Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Г	Maleic acid	110-16-7	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

#### Other International Regulations

	Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ī	Maleic acid	110-16-7	Not applicable	Not applicable	Not applicable	Annex I - Y34

# 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 22-Nov-2010

 Revision Date
 28-Mar-2024

 Print Date
 28-Mar-2024

**Revision Summary** New emergency telephone response service provider.

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**