

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

## Section 1 - Identification

Product Name Cobalt, plasma standard solution, Specpure®, C0 10µg/ml

Product Code 45252

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

**Telephone / Fax Numbers**Tel: 1300 735 292
Fax: 1800 067 639

ANTinta@thermeficher.com

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction. This product contains one or more substance(s) listed on the voluntary

National Code of Practice for Chemicals of Security Concern.

# Section 2 - Hazard(s) Identification

#### Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Substances/mixtures corrosive to metal Category 1

**Health hazards** 

Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 2

Environmental hazards
No hazards identified

### **Label Elements**



ALFAA45252 Version 2 19-Nov-2022 Page 1/10

### Signal Word Warning

#### **Hazard Statements**

H290 - May be corrosive to metals

H315 - Causes skin irritation

H319 - Causes serious eye irritation

#### **Precautionary Statements**

P234 - Keep only in original packaging

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P337 + P313 - If eye irritation persists: Get medical advice/attention

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P332 + P313 - If skin irritation occurs: Get medical advice/attention

P390 - Absorb spillage to prevent material damage

P362 + P364 - Take off contaminated clothing and wash it before reuse

P406 - Store in corrosion resistant polypropylene container with a resistant inliner

P501 - Dispose of contents/ container to an approved waste disposal plant

#### Other information

This product does not contain any known or suspected endocrine disruptors

# Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Water	7732-18-5	987.999
Nitric acid% [C ≤ 70 %]	7697-37-2	2.00
Cobalt	7440-48-4	0.001

# Section 4 - First Aid Measures

**Inhalation** Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

**Ingestion** Clean mouth with water and drink afterwards plenty of water.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**General Advice** If symptoms persist, call a physician.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

None reasonably foreseeable.

Notes to Physician Treat symptomatically.

ALFAA45252 Version 2 19-Nov-2022 Page 2 / 10

## Section 5 - Fire Fighting Measures

### **Suitable Extinguishing Media**

Not combustible.

### Extinguishing media which must not be used for safety reasons

No information available.

### **Hazardous Decomposition Products**

Nitrogen oxides (NOx), Cobalt oxides.

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

### Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## Section 6 - Accidental Release Measures

#### **Emergency procedures**

Ensure adequate ventilation. Use personal protective equipment as required.

#### **Environmental Precautions**

Should not be released into the environment. See Section 12 for additional Ecological Information. Do not allow material to contaminate ground water system. Do not flush into surface water or sanitary sewer system.

#### Methods for Containment and Clean Up

### Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

#### Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

#### **Reference to Other Sections**

Refer to protective measures listed in Sections 8 and 13.

# Section 7 - Handling and Storage

### **Precautions for Safe Handling**

Wear personal protective equipment/face protection. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing. Avoid ingestion and inhalation.

### Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals

# Section 8 - Exposure Controls and Personal Protection

#### **Exposure limits**

ALFAA45252 Version 2 19-Nov-2022 Page 3/10

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)]

Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)]

updated in August, 2005. Safe Work Australia **ACGIH** - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

**DE** - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition). New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Nitric acid% [C ≤	STEL: 4 ppm	TWA: 2 ppm	TWA: 2 ppm	STEL: 1 ppm 15 min	TWA: 1 ppm (8
70 %]	STEL: 10 mg/m <sup>3</sup>	TWA: 5.2 mg/m <sup>3</sup>	STEL: 4 ppm	STEL: 2.6 mg/m <sup>3</sup> 15 min	Stunden). AGW -
	TWA: 2 ppm	STEL: 4 ppm			TWA: 2.6 mg/m³ (8
	TWA: 5.2 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>			Stunden). AGW -
Cobalt	TWA: 0.05 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>	TWA: 0.02 mg/m <sup>3</sup>	STEL: 0.3 mg/m3 15 min	Haut
	_	Skin	_	TWA: 0.1 mg/m <sup>3</sup> 8 hr	
				Resp. Sens.	

### **Biological limit values**

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

	Component	Australia	New Zealand	European Union	United Kingdom	Germany
Ī	Cobalt		15 µg/L (urine) end of			
			shift at end of work			
			week (Cobalt)			

### **Exposure Controls**

### **Engineering Measures**

Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Natural rubber	See manufacturers	-	AS/NZS 2161	(minimum requirement)
Nitrile rubber	recommendations			
Neoprene				
PVC				

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices

Recommended Filter type: Particulates filter conforming to EN 143 (or AUS/NZ equivalent)

Recommended half mask:- Particle filtering: EN149:2001 (or AUS/NZ equivalent)

ALFAA45252 Version 2 19-Nov-2022 Page 4/10

Method - No information available

Liquid

(Air = 1.0)

Liquid

When RPE is used a face piece Fit Test should be conducted

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

# Section 9 - Physical and Chemical Properties

#### Information on basic physical and chemical properties

**Appearance** 

Physical State Liquid

Odor No information available
Odor Threshold No data available
pH No information available

Melting Point/RangeNo data availableSoftening PointNo data availableBoiling Point/RangeNo information availableFlash PointNo information available

Evaporation Rate No data available Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor PressureNo data availableVapor DensityNo data available

Specific Gravity / Density

No data available

Not applicable

Bulk Density
Not applicable
Water Solubility
Not applicable
Miscible

Solubility in other solvents

No information available

Partition Coefficient (n-octanol/water)
Component log Pow

Nitric acid ...% [C ≤ 70 %] -2.3
Cobalt 5

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNo data availableExplosive PropertiesNo information availableOxidizing PropertiesNo information available

Other information

Molecular Formula Co in 2% HN O3

## Section 10 - Stability and Reactivity

Reactivity None known, based on information available

**Stability** Stable under normal conditions.

**Conditions to Avoid** Heat, flames and sparks.

Incompatible Materials Strong bases.

Hazardous Decomposition Products Nitrogen oxides (NOx). Cobalt oxides.

**Hazardous Polymerization**No information available.

# Section 11 - Toxicological Information

ALFAA45252 Version 2 19-Nov-2022 Page 5 / 10

### **Information on Toxicological Effects**

**Product Information** 

(a) acute toxicity;

Oral Based on available data, the classification criteria are not met

DermalNo data availableInhalationNo data available

#### Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Nitric acid …% [C ≤ 70 %]			LC50 = 2500 ppm. (Rat) 1h
Cobalt	LD50 = 6171 mg/kg (Rat)		LC50 < 0.05 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 2

(c) serious eye damage/irritation; Category 2

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

There are no known carcinogenic chemicals in this product

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Cobalt		Suspected			Group 2A	Carc Cat. 1B		Cat. 2
		carcinogen						

(g) reproductive toxicity; No data available

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Symptoms / effects,both acute and No information available

delayed

# Section 12 - Ecological Information

**Ecotoxicity effects**May cause long-term adverse effects in the environment. Do not allow material to

contaminate ground water system.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Cobalt	LC50: > 100 mg/L, 96h static (Brachydanio rerio)			

ALFAA45252 Version 2 19-Nov-2022 Page 6/10

Persistence and Degradability Product contains heavy metals. Discharge into the environment must be avoided. Special

pre-treatment is necessary

based on information available, May persist. **Persistence** 

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants.

**Bioaccumulative Potential** May have some potential to bioaccumulate

	Component	log Pow	Bioconcentration factor (BCF)	
	Nitric acid% [C ≤ 70 %]	-2.3	No data available	
	Cobalt	5	No data available	
Mobility The product is water soluble, and may spread in water systems. Will likely b			in water systems. Will likely be mobile in the	
	environment due to its water solubility Highly mobile in soils			
	Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors			

**Persistent Organic Pollutant Ozone Depletion Potential** 

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# Section 13 - Disposal Considerations

Waste from Residues/Unused

**Products** 

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

**Contaminated Packaging** 

Dispose of this container to hazardous or special waste collection point.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Waste codes should be assigned by the user based on the application for which

the product was used. Do not empty into drains.

# Section 14 - Transport Information

### IMDG/IMO

**UN-No** UN3264

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

(NITRIC ACID) **Technical Shipping Name** 

**Hazard Class Packing Group** Ш

ADG

**UN-No** UN3264

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

**Technical Shipping Name** (NITRIC ACID)

**Hazard Class Packing Group** Ш

Component	Hazchem Code
Nitric acid% [C ≤ 70 %]	2R
7697-37-2 ( 2.00 )	2P
	2PE

IATA

**UN-No** 

**Proper Shipping Name** Corrosive liquid, acidic, inorganic, n.o.s.

**Technical Shipping Name** (NITRIC ACID)

**Hazard Class** 8 Ш **Packing Group** 

**ALFAA45252** Version 2 Page 7/10 19-Nov-2022

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

# Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

### Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons	
Nitric acid% [C ≤ 70 %] - 7697-37-2	Schedule 5 listed - except its salts and derivatives; in preparations except in preparations containing	
	<=0.5% of Nitric acid	
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 5, or in	
	preparations containing <=0.5% of Nitric acid	
Cobalt - 7440-48-4	Schedule 4 listed - for human therapeutic use except as Dicobalt edentate in preparations for the	
	treatment of Cyanide poisoning	

### **Australian Industrial Chemicals Introduction Scheme (AICIS)**

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Water - 7732-18-5	Present	ē
Nitric acid …% [C ≤ 70 %] - 7697-37-2	Present	-
Cobalt - 7440-48-4	Present	-

### Australian - Illicit Drug Precursors/Reagents Substance List

This product does not contain any substance(s) on the Illicit Drug Precursors/Reagents list.

### **Chemicals of Security Concern**

This product contains one or more substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug	Chemicals of Security Concern
	Precursors/Reagents Substance List	-
Nitric acid% [C ≤ 70 %] - 7697-37-2		Listed in Appendix A Precursors to homemade explosives - concentration >=30%

#### Legend

Chemicals of Security Concern - for further information see http://www.chemicalsecurity.gov.au/securityconcerns

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Nitric acid …% [C ≤ 70 %] - 7697-37-2	10 tonne/yr. Threshold category 1
Cobalt - 7440-48-4	10 tonne/vr. Threshold category 1

### Prohibition or notification/licensing requirements

ALFAA45252 Version 2 19-Nov-2022 Page 8/10

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product does not contain any substance(s) subject to Prohibition, Authorization or Restriction.

Component	Australia	New South Wales	Western Australia	New Zealand
Cobalt - 7440-48-4				Suspected carcinogen

### **International Inventories**

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	<b>ENCS</b>	ISHL	IECSC	KECL
Water	X	X	231-791-2	-	X	X	-	Χ	Χ		Х	KE-35400
Nitric acid% [C ≤ 70	Х	Х	231-714-2	-	Х	Х	-	Х	Х	Х	Х	KE-25911
%]												
Cobalt	Х	X	231-158-0	-	X	Χ	-	Χ	Χ		Х	KE-06060

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

### Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Nitric acid% [C ≤ 70 %] - 7697-37-2	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Nitric acid% [C ≤ 70 %]	7697-37-2	Listed	Not applicable	Not applicable	Not applicable
Cobalt	7440-48-4	Listed	Not applicable	Not applicable	Not applicable

### Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Nitric acid% [C ≤ 70 %]	-	Use restricted. See item 75.	-
		(see link for restriction details)	
Cobalt	-	Use restricted. See item 30.	-
		(see link for restriction details)	
		Use restricted. See item 28.	
		(see link for restriction details)	
		Use restricted. See item 75.	
		(see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

ALFAA45252 Version 2 19-Nov-2022 Page 9 / 10

# Section 16 - Other Information

### Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air

Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% WEL - Workplace Exposure Limit **DNEL** - Derived No Effect Level

POW - Partition coefficient Octanol:Water vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical

Substances/EU List of Notified Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

ADG - Australian Code for the Transport of Dangerous Goods by Road and Rail

**OECD** - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50% ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

**BCF** - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

#### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards On basis of test data **Health Hazards** Calculation method **Environmental hazards** Calculation method

### **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

19-Nov-2022 **Revision Date** 

**Revision Summary** Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of Safety Data Sheet**

**ALFAA45252** Version 2 19-Nov-2022 Page 10/10