

# SAFETY DATA SHEET

Revision Date 24-December-2021 **Revision Number** 5

1. Identification

**Product Name** (2S)-(+)-Glycidyl tosylate

AC264580000; AC264580010; AC264580050; AC264580250 Cat No.:

CAS-No 70987-78-9

**Synonyms** No information available

**Recommended Use** Laboratory chemicals.

Food, drug, pesticide or biocidal product use. Uses advised against

Details of the supplier of the safety data sheet

Company

Manufacturer Importer/Distributor

Acros Organics Fisher Scientific Company Fisher Scientific One Reagent Lane One Reagent Lane 112 Colonnade Road. Fair Lawn, NJ 07410 Fair Lawn, NJ 07410 Ottawa, ON K2E 7L6, Tel: (201) 796-7100

Canada

Tel: 1-800-234-7437

**Emergency Telephone Number** For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11

> Emergency Number US:001-201-796-7100 / Europe: +32 14 57 52 99 CHEMTREC Tel. No.US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

WHMIS 2015 Classification Classified as hazardous under the Hazardous Products Regulations (SOR/2015-17)

Serious Eye Damage/Eye Irritation Category 1 Skin Sensitization Category 1 Germ Cell Mutagenicity Category 2 Category 1B Carcinogenicity

**Label Elements** 

Signal Word

Danger

**Hazard Statements** 

May cause an allergic skin reaction Causes serious eye damage Suspected of causing genetic defects

#### May cause cancer



## **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Avoid breathing dust/fume/gas/mist/vapors/spray

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves/protective clothing/eye protection/face protection

### Response

IF ON SKIN: Wash with plenty of soap and water

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER/doctor

Wash contaminated clothing before reuse

### Storage

Store locked up

#### Disposal

Dispose of contents/container to an approved waste disposal plant

### Other Hazards

Toxic to aquatic life with long lasting effects

# 3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Oxiranemethanol, 4-methylbenzenesulfonate, (S)-	70987-78-9	>95

## 4. First-aid measures

General Advice Immediate medical attention is required. Show this safety data sheet to the doctor in

attendance. If symptoms persist, call a physician.

**Eye Contact** Keep eye wide open while rinsing. Call a physician immediately. Rinse thoroughly with

plenty of water for at least 15 minutes, lifting lower and upper eyelids. Consult a physician.

If symptoms persist, call a physician.

**Skin Contact**Consult a physician. Wash off immediately with soap and plenty of water while removing all

contaminated clothes and shoes.

**Inhalation** Immediate medical attention is required. Remove to fresh air. If not breathing, give artificial

respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or

other proper respiratory medical device.

**Ingestion** Call a physician or poison control center immediately. Never give anything by mouth to an

unconscious person. Drink plenty of water. Clean mouth with water and drink afterwards

plenty of water. Do not induce vomiting without medical advice.

Most important symptoms/effects Causes eve burns. May cause allergic skin reaction. Causes severe eve damage.

Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

**Notes to Physician** 

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing Treat symptomatically

# 5. Fire-fighting measures

Suitable Extinguishing Media Water spray. Carbon dioxide (CO 2). Dry chemical. Chemical foam.

Unsuitable Extinguishing Media No information available

Flash Point  $> 110 \, ^{\circ}\text{C} \, / > 230 \, ^{\circ}\text{F}$ 

Method - No information available

Autoignition Temperature 346 °C / 654.8 °F

**Explosion Limits** 

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available
Sensitivity to Static Discharge No information available

### **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes. Contact with metals may evolve flammable gas.

### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO2). Sulfur oxides.

### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

**NFPA** 

Health	Flammability	Instability	Physical hazards
2	1	0	N/A

## 6. Accidental release measures

Personal Precautions Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.

Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Wear self-contained breathing apparatus and protective suit. Sweep up and shovel into **Up** suitable containers for disposal. Do not let this chemical enter the environment.

7. H	andl	ing	and	stor	age
------	------	-----	-----	------	-----

Handling Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not ingest. If swallowed

then seek immediate medical assistance. Handle product only in closed system or provide appropriate exhaust ventilation. Avoid contact with skin. Avoid contact with skin and eyes. Pay attention to flashback. Take necessary action to avoid static electricity discharge

(which might cause ignition of organic vapors). Ensure adequate ventilation.

Storage. Keep refrigerated. Keep container tightly closed in a dry and well-ventilated place. Keep in

a bunded area. Incompatible Materials. Strong oxidizing agents. Strong acids. Bases.

# 8. Exposure controls / personal protection

**Exposure Guidelines** 

This product does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies.

### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

### Personal protective equipment

**Eye Protection** Goggles **Hand Protection** Protective gloves

Glove material	Breakthrough time	Glove thickness	Glove comments
Nitrile rubber	See manufacturers	-	Splash protection only
Neoprene	recommendations		
Natural rubber			
PVC			

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

### **Respiratory Protection**

When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained properly **Recommended Filter type:** Particulates filter conforming to EN 143

When RPE is used a face piece Fit Test should be conducted

## **Environmental exposure controls**

Do not allow material to contaminate ground water system. Prevent product from entering drains.

## **Hygiene Measures**

When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Wash hands before breaks and immediately after handling the product. Keep away from food, drink and animal feeding stuffs.

# 9. Physical and chemical properties

Physical State Powder Solid Appearance White

OdorNo information availableOdor ThresholdNo information availablepHca 3.5 saturated sol

Melting Point/Range 45 - 48 °C / 113 - 118.4 °F Boiling Point/Range No information available Flash Point > 110 °C / > 230 °F

Evaporation Rate Not applicable

Flammability (solid,gas) No information available

Flammability or explosive limits

Upper No data available
Lower No data available
Vapor Pressure No information available
Vapor Density Not applicable

Specific GravityNo information availableSolubilityNo information available

## (2S)-(+)-Glycidyl tosylate

Partition coefficient; n-octanol/water

Autoignition Temperature Decomposition Temperature

Viscosity Molecular Formula Molecular Weight No data available 346 °C / 654.8 °F No information available

Not applicable C10 H12 O4 S 228.27

# 10. Stability and reactivity

Reactive Hazard None known, based on information available

**Stability** Moisture sensitive.

**Conditions to Avoid** Incompatible products. Exposure to moist air or water.

Incompatible Materials Strong oxidizing agents, Strong acids, Bases

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Sulfur oxides

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions None under normal processing.

# 11. Toxicological information

### **Acute Toxicity**

### **Product Information**

**Component Information** 

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Oxiranemethanol,	>5000 mg/kg (Rat)	>2000 mg/kg (Rat)	Not listed
4-methylbenzenesulfonate. (S)-	]		

**Toxicologically Synergistic** 

No information available

**Products** 

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

**Sensitization** May cause sensitization by skin contact

Carcinogenicity May cause cancer. The table below indicates whether each agency has listed any

ingredient as a carcinogen.

Component	CAS-No	IARC	NTP	ACGIH	OSHA	Mexico
Oxiranemethanol,	70987-78-9	Not listed				
4-methylbenzenesulfo						
nate, (S)-						

Mutagenic Effects Possible risk of irreversible effects

**Reproductive Effects** No information available.

**Developmental Effects**No information available.

**Teratogenicity** No information available.

STOT - single exposure None known STOT - repeated exposure None known

Aspiration hazard No information available

Symptoms / effects, both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

delayed of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Endocrine Disruptor Information No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

### **Ecotoxicity**

Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Oxiranemethanol,	Not listed	LC50: 4.2 mg/L/96h	Not listed	EC50: 2.0 mg/L/48h
4-methylbenzenesulfonate,		(Rainbow Trout)		_
(S)-				

Persistence and Degradability Persistence is unlikely

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Will likely be mobile in the environment due to its water solubility.

Component	log Pow
Oxiranemethanol, 4-methylbenzenesulfonate, (S)-	1.45

# 13. Disposal considerations

Waste Disposal Methods Should not be released into the environment.

# 14. Transport information

DOT

UN-No UN3077

**Proper Shipping Name Technical Name**Environmentally hazardous substances, solid, n.o.s.
Toluene-4-sulfonate, 2,3-epoxypropyl, (2S)-(+)

Hazard Class 9
Packing Group III

TDG

UN-No UN3077

**Proper Shipping Name** Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9
Packing Group III

<u>IATA</u>

UN-No UN3077

**Proper Shipping Name** Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9
Packing Group III

IMDG/IMO

UN-No UN3077

Proper Shipping Name Environmentally hazardous substances, solid, n.o.s.

Hazard Class 9
Packing Group III

# 15. Regulatory information

#### International Inventories

	Component	CAS-No	DSL	NDSL	TSCA	TSCA Inventory notification - Active-Inactive	EINECS	ELINCS	NLP
4-m	Oxiranemethanol, ethylbenzenesulfonate, (S)-	70987-78-9	-	-	-	-	-	417-210-7	-

Component	CAS-No	IECSC	KECL	ENCS	ISHL	TCSI	AICS	NZIoC	PICCS
Oxiranemethanol,	70987-78-9	-	-	-	-	Х	-	Х	X
4-methylbenzenesulfonate, (S)-									

#### Legend:

X - Listed '-' - Not Listed

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**ENCS** - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

### Canada

SDS in compliance with provisions of information as set out in Canadian Standard - Part 4, Schedule 1 and 2 of the Hazardous Products Regulations (HPR) and meets the requirements of the HPR (Paragraph 13(1)(a) of the Hazardous Products Act (HPA)).

# Other International Regulations

## Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	
Oxiranemethanol, 4-methylbenzenesulfonate, (S)-	-	Use restricted. See item 28. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	

https://echa.europa.eu/substances-restricted-under-reach

## Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS-No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Oxiranemethanol, 4-methylbenzenesulfonate, (S)-	70987-78-9	Not applicable	Not applicable	Not applicable	Not applicable
Component	CAS-No	Carrage III Dimentina	Seveso III Directive	Rotterdam	Basel Convention

Component	CAS-No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Convention (PIC)	Basel Convention (Hazardous Waste)
Oxiranemethanol, 4-methylbenzenesulfonate, (S)-	70987-78-9	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Revision Date 24-December-2021

Revision Date 24-December-2021

Print Date

24-December-2021

Revision Summary This document has been updated to comply with the requirements of WHMIS 2015 to align

with the Globally Harmonised System (GHS) for the Classification and Labelling of

Chemicals.

### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**