# Thermo Fisher SCIENTIFIC

# SAFETY DATA SHEET

Page 1/8 Creation Date 30-Nov-2011 Revision Date 27-Apr-2024 Version 5

ALFAAL15085

# Lithium fluoride

### SECTION 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

产品说明: Lithium fluoride Product Description: Lithium fluoride

 Cat No.:
 L15085

 CAS No
 7789-24-4

 Molecular Formula
 F Li

Supplier Avocado Research Chemicals Ltd.

(Part of Thermo Fisher Scientific)

Shore Road, Heysham Lancashire, LA3 2XY, United Kingdom

Office Tel: +44 (0) 1524 850506 Office Fax: +44 (0) 1524 850608

Emergency Telephone Number For information US call: 001-800-227-6701 / Europe call: +32 14 57 52 11

Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

**E-mail address** begel.sdsdesk@thermofisher.com

Recommended Use Laboratory chemicals.
Uses advised against No Information available

# **SECTION 2. HAZARD IDENTIFICATION**

Physical StateAppearanceOdorPowder SolidWhiteOdorless

**Emergency Overview** 

Toxic if swallowed. Causes serious eye irritation. Contact with acids liberates very toxic gas.

#### Classification of the substance or mixture

Acute Oral Toxicity	Category 3
Serious Eye Damage/Eye Irritation	Category 2

#### **Label Elements**



Signal Word Danger

Hazard Statements H301 - Toxic if swallowed

Page 2/8 Revision Date 27-Apr-2024

### Lithium fluoride

H319 - Causes serious eye irritation

#### **Precautionary Statements**

#### Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P280 - Wear eye protection/ face protection

### Response

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P330 - Rinse mouth

P337 + P313 - If eye irritation persists: Get medical advice/attention

#### Storage

P405 - Store locked up

#### **Disposal**

P501 - Dispose of contents/ container to an approved waste disposal plant

#### **Physical and Chemical Hazards**

Contact with acids liberates very toxic gas.

#### **Health Hazards**

Toxic if swallowed. Causes serious eye irritation.

#### **Environmental hazards**

Contains no substances known to be hazardous to the environment or not degradable in waste water treatment plants. Will likely be mobile in the environment due to its water solubility. The product is water soluble, and may spread in water systems.

This product does not contain any known or suspected endocrine disruptors.

#### **SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Component	CAS No	Weight %
Lithium fluoride	7789-24-4	<=100

# **SECTION 4. FIRST AID MEASURES**

#### **General Advice**

Show this safety data sheet to the doctor in attendance. Immediate medical attention is required.

# **Eve Contact**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

# **Skin Contact**

Wash off immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

#### Inhalation

Remove to fresh air. If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Immediate medical attention is required.

#### Ingestion

Do NOT induce vomiting. Call a physician or poison control center immediately.

### Most important symptoms and effects

None reasonably foreseeable.

#### Self-Protection of the First Aider

Ensure that medical personnel are aware of the material(s) involved, take precautions to protect themselves and prevent spread of contamination.

Page 3/8 Revision Date 27-Apr-2024

### Lithium fluoride

### **Notes to Physician**

Treat symptomatically.

### **SECTION 5. FIRE-FIGHTING MEASURES**

#### Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.

#### Extinguishing media which must not be used for safety reasons

No information available.

# **Specific Hazards Arising from the Chemical**

Thermal decomposition can lead to release of irritating gases and vapors.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

# **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### **Personal Precautions**

Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust formation. Keep people away from and upwind of spill/leak. Evacuate personnel to safe areas.

#### **Environmental Precautions**

Should not be released into the environment.

# Methods for Containment and Clean Up

Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

Refer to protective measures listed in Sections 8 and 13.

# **SECTION 7. HANDLING AND STORAGE**

#### Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Avoid dust formation. Use only under a chemical fume hood. Do not breathe (dust, vapor, mist, gas). Do not ingest. If swallowed then seek immediate medical assistance.

### Storage

Keep in a dry, cool and well-ventilated place. Keep container tightly closed.

# Specific Use(s)

Use in laboratories

# **SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### **Control Parameters**

Component	China	Taiwan	Thailand	Hong Kong
Lithium fluoride	-	TWA: 2.5 mg/m <sup>3</sup>	TWA: 2.5 mg/m <sup>3</sup>	-

Component	ACGIH TLV	OSHA PEL	NIOSH	The United Kingdom	European Union
Lithium fluoride	TWA: 2.5 mg/m <sup>3</sup>	(Vacated) TWA: 2.5	IDLH: 250 mg/m <sup>3</sup>	STEL: 7.5 mg/m <sup>3</sup> 15	
	_	mg/m³	TWA: 2.5 mg/m <sup>3</sup>	min	
				TWA: 2.5 mg/m <sup>3</sup> 8 hr	

Page 4/8 Revision Date 27-Apr-2024

#### Lithium fluoride

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

# **Monitoring methods**

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents. MDHS14/3 General methods for sampling and gravimetric analysis of respirable and inhalable dust

#### **Exposure Controls**

#### **Engineering Measures**

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source.

#### Personal protective equipment

**Eye Protection** Wear safety glasses with side shields (or goggles) Goggles (European standard - EN 166)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	EU standard	Glove comments	
Natural rubber Nitrile rubber	See manufacturers recommendations	-	EN 374	(minimum requirement)	
Neoprene PVC					

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

**Respiratory Protection** When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

To protect the wearer, respiratory protective equipment must be the correct fit and be used

and maintained properly

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particulates filter conforming to EN 143

Small scale/Laboratory use Use a NIOSH/MSHA or European Standard EN 149:2001 approved respirator if exposure

limits are exceeded or if irritation or other symptoms are experienced.

**Recommended half mask:-** Particle filtering: EN149:2001 When RPE is used a face piece Fit Test should be conducted

**Hygiene Measures** Handle in accordance with good industrial hygiene and safety practice.

**Environmental exposure controls** No information available.

#### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance White Physical State Powder Solid

Page 5 / 8 Revision Date 27-Apr-2024

### Lithium fluoride

**Odor** Odorless

Odor Threshold
pH
No information available
No information available
Melting Point/Range
845 °C / 1553 °F
Softening Point
No data available
Boiling Point/Range
1681 °C / 3057.8 °F

Flash Point No information available Method - No information available

Not applicable Solid

Solid

Solid

Flammability (solid,gas) No information available

Explosion Limits No data available

Vapor Pressure
No data available

Vapor Density Not applicable

Specific Gravity / Density

**Evaporation Rate** 

Bulk DensityNo data availableWater Solubility0.29 g/100ml (20°C)Solubility in other solventsNo information available

Partition Coefficient (n-octanol/water)

**Component log Pow** Lithium fluoride 0.23

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availableViscosityNot applicable

Explosive Properties No information available Oxidizing Properties No information available

Molecular FormulaF LiMolecular Weight25.93

# **SECTION 10. STABILITY AND REACTIVITY**

**Stability** Stable under normal conditions.

**Hazardous Reactions**None under normal processing.

**Hazardous Polymerization** Hazardous polymerization does not occur.

Conditions to Avoid Incompatible products.

Materials to avoid Strong oxidizing agents. Acids.

Hazardous Decomposition Products Gaseous hydrogen fluoride (HF).

# **SECTION 11. TOXICOLOGICAL INFORMATION**

Product Information The toxicological properties have not been fully investigated

(a) acute toxicity;

Component	LD50 Oral	LD50 Oral LD50 Dermal L		LD50 Oral LD50 Dermal LC50 Inh					LD50 Oral LD50 Dermal			
Lithium fluoride	706 mg/kg	LD50 > 2000 mg/kg (Rat	LC50 > 15.57 mg/L (Rat) 4 h									

**(b) skin corrosion/irritation;** Based on available data, the classification criteria are not met

(c) serious eye damage/irritation; Category 2

Page 6/8 Revision Date 27-Apr-2024

### Lithium fluoride

(d) respiratory or skin sensitization;

**Respiratory** Based on available data, the classification criteria are not met

Skin Based on available data, the classification criteria are not met

(e) germ cell mutagenicity; Based on available data, the classification criteria are not met

(f) carcinogenicity; Based on available data, the classification criteria are not met

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; Based on available data, the classification criteria are not met

(h) STOT-single exposure; Based on available data, the classification criteria are not met

(i) STOT-repeated exposure; Based on available data, the classification criteria are not met

Target Organs None known.

(j) aspiration hazard; Not applicable

Solid

Symptoms / effects,both acute and No information available

delayed

### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity effects** Do not empty into drains. .

Persistence and Degradability

**Persistence** Persistence is unlikely.

**Degradability** Not relevant for inorganic substances.

Bioaccumulative Potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Lithium fluoride	0.23	No data available

Mobility in soil

The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility Highly mobile in soils

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

# **SECTION 13. DISPOSAL CONSIDERATIONS**

Waste from Residues/Unused

Products

Waste is classified as hazardous. Dispose of in accordance with the European Directives on waste and hazardous waste. Dispose of in accordance with local regulations.

**Contaminated Packaging** Dispose of this container to hazardous or special waste collection point.

Other Information Waste codes should be assigned by the user based on the application for which the product

Page 7/8 Revision Date 27-Apr-2024

Lithium fluoride

was used. Do not empty into drains.

# **SECTION 14. TRANSPORT INFORMATION**

## Road and Rail Transport

IMDG/IMO Not regulated

IATA Not regulated

**Special Precautions for User** No special precautions required

#### **SECTION 15. REGULATORY INFORMATION**

#### **International Inventories**

X = listed, China (IECSC), Europe (EINECS/ELINCS/NLP), U.S.A. (TSCA), Canada (DSL/NDSL), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), Korea (KECL).

Component	The Inventory of Hazardous Chemicals (2015 Edition)		TCSI	IECSC	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	AICS	KECL
Lithium fluoride	Edition) ∨	_			232-152-0							KE-22559

### **National Regulations**

### **SECTION 16. OTHER INFORMATION**

**Prepared By** Health, Safety and Environmental Department

**Creation Date** 30-Nov-2011 **Revision Date** 27-Apr-2024

**Revision Summary** New emergency telephone response service provider.

# **Training Advice**

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Use of personal protective equipment, covering appropriate selection, compatibility, breakthrough thresholds, care, maintenance, fit and standards.

First aid for chemical exposure, including the use of eye wash and safety showers.

# Legend

**CAS** - Chemical Abstracts Service TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances **IECSC** - Chinese Inventory of Existing Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

**ENCS** - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

Page 8 / 8 Revision Date 27-Apr-2024

### Lithium fluoride

WEL - Workplace Exposure Limit

**ACGIH** - American Conference of Governmental Industrial Hygienists

**DNEL** - Derived No Effect Level

**RPE** - Respiratory Protective Equipment **LC50** - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

**ADR** - European Agreement Concerning the International Carriage of Dangerous Goods by Road

**OECD** - Organisation for Economic Co-operation and Development

**BCF** - Bioconcentration factor

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

PNEC - Predicted No Effect Concentration

LD50 - Lethal Dose 50%

**EC50** - Effective Concentration 50% **POW** - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

**IMO/IMDG** - International Maritime Organization/International Maritime Dangerous Goods Code

MARPOL - International Convention for the Prevention of Pollution from

Ships

ATE - Acute Toxicity Estimate

VOC - (Volatile Organic Compound)

### Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of Safety Data Sheet**