

according to Regulation (EC) No. 1907/2006

Revision Date 17-Mar-2024 Revision Number 3

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Description: Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Cat No. : J63104

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

1.3. Details of the supplier of the safety data sheet

Company

Thermo Fisher (Kandel) GmbH

Erlenbachweg 2, 76870 Kandel, Germany

Tel: +49 (0) 721 84007 280 Fax: +49 (0) 721 84007 300

Swiss distributor - Fisher Scientific AG Neuhofstrasse 11, CH 4153 Reinach

Tel: +41 (0) 56 618 41 11

https://www.fishersci.ch/ch/en/customer-help-

support/forms/email-us.html

E-mail address begel.sdsdesk@thermofisher.com

1.4. Emergency telephone number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No.**US**:001-800-424-9300 / **Europe**:001-703-527-3887

customers in Switzerland:

Tox Info Suisse Emergency Number: 145 (24hr)

Tox Info Suisse: +41-44 251 51 51 (Emergency number from abroad)

Chemtrec (24h) Toll-Free: 0800 564 402 Chemtrec Local: +41-43 508 20 11 (Zurich)

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLP Classification - Regulation (EC) No 1272/2008

Physical hazards

ALFAAJ63104

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

Based on available data, the classification criteria are not met

Health hazards

Based on available data, the classification criteria are not met

Environmental hazards

Based on available data, the classification criteria are not met

Full text of Hazard Statements: see section 16

2.2. Label elements

None required

EUH210 - Safety data sheet available on request

2.3. Other hazards

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2. Mixtures

Component	CAS No	EC No	Weight %	CLP Classification - Regulation (EC) No 1272/2008
Water	7732-18-5	231-791-2	98.0309	-
Gelatin	9000-70-8	EEC No. 232-554-6	1	-
Sodium chloride	7647-14-5	231-598-3	0.7918	-
Phosphoric acid, disodium salt	7558-79-4	231-448-7	0.1128	-
Phosphoric acid, potassium salt (1:1)	7778-77-0	231-913-4	0.0247	-
Sodium azide	26628-22-8	247-852-1	0.02	Acute Tox. 2 (H300) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) (EUH032)
Potassium chloride	7447-40-7	231-211-8	0.0198	-

Component	Specific concentration limits (SCL's)	M-Factor	Component notes
Sodium azide	-	1	-

Full text of Hazard Statements: see section 16

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

immediately if symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider No special precautions required.

4.2. Most important symptoms and effects, both acute and delayed

None reasonably foreseeable.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable Extinguishing Media

Not combustible.

Extinguishing media which must not be used for safety reasons

No information available.

5.2. Special hazards arising from the substance or mixture

Thermal decomposition can lead to release of irritating gases and vapors.

Hazardous Combustion Products

Nitrogen oxides (NOx), Sulfur oxides, Hydrogen chloride, Oxides of phosphorus, Sodium oxides.

5.3. Advice for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required.

6.2. Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Sweep up and shovel into suitable containers for disposal.

6.4. Reference to other sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice. Keep away from food, drink and animal feeding stuffs. Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and after work.

7.2. Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place.

Technical Rules for Hazardous Substances (TRGS) 510 Storage Class (LGK) (Germany)

Storage Class/LGK 12

Storage class - SC 10/12

Switzerland - Storage of hazardous substances

https://www.kvu.ch/de/themen/stoffe-und-produkte https://www.kvu.ch/fr/themes/substances-et-produits https://www.kvu.ch/it/temi/sostanze-e-prodotti

Revision Date 17-Mar-2024

7.3. Specific end use(s)

Use in laboratories

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Exposure limits

List source(s): **EU** - Commission Directive (EU) 2019/1831 of 24 October 2019 establishing a fifth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC and amending Commission Directive 2000/39/EC **UK** - EH40/2005 Work Exposure Limits, Forth edition. Published 2020. **IRE** - 2010 Code of Practice for the Safety, Health and Welfare at Work (Chemical Agents) Regulations 2001. Published by the Health and Safety Authority. **CH** - The Government of Switzerland has set a directive on limit values for working materials (Grenzwerte am Arbeitsplatz) which is based on the Swiss Federal Regulation "Verordnung über die Verhütung von Unfällen und Berufskrankheiten". This directive is administered, periodically revised and enforced by SUVA (Swiss National Accident Insurance Fund).

Component	European Union	The United Kingdom	France	Belgium	Spain
Sodium azide	Skin TWA 0.1 mg/m ³	Skin TWA 0.1 mg/m ³	TWA / VME: 0.1 mg/m ³ (8 heures). restrictive	Skin TWA 0.1 mg/m³	STEL / VLA-EC: 0.3 mg/m³ (15 minutos).
	STEL 0.3 mg/m ³	STEL 0.3 mg/m ³	limit STEL / VLCT: 0.3	STEL 0.3 mg/m ³	TWA / VLA-ED: 0.1 mg/m³ (8 horas)
			mg/m³. restrictive limit Peau		Piel

Component	Italy	Germany	Portugal	The Netherlands	Finland
Sodium azide	TWA: 0.1 mg/m ³ 8 ore.	MAK 0.2 mg/m ³	STEL: 0.3 mg/m ³ 15	huid	TWA: 0.1 mg/m ³ 8
	Time Weighted Average	(inhalable)	minutos	STEL: 0.3 mg/m ³ 15	tunteina
	STEL: 0.3 mg/m ³ 15		Ceiling: 0.29 mg/m ³	minuten	STEL: 0.3 mg/m ³ 15
	minuti. Short-term		Ceiling: 0.11 ppm	TWA: 0.1 mg/m ³ 8 uren	minuutteina
	Pelle		TWA: 0.1 mg/m ³ 8 horas	_	lho
			Pele		

Component	Austria	Denmark	Switzerland	Poland	Norway
Sodium azide	Haut	TWA: 0.1 mg/m ³ 8 timer	STEL: 0.4 mg/m ³ 15	STEL: 0.3 mg/m ³ 15	TWA: 0.1 mg/m ³ 8 timer
	MAK-KZGW: 0.3 mg/m ³	STEL: 0.3 mg/m ³ 15	Minuten	minutach	STEL: 0.3 mg/m ³ 15
	15 Minuten	minutter	TWA: 0.2 mg/m ³ 8	TWA: 0.1 mg/m ³ 8	minutter. value from the
	MAK-TMW: 0.1 mg/m ³ 8	Hud	Stunden	godzinach	regulation
	Stunden			_	

Component	Bulgaria	Croatia	Ireland	Cyprus	Czech Republic
Sodium azide	TWA: 0.1 mg/m ³	kože	TWA: 0.1 mg/m ³ 8 hr.	Skin-potential for	TWA: 0.1 mg/m ³ 8
	STEL: 0.3 mg/m ³	TWA-GVI: 0.1 mg/m ³ 8	STEL: 0.3 mg/m ³ 15 min	cutaneous absorption	hodinách.
	Skin notation	satima.	Skin	STEL: 0.3 mg/m ³	Potential for cutaneous
		STEL-KGVI: 0.3 mg/m ³		TWA: 0.1 mg/m ³	absorption

Revision Date 17-Mar-2024

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

		15 minutama.		Ceiling: 0.3 mg/m ³
Potassium chloride	TWA: 5.0 mg/m ³			

Component	Estonia	Gibraltar	Greece	Hungary	Iceland
Sodium azide	Nahk	Skin notation	STEL: 0.1 ppm	STEL: 0.3 mg/m ³ 15	STEL: 0.3 mg/m ³
	TWA: 0.1 mg/m ³ 8	TWA: 0.1 mg/m ³ 8 hr	STEL: 0.3 mg/m ³	percekben. CK	TWA: 0.1 mg/m ³ 8
	tundides.	STEL: 0.3 mg/m3 15 min	TWA: 0.1 ppm	TWA: 0.1 mg/m ³ 8	klukkustundum.
	STEL: 0.3 mg/m ³ 15	_	TWA: 0.3 mg/m ³	órában. AK	Skin notation
	minutites.		_		

Component	Latvia	Lithuania	Luxembourg	Malta	Romania
Sodium chloride	TWA: 5 mg/m ³	TWA: 5 mg/m³ IPRD			
Sodium azide	skin - potential for cutaneous exposure STEL: 0.3 mg/m ³ TWA: 0.1 mg/m ³	TWA: 0.1 mg/m³ IPRD Oda STEL: 0.3 mg/m³	Possibility of significant uptake through the skin TWA: 0.1 mg/m³ 8 Stunden STEL: 0.3 mg/m³ 15 Minuten	possibility of significant uptake through the skin TWA: 0.1 mg/m³ STEL: 0.3 mg/m³ 15 minuti	
Potassium chloride	TWA: 5 mg/m ³	TWA: 5 mg/m³ IPRD			

Component	Russia	Slovak Republic	Slovenia	Sweden	Turkey
Gelatin	MAC: 10 mg/m ³				
Sodium chloride	MAC: 5 mg/m ³				
Phosphoric acid, disodium salt	MAC: 10 mg/m ³				
Phosphoric acid, potassium salt (1:1)	MAC: 10 mg/m ³				
Sodium azide		Ceiling: 0.3 mg/m³ Potential for cutaneous absorption TWA: 0.1 mg/m³	TWA: 0.1 mg/m³ 8 urah Koža STEL: 0.3 mg/m³ 15 minutah	Binding STEL: 0.3 mg/m³ 15 minuter TLV: 0.1 mg/m³ 8 timmar. NGV	Deri TWA: 0.1 mg/m³ 8 saat STEL: 0.3 mg/m³ 15 dakika
Potassium chloride	MAC: 5 mg/m ³				

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Monitoring methods

BS EN 14042:2003 Title Identifier: Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.

Derived No Effect Level (DNEL) / Derived Minimum Effect Level (DMEL)

See table for values

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Dermal)	systemic (Dermal)	(Dermal)	systemic (Dermal)
Sodium chloride		DNEL = 295.52mg/kg		DNEL = 295.52mg/kg
7647-14-5 (0.7918)		bw/day		bw/day
Sodium azide				DNEL = 46.7µg/kg
26628-22-8 (0.02)				bw/day
Potassium chloride		DNEL = 910mg/kg		DNEL = 303mg/kg
7447-40-7 (0.0198)		bw/day		bw/day

Component	Acute effects local	Acute effects	Chronic effects local	Chronic effects
	(Inhalation)	systemic (Inhalation)	(Inhalation)	systemic (Inhalation)
Sodium chloride		DNEL = 2068.62mg/m ³		DNEL = 2068.62mg/m ³
7647-14-5 (0.7918)		_		_
Phosphoric acid, potassium salt				DNEL = 14.82mg/m ³
(1:1)				
7778-77-0 (0.0247)				

Revision Date 17-Mar-2024

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Sodium azide		$DNEL = 0.164 mg/m^3$
26628-22-8 (0.02)		
Potassium chloride	$DNEL = 5320 \text{mg/m}^3$	$DNEL = 1064 mg/m^3$
7447-40-7 (0.0198)	-	

Predicted No Effect Concentration (PNEC)

See values below.

Component	Fresh water	Fresh water	Water Intermittent	Microorganisms in	Soil (Agriculture)
		sediment		sewage treatment	
Sodium chloride	PNEC = 5mg/L			PNEC = 500mg/L	PNEC = 4.86mg/kg
7647-14-5 (0.7918)					soil dw
Phosphoric acid, disodium	PNEC = 0.05mg/L		PNEC = 0.5mg/L	PNEC = 50mg/L	
salt					
7558-79-4 (0.1128)					
Sodium azide	PNEC = $0.35\mu g/L$	$PNEC = 16.7 \mu g/kg$	PNEC = $3.5\mu g/L$	PNEC = 30µg/L	
26628-22-8 (0.02)		sediment dw			
Potassium chloride	PNEC = 0.1mg/L		PNEC = 1mg/L	PNEC = 10mg/L	
7447-40-7 (0.0198)	_				

Component	Marine water	Marine water	Marine water	Food chain	Air
		sediment	Intermittent		
Phosphoric acid, disodium	PNEC = 0.005mg/L				
salt					
7558-79-4 (0.1128)					
Sodium azide	PNEC = 15ng/L	$PNEC = 0.72 \mu g/kg$	PNEC = 150ng/L		
26628-22-8 (0.02)	_	sediment dw	-		
Potassium chloride	PNEC = 0.1mg/L				
7447-40-7 (0.0198)	-				

8.2. Exposure controls

Engineering Measures

None under normal use conditions.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles) (European standard - EN 166)

Hand Protection Protective gloves

Glove material Natural rubber Nitrile rubber Neoprene	Breakthrough time See manufacturers recommendations	Glove thickness	EU standard EN 374	Glove comments (minimum requirement)
PVC				

Skin and body protection Long sleeved clothing.

Inspect gloves before use. observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information) gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion. gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions.

Large scale/emergency use Use a NIOSH/MSHA or European Standard EN 136 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced

Recommended Filter type: Particle filter

Small scale/Laboratory use Maintain adequate ventilation

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

Environmental exposure controls No information available.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical State Liquid

Appearance

Odor
Odor No information available
Odor Threshold No data available
Melting Point/Range No data available
Softening Point No data available
Boiling Point/Range No information available
Flammability (liquid) No data available

Flammability (solid,gas) Not applicable Liquid

Explosion Limits No data available

Flash Point No information available Method - No information available

Autoignition TemperatureNo data availableDecomposition TemperatureNo data availablepHNo information availableViscosityNo data available

Water Solubility Miscible

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Vapor Pressure<=1100 hPa @ 50 °C</th>Density / Specific GravityNo data available

Bulk DensityNot applicableLiquidVapor DensityNo data available(Air = 1.0)

Particle characteristics Not applicable (liquid)

9.2. Other information

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

None known, based on information available

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Hazardous PolymerizationNo information available.Hazardous ReactionsNone under normal processing.

10.4. Conditions to avoid

Incompatible products. Excess heat.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Nitrogen oxides (NOx). Sulfur oxides. Hydrogen chloride. Oxides of phosphorus. Sodium

oxides.

SECTION 11: TOXICOLOGICAL INFORMATION

Revision Date 17-Mar-2024

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Product Information

(a) acute toxicity;

Based on available data, the classification criteria are not met Oral Dermal Based on available data, the classification criteria are not met Inhalation Based on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water	-	-	-
Sodium chloride	LD50 = 3 g/kg (Rat)	LD50 > 10000 mg/kg (Rabbit)	LC50 > 42 mg/L (Rat) 1 h
Phosphoric acid, disodium salt	LD50 = 17 g/kg (Rat)	-	-
Phosphoric acid, potassium salt (1:1)	LD50 = 3200 mg/kg (Rat)	LD50 > 4640 mg/kg (Rabbit)	LC50 > 0.83 mg/L (Rat) 4 h
Sodium azide	LD50 = 27 mg/kg (Rat)	-	LC50 0.054 - 0.52 mg/L (Rat) 4 h
Potassium chloride	LD50 = 2600 mg/kg (Rat)	-	-

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

No data available (e) germ cell mutagenicity;

No data available (f) carcinogenicity;

There are no known carcinogenic chemicals in this product

(g) reproductive toxicity; No data available

No data available (h) STOT-single exposure;

(i) STOT-repeated exposure; No data available

No information available. **Target Organs**

No data available (j) aspiration hazard;

Symptoms / effects,both acute and No information available.

delayed

11.2. Information on other hazards

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity effectsContains no substances known to be hazardous to the environment or that are not

degradable in waste water treatment plants.

Component	Freshwater Fish	Water Flea	Freshwater Algae
Sodium chloride	Pimephals prome: LC50: 7650 mg/L/96h	EC50: 1000 mg/L/48h	
Sodium azide	LC50: = 0.7 mg/L, 96h (Lepomis macrochirus) LC50: = 0.8 mg/L, 96h (Oncorhynchus mykiss) LC50: = 5.46 mg/L, 96h flow-through (Pimephales promelas)		
Potassium chloride	Lepomis macrochirus: LC50: 1060 mg/L /96h Pimephales promelas: LC50: 750 - 1020 mg/L /96h	EC50: 825 mg/L/48h	EC50: 2500 mg/L/72h

Component	Microtox	M-Factor
Sodium azide		1

12.2. Persistence and degradability

Persistence Miscible with water, Persistence is unlikely, based on information available.

12.3. Bioaccumulative potential Bioaccumulation is unlikely

12.4. Mobility in soil The product is water soluble, and may spread in water systems Will likely be mobile in the

environment due to its water solubility. Highly mobile in soils

12.5. Results of PBT and vPvB

assessment

No data available for assessment.

12.6. Endocrine disrupting

properties

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

12.7. Other adverse effects

Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Consult local, regional, and national hazardous waste regulations to

ensure complete and accurate classification.

Contaminated Packaging Empty remaining contents. Dispose of in accordance with local regulations. Do not re-use

empty containers.

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Revision Date 17-Mar-2024

European Waste Catalogue (EWC)

According to the European Waste Catalog, Waste Codes are not product specific, but

application specific.

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Switzerland - Waste Ordinance Disposal should be in accordance with applicable regional, national and local laws and

regulations. Ordinance on the Avoidance and the Disposal of Waste (Waste Ordinance,

ADWO) SR 814.600

https://www.fedlex.admin.ch/eli/cc/2015/891/en

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

ADR Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

IATA Not regulated

14.1. UN number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazardsNo hazards identified

14.6. Special precautions for user No special precautions required.

14.7. Maritime transport in bulk

according to IMO instruments

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Not applicable, packaged goods

International Inventories

Europe (EINECS/ELINCS/NLP), China (IECSC), Taiwan (TCSI), Korea (KECL), Japan (ENCS), Japan (ISHL), Canada (DSL/NDSL), Australia (AICS), New Zealand (NZIoC), Philippines (PICCS). US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

Component	CAS No	EINECS	ELINCS	NLP	IECSC	TCSI	KECL	ENCS	ISHL
Water	7732-18-5	231-791-2	-	-	X	X	KE-35400	X	-
Gelatin	9000-70-8	232-554-6	-	-	Х	Χ	KE-17574	X	X
Sodium chloride	7647-14-5	231-598-3	-	-	Х	X	KE-31387	X	X
Phosphoric acid, disodium salt	7558-79-4	231-448-7	-	-	Х	Χ	KE-12344	Х	Х
Phosphoric acid, potassium salt	7778-77-0	231-913-4	-	-	Х	X	KE-28622	X	X
(1:1)									
Sodium azide	26628-22-8	247-852-1	-	-	Х	X	KE-31357	X	X
Potassium chloride	7447-40-7	231-211-8	-	-	Х	X	KE-29086	X	X

Component	CAS No	TSCA	TSCA Inventory	DSL	NDSL	AICS	NZIoC	PICCS
			notification -					

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Active-Inactive Water 7732-18-5 **ACTIVE** X Χ Χ Χ Χ **ACTIVE** Χ Gelatin 9000-70-8 7647-14-5 Χ ACTIVE Х Χ Χ Χ Sodium chloride Phosphoric acid, disodium salt 7558-79-4 Χ ACTIVE Χ Х Χ Х Phosphoric acid, potassium salt 7778-77-0 Χ **ACTIVE** Χ X Χ Х (1:1)ACTIVE Sodium azide 26628-22-8 Χ Х X Χ X Potassium chloride 7447-40-7 Χ ACTIVE Χ Х

Legend: X - Listed '-' - Not Listed KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

Authorisation/Restrictions according to EU REACH

Not applicable

Revision Date 17-Mar-2024

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Water	7732-18-5	-	-	-
Gelatin	9000-70-8	-	-	-
Sodium chloride	7647-14-5	-	-	-
Phosphoric acid, disodium salt	7558-79-4	-	-	-
Phosphoric acid, potassium salt (1:1)	7778-77-0	-	-	-
Sodium azide	26628-22-8	-	-	-
Potassium chloride	7447-40-7	-	-	-

Seveso III Directive (2012/18/EC)

Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Water	7732-18-5	Not applicable	Not applicable
Gelatin	9000-70-8	Not applicable	Not applicable
Sodium chloride	7647-14-5	Not applicable	Not applicable
Phosphoric acid, disodium salt	7558-79-4	Not applicable	Not applicable
Phosphoric acid, potassium salt (1:1)	7778-77-0	Not applicable	Not applicable
Sodium azide	26628-22-8	Not applicable	Not applicable
Potassium chloride	7447-40-7	Not applicable	Not applicable

Regulation (EC) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of dangerous chemicals

Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Take note of Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values

National Regulations

UK - Take note of Control of Substances Hazardous to Health Regulations (COSHH) 2002 and 2005 Amendment

WGK Classification

Water endangering class = non-hazardous to waters (self classification)

Component	Germany - Water Classification (AwSV)	Germany - TA-Luft Class
Sodium chloride	WGK1	

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

[
Phosphoric acid, disodium salt	WGK1	
Phosphoric acid, potassium salt	WGK1	
(1:1)		
Sodium azide	WGK2	
Potassium chloride	WGK1	

Component	France - INRS (Tables of occupational diseases)		
Gelatin	Tableaux des maladies professionnelles (TMP) - RG 88		
Sodium chloride	Tableaux des maladies professionnelles (TMP) - RG 78		
Potassium chloride	Tableaux des maladies professionnelles (TMP) - RG 67		

Swiss Regulations

Article 4 para. 4 of the Ordinance on the protection of young people in the workplace (SR 822.115) and Article 1 lit. f of the EAER regulation on hazardous work and young people (SR 822.115.2).

Take note on Article 13 Maternity Ordinance (SR 822.111.52) with regards expectant and nursing mothers.

Component	Switzerland - Ordinance on the Reduction of Risk from handling of hazardous substances preparation (SR 814.81)	Switzerland - Ordinance on Incentive Taxes on Volatile Organic Compounds (OVOC)	Switzerland - Ordinance of the Rotterdam Convention on the Prior Informed Consent Procedure
Sodium chloride 7647-14-5 (0.7918)	Prohibited and Restricted Substances		

15.2. Chemical safety assessment

Chemical Safety Assessment/Reports (CSA/CSR) are not required for mixtures

SECTION 16: OTHER INFORMATION

Full text of H-Statements referred to under sections 2 and 3

H300 - Fatal if swallowed

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

EUH032 - Contact with acids liberates very toxic gas

Legend

CAS - Chemical Abstracts Service

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

IECSC - Chinese Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

DNEL - Derived No Effect Level

RPE - Respiratory Protective Equipment

LC50 - Lethal Concentration 50%

NOEC - No Observed Effect Concentration

PBT - Persistent, Bioaccumulative, Toxic

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

Revision Date 17-Mar-2024

Substances List

ENCS - Japanese Existing and New Chemical Substances

AICS - Australian Inventory of Chemical Substances

NZIoC - New Zealand Inventory of Chemicals

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

Predicted No Effect Concentration (PNEC)

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50% POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Shins

ATE - Acute Toxicity Estimate

VOC - (volatile organic compound)

Revision Date 17-Mar-2024

Gelatin blocking buffer, 1% in PBS, with 0.02% sodium azide

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards
Health Hazards
Calculation method
Environmental hazards
Cn basis of test data
Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Prepared By Health, Safety and Environmental Department

Revision Date 17-Mar-2024

Revision Summary New emergency telephone response service provider.

This safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006. COMMISSION REGULATION (EU) 2020/878 amending Annex II to Regulation (EC) No. 1907/2006

For Switzerland - Compiled in accordance with the technical provisions referred to in Annex 2, Number 3, ChemO (SR 813.11 - Ordinance on Protection against Dangerous Substances and Preparations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet