

Australian statement of hazardous nature: Classified as hazardous according to criteria of Safe Work Australia

Section 1 - Identification

Product Name Chem FAA solution

Product Code ROA4700

Address ThermoFisher Scientific Australia Pty Ltd

5 Caribbean Drive, Scoresby VICTORIA 3179, Australia

Emergency Tel. CHEMTREC®

03 9757 4559 or +613 9757 4559

Telephone / Fax Numbers Tel: 1300 735 292

Fax: 1800 067 639

E-mail address ANZinfo@thermofisher.com

Recommended Use Laboratory chemicals.

Uses advised against

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list.

Verify requirements related to using, handling and storing these substances. This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met. This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security

Concern.

Section 2 - Hazard(s) Identification

Classification under Safe Work Australia

Classified as hazardous according to criteria of Safe Work Australia

Physical hazards

Flammable liquids Category 2

Health hazards

Acute Oral Toxicity

Acute Dermal Toxicity

Acute Inhalation Toxicity - Vapors

Skin Corrosion/Irritation

Serious Eye Damage/Eye Irritation

Category 1

Skin Sonsitization

Category 1

Skin Sonsitization

Skin Sensitization Category 1
Germ Cell Mutagenicity Category 2
Carcinogenicity Category 1B

Environmental hazards

No hazards identified

Label Elements

AUS-003449 Version 3 12-Mar-2025 Page 1/12









Flame

Skull and Crossbones

Health Hazard

Signal Word

Danger

Hazard Statements

H350 - May cause cancer

H225 - Highly flammable liquid and vapor

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H331 - Toxic if inhaled

H341 - Suspected of causing genetic defects if inhaled

H302 + H312 - Harmful if swallowed or in contact with skin

P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking

P233 - Keep container tightly closed

P240 - Ground and bond container and receiving equipment

P242 - Use non-sparking tools

P243 - Take action to prevent static discharges

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P272 - Contaminated work clothing should not be allowed out of the workplace

P280 - Wear protective gloves

Other information

This product does not contain any known or suspected endocrine disruptors

Section 3 - Composition and Information on Ingredients

Component	CAS No	Weight %
Ethyl alcohol	64-17-5	49
Water	7732-18-5	35
Formaldehyde	50-00-0	15
Acetic acid	64-19-7	2.5

Section 4 - First Aid Measures

Inhalation If not breathing, give artificial respiration. Do not use mouth-to-mouth method if victim

ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh

air. Immediate medical attention is required.

Ingestion Do NOT induce vomiting. Call a physician or poison control center immediately.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

AUS-003449 Version 3 12-Mar-2025 Page 2/12

attention is required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Self-Protection of the First Aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination.

First Aid Facilities Eyewash, safety shower and washroom.

Most important symptoms and

effects

May cause allergic skin reaction. Causes burns by all exposure routes. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle

pain or flushing

Notes to Physician May cause sensitization of susceptible persons. Use of epinephrine may be indicated.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media

CO₂, dry chemical, dry sand, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Hazardous Decomposition Products

Nitrogen oxides (NOx).

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. The product causes burns of eyes, skin and mucous membranes. Flammable. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Special protective equipment and precautions for fire fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

Section 6 - Accidental Release Measures

Emergency procedures

Ensure adequate ventilation. Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Do not flush into surface water or sanitary sewer system.

Methods for Containment and Clean Up

Clean-up methods - small spillage

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

AUS-003449 Version 3 12-Mar-2025 Page 3/12

Clean-up methods - large spillage

Typically only supplied is small quantiites as packaged goods.

If extremely toxic or used in larger quantities ensure a spillage action plan is in place. Evacuate area. Control the source and/or contain the spill if safe and able to do so. Use temporary diking, sand bags, dry sand, earth or proprietary booms/absorbent pads if available. Obtain advice on containment, neutralisation and clean-up from local emergency responders.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Section 7 - Handling and Storage

Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Use only under a chemical fume hood. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Conditions for Safe Storage, Including any Incompatibilities

Keep container tightly closed. Keep at temperatures between 2°C and 8 °C. Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame.

AS/NZS 2243.10:2004, Safety in laboratories - Storage of chemicals AS 1940-2004 - The storage and handling of flammable and combustible liquids

Section 8 - Exposure Controls and Personal Protection

Exposure limits

AUS - Exposure Standards for Atmospheric Contaminants in the Occupational Environment - Guidance Note on the Interpretation of Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:3008(1995)] Adopted National Exposure Standards for Atmospheric Contaminants in the Occupational Environment [NOHSC:1003(1995)] updated in August, 2005. Safe Work Australia

ACGIH - Threshold Limit Values - Ceiling (TLV-C) guidelines by the American Conference of Governmental Industrial Hygienists (ACGIH) for controlling worker exposure to airborne chemical concentrations in the workplace.

UK - EH40/2005 Work Exposure Limits, Fourth edition. Published 2020.

DE - MAK and BAT values of Hazardous Chemical Compounds in the Work Area. Published by German Research Foundation on July 1, 2011

NZ - Workplace Exposure Standards and Biological Exposure Indices (6th edition), New Zealand Department of Labor

Component	Australia	New Zealand WEL	ACGIH TLV	The United Kingdom	Germany
Ethyl alcohol	TWA: 1000 ppm TWA: 1880 mg/m³	TWA: 200 ppm TWA: 380 mg/m³ STEL: 800 ppm STEL: 1520 mg/m³	STEL: 1000 ppm	TWA: 1000 ppm TWA; 1920 mg/m³ TWA WEL - STEL: 3000 ppm STEL; 5760 mg/m³ STEL	200 ppm TWA MAK; 380 mg/m³ TWA MAK
Formaldehyde	STEL: 2 ppm STEL: 2.5 mg/m³ TWA: 1 ppm TWA: 1.2 mg/m³	TWA: 0.3 ppm STEL: 0.6 ppm	TWA: 0.1 ppm STEL: 0.3 ppm	STEL: 2 ppm 15 min STEL: 2.5 mg/m³ 15 min TWA: 2 ppm 8 hr TWA: 2.5 mg/m³ 8 hr Carc.	TWA: 0.3 ppm (8 Stunden). AGW - exposure factor 2 TWA: 0.37 mg/m³ (8 Stunden). AGW - exposure factor 2 TWA: 0.3 ppm (8 Stunden). MAK no irritation should occur during mixed exposure TWA: 0.37 mg/m³ (8 Stunden). MAK no irritation should occur during mixed exposure Höhepunkt: 0.6 ppm Höhepunkt: 0.74 mg/m³
Acetic acid	STEL: 15 ppm STEL: 37 mg/m³ TWA: 10 ppm	TWA: 10 ppm TWA: 25 mg/m³ STEL: 15 ppm	TWA: 10 ppm STEL: 15 ppm	STEL: 37 mg/m ³ STEL: 15 ppm TWA: 10 ppm	TWA: 10 ppm (8 Stunden). AGW - exposure factor 2

AUS-003449 Version 3 12-Mar-2025 Page 4/12

TWA: 25 mg/m ³	STEL: 37 mg/m ³	TWA: 25 mg/m ³	TWA: 25 mg/m ³ (8
_	_	_	Stunden). AGW -
			exposure factor 2
			TWA: 10 ppm (8
			Stunden). MAK
			TWA: 25 mg/m ³ (8
			Stunden). MAK
			Höhepunkt: 20 ppm
			Höhepunkt: 50 mg/m ³

Biological limit values

This product, as supplied, does not contain any hazardous materials with biological limits established by the region specific regulatory bodies

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye Protection Goggles (Australian/New Zealand Standard AS/NZS 1337 - Eye protectors for Industrial

applications)

Hand Protection Protective gloves

Glove material	Breakthrough time	Glove thickness	AUS/NZ Standard	Glove comments
Disposable gloves	See manufacturers	-	AS/NZS 2161	(minimum requirement)
	recommendations			

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Skin and body protection Long sleeved clothing

Repiratory Protection Use an AS/NZS 1716 approved respirator if exposure limits are exceeded or if irritation or

other symptoms are experienced. To protect the wearer, respiratory protective equipment must be the correct fit and be used and maintained in line with AS/NZS 1715 on the use

and maintenance of repiratory protective devices (or AUS/NZ equivalent)

When RPE is used a face piece Fit Test should be conducted

Hygiene MeasuresHandle in accordance with good industrial hygiene and safety practice.

Environmental exposure controls Prevent product from entering drains. Do not allow material to contaminate ground water

system.

Section 9 - Physical and Chemical Properties

Information on basic physical and chemical properties

Appearance Purple / Opaque

Physical State Liquid

Odor No information available
Odor Threshold No data available

AUS-003449 Version 3 12-Mar-2025 Page 5/12

pН Not applicable Melting Point/Range No data available

Softening Point No data available

Not applicable 79 °C / 174.2 °F **Boiling Point/Range**

Flash Point Not applicable 13 °C / 55.4 °F Method - No information available

Liquid

Evaporation Rate No data available Not applicable Flammability (solid,gas)

No data available **Explosion Limits**

No data available **Vapor Pressure**

Vapor Density No data available (Air = 1.0)

Specific Gravity / Density No data available **Bulk Density** Not applicable Liquid

Water Solubility No information available Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Ethyl alcohol -0.32Formaldehyde -0.35 -0.2 Acetic acid

No data available **Autoignition Temperature Decomposition Temperature** No data available **Viscosity** No data available

Explosive Properties Vapors may form explosive mixtures with air

Oxidizing Properties No information available

Other information

Section 10 - Stability and Reactivity

Reactivity None known, based on information available

Stability Stable under recommended storage conditions.

Conditions to Avoid Exposure to moisture, Keep away from open flames, hot surfaces and sources of ignition.

Incompatible Materials None known.

Hazardous Decomposition Products Nitrogen oxides (NOx).

Hazardous Polymerization Hazardous polymerization does not occur.

Section 11 - Toxicological Information

Information on Toxicological Effects

Product Information

(a) acute toxicity;

Based on ATE data, the classification criteria are not met Oral

Category 4 **Dermal** Category 4 Inhalation Category 3

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 7060 mg/kg (Rat)		20000 ppm/10H (Rat)

AUS-003449 Version 3 12-Mar-2025 Page 6/12

Water	-	-	-
Formaldehyde	500 mg/kg (Rat)	LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h
Acetic acid	3310 mg/kg (Rat)	-	> 40 mg/L (Rat) 4 h

(b) skin corrosion/irritation; Category 1 B

(c) serious eye damage/irritation; Category 1

(d) respiratory or skin sensitization;

Respiratory No data available Skin Category 1

	Component	Test method	Test species	Study result
ı	Formaldehyde	Skin sensitization Test method	Man	Sensitizer
	50-00-0 (15)	Patch Test	guinea pig	Sensitization
		Respiratory sensitization in vitro		

Sensitization No information available

(e) germ cell mutagenicity; Category 2

Category 1B (f) carcinogenicity;

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	Australia	New Zealand	New South Wales	Western Australia	IARC	EU	UK	Germany
Formaldehyde	Cat 1B	Confirmed			Group 1	Carc Cat. 1B	Cat 3	
		carcinogen						

No data available (g) reproductive toxicity;

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

delayed

Symptoms / effects,both acute and Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting: Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated: Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation: Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

Section 12 - Ecological Information

The product contains following substances which are hazardous for the environment. **Ecotoxicity effects** Contains a substance which is:. Toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Ethyl alcohol	Fathead minnow	EC50 = 9268 mg/L/48h	EC50 (72h) = 275 mg/l	Photobacterium
	(Pimephales promelas)	EC50 = 10800 mg/L/24h	(Chlorella vulgaris)	phosphoreum:EC50 =
	LC50 = 14200 mg/l/96h			34634 mg/L/30 min
	_			Photobacterium
				phosphoreum:EC50 =
				35470 mg/L/5 min
Formaldehyde	Leuciscus idus: LC50 =	EC50 = 20 mg/L 96h	EC50 (72h) = 4.89 mg/L	
·	15 mg/L 96h	EC50 = 2 mg/L 48h	(Desmodesmus	

AUS-003449 Version 3 12-Mar-2025 Page 7/12

			subspicatus)	
Acetic acid	Pimephales promelas: LC50 = 88 mg/L/96h Lepomis macrochirus: LC50 = 75 mg/L/96h	EC50 = 95 mg/L/24h	-	Photobacterium phosphoreum: EC50 = 8.8 mg/L/15 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/25 min Photobacterium phosphoreum: EC50 = 8.8 mg/L/5 min

Persistence and Degradability

No information available

Persistence

Persistence is unlikely, based on information available.

Component	Degradability
Formaldehyde	Readily biodegradable (OECD guideline 301A, 301C and 301D)
50-00-0 (15)	under aerobic and anaerobic conditions.

Degradation in sewage treatment plant
Bioaccumulative Potential

Contains substances known to be hazardous to the environment or not degradable in waste

water treatment plants. Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Ethyl alcohol	-0.32	No data available
Formaldehyde	-0.35	No data available
Acetic acid	-0.2	No data available

Mobility

The product contains volatile organic compounds (VOC) which will evaporate easily from all surfaces. Will likely be mobile in the environment due to its volatility Disperses rapidly in

air

Endocrine Disruptor Information Persistent Organic Pollutant Ozone Depletion Potential This product does not contain any known or suspected endocrine disruptors

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

Section 13 - Disposal Considerations

Waste from Residues/Unused

Products

Do not allow into drains or watercourses or dispose of where ground or surface waters may be affected. Wastes, including emptied containers, are controlled wastes and should be disposed of in accordance with all federal, E.P.A., state and local regulations. Assure conformity with all applicable regulations.

Contaminated Packaging

Dispose of this container to hazardous or special waste collection point. Empty containers retain product residue, (liquid and/or vapor), and can be dangerous. Keep product and empty container away from heat and sources of ignition.

Other Information

Chemical wastes should be disposed through a licensed commercial waste collection service. Do not flush to sewer. Waste codes should be assigned by the user based on the application for which the product was used. Can be landfilled or incinerated, when in compliance with local regulations. Do not empty into drains. Large amounts will affect pH and harm aquatic organisms.

Section 14 - Transport Information

IMDG/IMO

UN-No UN1987

Proper Shipping Name
Technical Shipping Name
Hazard Class
ALCOHOLS, N.O.S.
Formalin-Aceto-Alcohol mix

Hazard Class 3
Packing Group ||

<u>ADG</u>

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

AUS-003449 Version 3 12-Mar-2025 Page 8 / 12

Technical Shipping Name	Formalin-Aceto-Alcohol mix	
Hazard Class	3	
Packing Group	II	
Comp	ponent	Hazchem Code
Ethyl	alcohol	2YE
64-17	7-5 (49)	2Y
Forma	ldehyde	2W
50-00	-0 (15)	2X
Acet	ic acid	2P
64-19-	-7 (2.5)	2R

IATA

UN-No UN1987

Proper Shipping Name ALCOHOLS, N.O.S.

Technical Shipping Name Formalin-Aceto-Alcohol mix

Hazard Class 3
Packing Group ||

Environmental hazards No hazards identified

Special Precautions No special precautions required

Additional information None known

Section 15 - Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

National Regulations Australia

See section 8 for national exposure control parameters.

Standard for the Uniform Scheduling of Medicines and Poisons

Classified as a scheduled poison according to the Standard for Uniform Scheduling of Medicines and Poisons.

Component	Standard for the Uniform Scheduling of Medicines and Poisons
Formaldehyde - 50-00-0	Schedule 2 listed
	Schedule 6 listed - except its derivatives;in preparations as free Formaldehyde except: a) for human therapeutic use, b) in oral hygiene preparations, c) in nail hardener cosmetic preparations containing >=5% of free Formaldehyde, d) in nail hardener cosmetic preparations containing <=0.2% of free Formaldehyde when labelled with the warning statement: PROTECT CUTICLES WITH GREASE OR OIL, e) in all other cosmetic preparations, or f) in other preparations containing <=0.2% of free Formaldehyde when labelled with the warning statement: CONTAINS FORMALDEHYDE Schedule 10 listed
Acetic acid - 64-19-7	Schedule 2 listed
	Schedule 5 listed - except its salts and derivatives; in preparations except when included in Schedule 2
	or 6, or for therapeutic use
	Schedule 6 listed - except its salts and derivatives; except when included in Schedule 2

Australian Industrial Chemicals Introduction Scheme (AICIS)

Component	Australian Industrial Chemicals Introduction Scheme (AICIS)	Additional information
Ethyl alcohol - 64-17-5	Present	-
Water - 7732-18-5	Present	-
Formaldehyde - 50-00-0	Present	Specific information requirement: Obligations to provide information apply. You must tell us within 28 days if the circumstances of your importation or manufacture (introduction) are different to those in our

AUS-003449 Version 3 12-Mar-2025 Page 9/12

		assessment.
Acetic acid - 64-19-7	Present	-

Australian - Illicit Drug Precursors/Reagents Substance List

This product contains one or more substance(s) on the Illicit Drug Precursors/Reagents list. Verify requirements related to using, handling and storing these substances.

Chemicals of Security Concern

This product does not contain any substance(s) listed on the voluntary National Code of Practice for Chemicals of Security Concern

Component	Australian - Illicit Drug Precursors/Reagents Substance List	Chemicals of Security Concern
Formaldehyde - 50-00-0	Category 2	
Acetic acid - 64-19-7	Category 3	

Leaend

Category 2 - Chemicals and apparatus that require an End User Declaration when sold to non-account customers

Category 3 - Chemicals and apparatus that may be used in the illicit production of drugs. Purchases from this list should alert companies or organizations to seek further indicators of any suspicious orders or enquiries. No official reporting is required for items on this list unless considered warranted

National pollutant inventory Subject to reporting requirements

Component	National pollutant inventory
Ethyl alcohol - 64-17-5	10 tonne/yr. Threshold category 1
Formaldehyde - 50-00-0	10 tonne/yr. Threshold category 1
Acetic acid - 64-19-7	10 tonne/yr. Threshold category 1

Prohibition or notification/licensing requirements

Shown below are details of specific prohibition/notifications or licencing requirements when they apply.

This product contains one or more substance(s) subject to Prohibition, Authorization or Restriction. Verify that requirements related to using, handling, and storing substances subject to prohibition, authorization or restriction are met.

Component	Australia	New South Wales	Western Australia	New Zealand
Formaldehyde - 50-00-0	Cat 1B			Confirmed carcinogen

International Inventories

Component	AICS	NZIoC	EINECS	ELINCS	TSCA	DSL	NDSL	PICCS	ENCS	ISHL	IECSC	KECL
Ethyl alcohol	Х	Х	200-578-6	-	Х	Х	-	Х	Х	Х	Х	KE-13217
Water	Х	Х	231-791-2	-	Х	Х	-	Х	Х		Х	KE-35400
Formaldehyde	Х	Х	200-001-8	-	Х	Х	-	Х	Х	Х	Х	KE-17074
Acetic acid	Х	Х	200-580-7	-	Х	Х	-	Х	Х	Х	Х	Χ

Legend: X - Listed. '-' - Not Listed. KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

International Regulations

Ozone Depletion Potential This product does not contain any known or suspected substance

Persistent Organic Pollutant This product does not contain any known or suspected substance

Rotterdam Convention (PIC) Not applicable

AUS-003449 Version 3 12-Mar-2025 Page 10 / 12

Basel convention on the control of transboundary movements of hazardous wastes and their dispoal

Take note that wastes may be subject to export, import, or transit controls pursuant to the Basel convention and/or local regulations implementing the Basel convention.

Component	Basel Convention (Hazardous Waste)	Australian Hazardous Waste Act - Categories of Wastes to Be Controlled
Ethyl alcohol - 64-17-5	Annex I - Y42	Y42 except Halogenated solvents
Acetic acid - 64-19-7	Annex I - Y34	Y34 solid or solution

Component	CAS No	OECD HPV	Restriction of Hazardous Substances (RoHS)	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Water	7732-18-5	Listed	Not applicable	Not applicable	Not applicable
Formaldehyde	50-00-0	Listed	Not applicable	5 tonne	50 tonne
Acetic acid	64-19-7	Listed	Not applicable	Not applicable	Not applicable

Authorisation/Restrictions according to EU REACH

Component	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Formaldehyde	-	Use restricted. See entry 72. (see link for restriction details) Use restricted. See entry 77. (see link for restriction details) Use restricted. See entry 28. (see link for restriction details) Use restricted. See entry 75. (see link for restriction details)	-
Acetic acid	-	Use restricted. See entry 75. (see link for restriction details)	-

https://echa.europa.eu/substances-restricted-under-reach

Section 16 - Other Information

Legend

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - Chinese Inventory of Existing Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from Ships

NZS 5433:2020 - Transport of Dangerous Goods on Land

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

WEL - Workplace Exposure Limit

DNEL - Derived No Effect Level

POW - Partition coefficient Octanol:Water

vPvB - very Persistent, very Bioaccumulative

VOC - (Volatile Organic Compound)

NZIoC - New Zealand Inventory of Chemicals

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japanese Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

CAS - Chemical Abstracts Service

ACGIH - American Conference of Governmental Industrial Hygienists

Predicted No Effect Concentration (PNEC)

IMO/IMDG - International Maritime Organization/International Maritime

Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

LC50 - Lethal Concentration 50%

ATE - Acute Toxicity Estimate

RPE - Respiratory Protective Equipment

NOEC - No Observed Effect Concentration

BCF - Bioconcentration factor

PBT - Persistent, Bioaccumulative, Toxic

AUS-003449 Version 3 12-Mar-2025 Page 11 / 12

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards

Health Hazards

Environmental hazards

On basis of test data
Calculation method
Calculation method

Training Advice

Chemical hazard awareness training, incorporating labelling, Safety Data Sheets (SDS), Personal Protective Equipment (PPE) and hygiene.

Revision Date 12-Mar-2025

Revision Summary Update to GHS format.

This Safety Data Sheet (SDS) is prepared in accordance to and complies with the requirements of Safe Work Australia - Work Health and Safety Regulations (WHS Regulations).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet

AUS-003449 Version 3 12-Mar-2025 Page 12/12