

SAFETY DATA SHEET

Creation Date 10-Dec-2018 Revision Date 03-Apr-2024 Revision Number 2

1. Identification

Product Name iCAP TQ TUNE solution

Cat No. : 47442

Synonyms No information available

Recommended Use Laboratory chemicals.

Uses advised against Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

Emergency Telephone Number

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Corrosive to metals Category 1
Skin Corrosion/Irritation Category 2
Serious Eye Damage/Eye Irritation Category 1

Label Elements

Signal Word

Danger

Hazard Statements

May be corrosive to metals Causes skin irritation Causes serious eye damage



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection Keep only in original container

Skin

IF ON SKIN: Wash with plenty of soap and water If skin irritation occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER or doctor/physician

Spills

Absorb spillage to prevent material damage

Storage

Store in corrosive resistant polypropylene container with a resistant inliner

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

| Component | CAS No | Weight % |
|-------------------------|-----------|----------|
| Water | 7732-18-5 | 96.4 |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | 3 |
| Hydrochloric acid | 7647-01-0 | 0.6 |

4. First-aid measures

General Advice For further assistance, contact your local Poison Control Center. If symptoms persist, call a

physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. Get medical attention if symptoms occur. If not breathing, give artificial

respiration.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Causes severe eye damage.

Notes to Physician Treat symptomatically

5. Fire-fighting measures

iCAP TQ TUNE solution

Unsuitable Extinguishing Media No information available

Flash Point Not applicable

Method - No information available

Autoignition Temperature

Explosion Limits

No information available

Upper No data available
Lower No data available
Sensitivity to Mechanical Impact No information available

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Thermal decomposition can lead to release of irritating gases and vapors. In the event of fire and/or explosion do not breathe fumes.

Hazardous Combustion Products

Nitrogen oxides (NOx). Thermal decomposition can lead to release of irritating gases and vapors.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health Flammability Instability Physical hazards
2 0 0 -

6. Accidental release measures

Personal Precautions
Environmental Precautions

Use personal protective equipment as required. Ensure adequate ventilation.

Should not be released into the environment. See Section 12 for additional Ecological

Information.

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. **Up**

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Do not get in eyes, on skin, or on

clothing. Ensure adequate ventilation. Avoid ingestion and inhalation.

Storage.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep in properly labeled containers. Incompatible Materials. Strong bases. Reducing Agent. Organic materials. Aldehydes. Alcohols. Cyanides. Metals. Finely powdered metals. Ammonia.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH | Mexico OEL (TWA) |
|-------------------------|----------------|----------------------------------------|------------------------------|------------------|
| Nitric acid% [C ≤ 70 %] | TWA: 2 ppm | (Vacated) TWA: 2 ppm | IDLH: 25 ppm | TWA: 2 ppm |
| | STEL: 4 ppm | (Vacated) TWA: 5 mg/m ³ | TWA: 2 ppm | STEL: 4 ppm |
| | | (Vacated) STEL: 4 ppm | TWA: 5 mg/m ³ | |
| | | (Vacated) STEL: 10 mg/m ³ | STEL: 4 ppm | |
| | | TWA: 2 ppm | STEL: 10 mg/m ³ | |
| | | TWA: 5 mg/m ³ | | |
| Hydrochloric acid | Ceiling: 2 ppm | Ceiling: 5 ppm | IDLH: 50 ppm | Ceiling: 2 ppm |
| | | Ceiling: 7 mg/m ³ | Ceiling: 5 ppm | |
| | | (Vacated) Ceiling: 5 ppm | Ceiling: 7 mg/m ³ | |
| | | (Vacated) Ceiling: 7 mg/m ³ | | |
| | | | | |
| | | | | |

iCAP TQ TUNE solution

Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures Use only under a chemical fume hood. Ensure that eyewash stations and safety showers

are close to the workstation location.

Personal Protective Equipment

Eye/face Protection Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166. Tight sealing safety goggles. Face protection shield.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard

EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Recommended Filter type: Particulates filter conforming to EN 143.

Hygiene Measures Handle in accordance with good industrial hygiene and safety practice. Keep away from

food, drink and animal feeding stuffs. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Provide regular cleaning of equipment, work area and clothing. Avoid contact with skin, eyes or clothing. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wear suitable

gloves and eye/face protection.

9. Physical and chemical properties

Physical State Liquid
Appearance Clear,
Odor Acrid

Odor Threshold No information available

pH < 1

Melting Point/RangeNo data availableBoiling Point/RangeNot applicableFlash PointNot applicable

Evaporation Rate No information available

Flammability (solid,gas) Not applicable

Flammability or explosive limits

UpperNo data availableLowerNo data available

Vapor PressureNo information availableVapor DensityNo information availableSpecific Gravity1.03 g/ml (20°C)SolubilitySoluble in waterPartition coefficient; n-octanol/waterNo data available

Autoignition TemperatureNo information availableDecomposition TemperatureNo information availableViscosityNo information available

10. Stability and reactivity

Reactive Hazard None known, based on information available

Stability Stable under recommended storage conditions.

iCAP TQ TUNE solution Revision Date 03-Apr-2024

Conditions to Avoid Incompatible products. Excess heat. Exposure to air or moisture over prolonged periods.

Strong bases, Reducing Agent, Organic materials, Aldehydes, Alcohols, Cyanides, Metals, **Incompatible Materials**

Finely powdered metals, Ammonia

Hazardous Decomposition Products Nitrogen oxides (NOx), Thermal decomposition can lead to release of irritating gases and

vapors

Hazardous polymerization does not occur. **Hazardous Polymerization**

Hazardous Reactions None under normal processing.

11. Toxicological information

Acute Toxicity

Product Information Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-------------------------|-----------------------|-------------------------|---------------------------|
| Water | - | - | - |
| Nitric acid% [C ≤ 70 %] | Not listed | Not listed | LC50 = 2500 ppm. (Rat) 1h |
| Hydrochloric acid | 238 - 277 mg/kg (Rat) | > 5010 mg/kg (Rabbit) | 1.68 mg/L (Rat)1 h |

Toxicologically Synergistic

No information available

Products

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation Irritating to eyes, respiratory system and skin

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

| Component | CAS No | IARC | NTP | ACGIH | OSHA | Mexico |
|----------------------|-----------|------------|------------|------------|------------|------------|
| Water | 7732-18-5 | Not listed |
| Nitric acid% [C ≤ 70 | 7697-37-2 | Not listed |
| %] | | | | | | |
| Hydrochloric acid | 7647-01-0 | Not listed |

No information available **Mutagenic Effects**

No information available. **Reproductive Effects**

Developmental Effects No information available.

Teratogenicity No information available.

STOT - single exposure None known STOT - repeated exposure None known

No information available **Aspiration hazard**

Symptoms / effects,both acute and No information available

delayed

No information available **Endocrine Disruptor Information**

Other Adverse Effects The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

iCAP TQ TUNE solution Revision Date 03-Apr-2024

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-------------------|------------------|-------------------------|----------|-------------------------|
| Hydrochloric acid | - | 282 mg/L LC50 96 h | - | 56mg/L EC50 72h Daphnia |
| | | Gambusia affinis | | |
| | | mg/L LC50 48 h Leucscus | | |
| | | idus | | |

Persistence and Degradability

Soluble in water Persistence is unlikely based on information available.

Bioaccumulation/ Accumulation

No information available.

Mobility

. Will likely be mobile in the environment due to its water solubility.

| Component | log Pow |
|-------------------------|---------|
| Nitric acid% [C ≤ 70 %] | -2.3 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information

DOT

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Technical Name Nitric acid

Hazard Class 8
Packing Group | | |

TDG

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

<u>IATA</u>

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group III

IMDG/IMO

UN-No UN3264

Proper Shipping Name Corrosive liquid, acidic, inorganic, n.o.s.

Hazard Class 8
Packing Group |||

15. Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA TSCA Inventory notification - Active-Inactive | |
|-------------------------|-----------|------|----------------------------------------------------|---|
| Water | 7732-18-5 | Χ | ACTIVE | - |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | X | ACTIVE | - |
| Hydrochloric acid | 7647-01-0 | X | ACTIVE | - |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

'-' - Not Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-------------------------|-----------|-----|------|-----------|-------|------|------|------|-------|----------|
| Water | 7732-18-5 | Х | - | 231-791-2 | Х | Χ | | Х | Х | KE-35400 |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | Х | - | 231-714-2 | Х | Χ | Х | Χ | Χ | KE-25911 |
| Hydrochloric acid | 7647-01-0 | Х | - | 231-595-7 | Х | Χ | Χ | Х | Х | KE-20189 |

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

| Component | CAS No | Weight % | SARA 313 - Threshold Values % | SARA 313 - Reporting threasholds |
|-------------------------|-----------|----------|----------------------------------|----------------------------------|
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | 3 | 1.0 % | - |
| Hydrochloric acid | 7647-01-0 | 0.6 | 1.0 % | - |

SARA 311/312 Hazard Categories

Should this product meet EPCRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

CWA (Clean Water Act)

| Component | CWA - Hazardous Substances | CWA - Reportable Quantities | CWA - Toxic Pollutants | CWA - Priority Pollutants |
|-------------------------|-------------------------------|--------------------------------|------------------------|---------------------------|
| Nitric acid% [C ≤ 70 %] | X | 1000 lb | - | - |
| Hydrochloric acid | X | 5000 lb | - | - |

Clean Air Act Not applicable

| Component | HAPS Data | Class 1 Ozone Depletors | Class 2 Ozone Depletors |
|-------------------|-----------|-------------------------|-------------------------|
| Hydrochloric acid | X | | - |

OSHA - Occupational Safety and Health Administration

OSHA - United States Occupational Safety and Health Administration

| Component | Specifically Regulated Chemicals | Highly Hazardous Chemicals |
|-------------------------|----------------------------------|----------------------------|
| Nitric acid% [C ≤ 70 %] | - | TQ: 500 lb |
| Hydrochloric acid | - | TQ: 5000 lb |

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

| Component | Hazardous Substances RQs | CERCLA Extremely Hazardous Substances RQs | SARA Reportable Quantity (RQ) |
|-------------------------|-----------------------------|-------------------------------------------------|-------------------------------|
| Nitric acid% [C ≤ 70 %] | 1000 lb | 1000 lb | 1000 lb 454 kg |
| Hydrochloric acid | 5000 lb | 5000 lb | 5000 lb 2270 kg |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|------------------------|---------------|------------|--------------|----------|--------------|
| Water | - | - | X | - | - |
| Nitric acid …% [C ≤ 70 | Х | Х | Х | X | Х |
| %] | | | | | |
| Hydrochloric acid | Х | X | X | X | Х |

U.S. Department of Transportation

Reportable Quantity (RQ): Y
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland

This product contains the following DHS chemicals:

Security

Legend - STQs = Screening Threshold Quantities, APA = A placarded amount

| Component | DHS Chemical Facility Anti-Terrorism Standard |
|-------------------------|-----------------------------------------------|
| Nitric acid% [C ≤ 70 %] | Release STQs - 15000lb |
| | Theft STQs - 400lb |
| Hydrochloric acid | Release STQs - 15000lb (concentration >=37%) |
| · | Release STQs - 5000lb (anhydrous) |
| | Theft STQs - 500lb (anhydrous) |

Other International Regulations

Mexico - Grade No information available

Authorisation/Restrictions according to EU REACH

| Component | CAS No | REACH (1907/2006) - Annex XIV - Substances Subject to Authorization | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-------------------------|-----------|---------------------------------------------------------------------------|----------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------|
| Water | 7732-18-5 | - | - | - |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | - | Use restricted. See item 75. (see link for restriction details) | - |
| Hydrochloric acid | 7647-01-0 | - | Use restricted. See item 75. (see link for restriction details) | - |

REACH links

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-------------------------|-----------|----------|---------------------------------|------------------------------|--------------------------------------------------|
| Water | 7732-18-5 | Listed | Not applicable | Not applicable | Not applicable |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | Listed | Not applicable | Not applicable | Not applicable |
| Hydrochloric acid | 7647-01-0 | Listed | Not applicable | Not applicable | Not applicable |

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

iCAP TQ TUNE solution

Other International Regulations

| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
|-------------------------|-----------|-------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------|-------------------------------|---------------------------------------|
| Water | 7732-18-5 | Not applicable | Not applicable | Not applicable | Not applicable |
| Nitric acid% [C ≤ 70 %] | 7697-37-2 | Not applicable | Not applicable | Not applicable | Annex I - Y34 |
| Hydrochloric acid | 7647-01-0 | 25 tonne | 250 tonne | Not applicable | Annex I - Y34 |

16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Creation Date
 10-Dec-2018

 Revision Date
 03-Apr-2024

 Print Date
 03-Apr-2024

Revision Summary New emergency telephone response service provider.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS