

# **SAFETY DATA SHEET**

Revision Date 02-Apr-2024 Revision Number 3

# 1. Identification

Product Name Stainless steel foil, type 304

Cat No.: 41582

Synonyms No information available

Recommended Use Laboratory chemicals.

**Uses advised against** Food, drug, pesticide or biocidal product use.

# Details of the supplier of the safety data sheet

### Company

Thermo Fisher Scientific Chemicals, Inc. 30 Bond Street Ward Hill, MA 01835-8099

Tel: 800-343-0660 Fax: 800-322-4757

# **Emergency Telephone Number**

For information **US** call: 001-800-227-6701 / **Europe** call: +32 14 57 52 11 Emergency Number **US**:001-201-796-7100 / **Europe**: +32 14 57 52 99 **CHEMTREC** Tel. No. **US**:001-800-424-9300 / **Europe**:001-703-527-3887

# 2. Hazard(s) identification

## Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin Sensitization Category 1
Carcinogenicity Category 1B
Specific target organ toxicity - (repeated exposure) Category 1

Target Organs - Lungs.

# Label Elements

#### Signal Word

Danger

### **Hazard Statements**

May cause an allergic skin reaction May cause cancer

Causes damage to organs through prolonged or repeated exposure



### **Precautionary Statements**

#### Prevention

Obtain special instructions before use

Do not handle until all safety precautions have been read and understood

Use personal protective equipment as required

Contaminated work clothing should not be allowed out of the workplace

Wear protective gloves

Do not breathe dust/fume/gas/mist/vapors/spray

Wash face, hands and any exposed skin thoroughly after handling

Do not eat, drink or smoke when using this product

#### Response

IF exposed or concerned: Get medical attention/advice

### Skin

IF ON SKIN: Wash with plenty of soap and water

If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

### Storage

Store locked up

#### **Disposal**

Dispose of contents/container to an approved waste disposal plant

#### Hazards not otherwise classified (HNOC)

None identified

WARNING. Cancer - https://www.p65warnings.ca.gov/.

# 3. Composition/Information on Ingredients

Component	CAS No	Weight %
Iron	7439-89-6	70.0
Chromium	7440-47-3	19.0
Nickel	7440-02-0	11.0

# 4. First-aid measures

General Advice If symptoms persist, call a physician.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

**Skin Contact** Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water. Get medical attention if

symptoms occur.

Most important symptoms and

effects

May cause allergic skin reaction. Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling of the hands and feet, dizziness, lightheadedness, chest

pain, muscle pain or flushing

Notes to Physician Treat symptomatically

# 5. Fire-fighting measures

**Suitable Extinguishing Media** approved class D extinguishers.

Unsuitable Extinguishing Media Water may be ineffective

Flash Point No information available Method - No information available

**Autoignition Temperature** 

**Explosion Limits** 

No information available

Upper
Lower
Sensitivity to Mechanical Impact
Sensitivity to Static Discharge
No data available
No information available
No information available

# **Specific Hazards Arising from the Chemical**

Keep product and empty container away from heat and sources of ignition.

# **Hazardous Combustion Products**

None known.

# **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA

Health	Flammability	Instability	Physical hazards
2	0	0	-

# 6. Accidental release measures

Personal Precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid dust

formation. No special precautions required.

**Environmental Precautions** Do not flush into surface water or sanitary sewer system.

**Methods for Containment and Clean** Sweep up and shovel into suitable containers for disposal. Keep in suitable, closed **Up** containers for disposal. Pick up and transfer to properly labelled containers.

# 7. Handling and storage

Handling Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid

ingestion and inhalation. Avoid dust formation. Do not get in eyes, on skin, or on clothing.

**Storage.** Keep in a dry place. Keep away from acids.

# 8. Exposure controls / personal protection

### **Exposure Guidelines**

Component	ACGIH TLV	OSHA PEL	NIOSH	Mexico OEL (TWA)
Chromium	TWA: 0.5 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 250 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>
	_	TWA: 1 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	_
Nickel	TWA: 1.5 mg/m <sup>3</sup>	(Vacated) TWA: 1 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup>
		TWA: 1 mg/m <sup>3</sup>	TWA: 0.015 mg/m <sup>3</sup>	_

#### Legend

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH: NIOSH - National Institute for Occupational Safety and Health

None under normal use conditions. **Engineering Measures** 

**Personal Protective Equipment** 

**Eye/face Protection** Wear appropriate protective eyeglasses or chemical safety goggles as described by

OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection Wear appropriate protective gloves and clothing to prevent skin exposure.

**Respiratory Protection** No protective equipment is needed under normal use conditions. No special protective

equipment required.

Recommended Filter type: Particle filter.

Handle in accordance with good industrial hygiene and safety practice. **Hygiene Measures** 

# 9. Physical and chemical properties

Solid Foil **Physical State** Silver **Appearance** Odorless Odor

No information available **Odor Threshold** No information available рH Melting Point/Range No data available **Boiling Point/Range** No information available No information available

Flash Point **Evaporation Rate** Not applicable

Flammability (solid, gas) No information available

Flammability or explosive limits

Upper No data available Lower No data available **Vapor Pressure** No information available Not applicable

**Vapor Density** 

**Specific Gravity** No information available No information available Solubility No data available Partition coefficient; n-octanol/water

**Autoignition Temperature** No information available No information available **Decomposition Temperature** 

Not applicable **Viscosity** 

Molecular Formula Fe:Cr:Ni; 70:19:11 wt%

# 10. Stability and reactivity

None known, based on information available **Reactive Hazard** 

Stable under normal conditions. Stability

**Conditions to Avoid** Incompatible products. **Incompatible Materials** Strong oxidizing agents

Hazardous Decomposition Products None under normal use conditions

**Hazardous Polymerization** Hazardous polymerization does not occur.

**Hazardous Reactions** None under normal processing.

# 11. Toxicological information

**Acute Toxicity** 

**Product Information** 

Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. Oral LD50 Based on ATE data, the classification criteria are not met. ATE > 2000 mg/kg. **Dermal LD50** Mist LC50 Based on ATE data, the classification criteria are not met. ATE > 5 mg/l.

Component Information

- 3	Joinponent information			
	Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
	Iron	7500 mg/kg (Rat)	Not listed	Not listed
Ī	Nickel	LD50 > 9000 mg/kg (Rat)	Not listed	LC50 > 10.2 mg/L (Rat) 1 h

**Toxicologically Synergistic** 

**Products** 

No information available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation No information available

Sensitization No information available

The table below indicates whether each agency has listed any ingredient as a carcinogen. Carcinogenicity

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico
Iron	7439-89-6	Not listed	Not listed	Not listed	Not listed	Not listed
Chromium	7440-47-3	Not listed	Not listed	Not listed	Not listed	Not listed
Nickel	7440-02-0	Group 2B	Reasonably	Not listed	X	Not listed
		· '	Anticipated			

IARC (International Agency for Research on Cancer)

IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans

Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans

NTP: (National Toxicity Program)

Known - Known Carcinogen

Reasonably Anticipated - Reasonably Anticipated to be a Human

Carcinogen

**Mutagenic Effects** No information available

**Reproductive Effects** No information available.

No information available. **Developmental Effects** 

**Teratogenicity** No information available.

STOT - single exposure None known

STOT - repeated exposure Lungs

No information available **Aspiration hazard** 

delayed

NTP: (National Toxicity Program)

Symptoms / effects,both acute and Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing, tingling

of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain or flushing

**Endocrine Disruptor Information** No information available

Other Adverse Effects The toxicological properties have not been fully investigated.

# 12. Ecological information

## **Ecotoxicity**

The product contains following substances which are hazardous for the environment. Contains a substance which is:. Very toxic to aquatic organisms.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Nickel	EC50 = 0.1 mg/L 72h EC50 = 0.18 mg/L 72h	LC50: > 100 mg/L, 96h (Brachydanio rerio) LC50: = 1.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 10.4 mg/L, 96h static (Cyprinus carpio)	Not listed	EC50 = 510 μg/L 96h

Persistence and Degradability Insoluble in water

**Bioaccumulation/ Accumulation**No information available.

**Mobility** Is not likely mobile in the environment due its low water solubility.

# 13. Disposal considerations

**Waste Disposal Methods** 

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information		
DOT	Not regulated		
DOT TDG	Not regulated		
IATA	Not regulated		
IMDG/IMO	Not regulated		
15 Regulatory information			

### **United States of America Inventory**

Component	CAS No	TSCA	TSCA Inventory notification -	TSCA - EPA Regulatory
			Active-Inactive	Flags
Iron	7439-89-6	Χ	ACTIVE	-
Chromium	7440-47-3	X	ACTIVE	-
Nickel	7440-02-0	X	ACTIVE	-

#### Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

TSCA - Per 40 CFR 751, Regulation of Certain Chemical Substances & Mixtures, Under TSCA Section 6(h) (PBT)

Not applicable

TSCA 12(b) - Notices of Export

Not applicable

### **International Inventories**

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Iron	7439-89-6	Х	-	231-096-4	Х	Х		Х	Х	KE-21059
Chromium	7440-47-3	Х	-	231-157-5	Χ	Χ		Х	Х	KE-05970
Nickel	7440-02-0	Х	-	231-111-4	Χ	Χ		Х	Х	KE-25818

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

# U.S. Federal Regulations

#### **SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical

<sup>&#</sup>x27;-' - Not Listed

or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

Component	CAS No	Weight %	SARA 313 - Threshold Values %	SARA 313 - Reporting threasholds
Chromium	7440-47-3	19.0	1.0 %	-
Nickel	7440-02-0	11.0	0.1 %	-

### SARA 311/312 Hazard Categories

Should this product meet EPČRA 311/312 Tier reporting criteria at 40 CFR 370, refer to Section 2 of this SDS for appropriate classifications.

**CWA (Clean Water Act)** 

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Chromium	-	-	X	X
Nickel	-	-	X	X

#### Clean Air Act

**OSHA** - Occupational Safety and

Not applicable

Health Administration

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355).

Component	Hazardous Substances RQs	CERCLA Extremely Hazardous Substances RQs	SARA Reportable Quantity (RQ)
Chromium	5000 lb	-	5000 lb 2270 ka
Nickel	100 lb	_	100 lb
Nickei	100 10	_	45.4 kg

# **California Proposition 65**

This product contains the following Proposition 65 chemicals.

Compon	Component CAS No C		California Prop. 65	Prop 65 NSRL	Category	
Nickel	Nickel 7440-02-0		Carcinogen	-	Carcinogen	

# U.S. State Right-to-Know Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Chromium	X	X	X	X	X
Nickel	Х	X	X	Х	X

### **U.S.** Department of Transportation

Reportable Quantity (RQ): Υ **DOT Marine Pollutant** Ν **DOT Severe Marine Pollutant** Ν

U.S. Department of Homeland

Security

This product does not contain any DHS chemicals.

Other International Regulations

**Mexico - Grade** No information available

Authorisation/Restrictions according to EU REACH

Component	CAS No	REACH (1907/2006) - Annex XIV - Substances Subject to Authorization	REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances	REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC)
Iron	7439-89-6	-	-	-
Chromium	7440-47-3	-	Use restricted. See item 75. (see link for restriction details)	-
Nickel	7440-02-0	-	Use restricted. See item 27. (see link for restriction details) Use restricted. See item 75. (see link for restriction details)	-

#### **REACH links**

https://echa.europa.eu/substances-restricted-under-reach

# Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Iron	7439-89-6	Listed	Not applicable	Not applicable	Not applicable
Chromium	7440-47-3	Listed	Not applicable	Not applicable	Not applicable
Nickel	7440-02-0	Listed	Not applicable	Not applicable	Not applicable

Contains component(s) that meet a 'definition' of per & poly fluoroalkyl substance (PFAS)? Not applicable

# **Other International Regulations**

Componer	nt	CAS No	Seveso III Directive	Seveso III Directive	Rotterdam	Basel Convention
			(2012/18/EC) -	(2012/18/EC) -	Convention (PIC)	(Hazardous Waste)
			Qualifying Quantities Qualifying Quantities			
			for Major Accident	for Safety Report		
			Notification	Requirements		
Iron		7439-89-6	Not applicable	Not applicable	Not applicable	Not applicable
Chromium	n	7440-47-3	Not applicable	Not applicable	Not applicable	Not applicable
Nickel	•	7440-02-0	Not applicable	Not applicable	Not applicable	Not applicable

# 16. Other information

Prepared By Health, Safety and Environmental Department

Email: chem.techinfo@thermofisher.com

www.thermofisher.com

 Revision Date
 02-Apr-2024

 Print Date
 02-Apr-2024

**Revision Summary** New emergency telephone response service provider.

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage,

transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

**End of SDS**