

Page 1/9 Creation Date 20-Oct-2009 Revision Date 24-Mar-2025 Version 2

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THECOMPANY/UNDERTAKING

Product Identifier

Perihalan Produk:
Product Description:

Buffer Solution, pH 1.00
Buffer Solution, pH 1.00

Cat No. : SB140-500

Synonyms Potassium chloride / Hydrochloric acid.

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Company Thermo Fisher Scientific (M) Sdn Bhd

Hap Seng Business Park, Lot 01-03, 01-04 Aras 1 Unity Square, No 12, Persiaran Perusahaan, Seksyen 23, 40300 Shah Alam,

Selangor Darul Ehsan, Malaysia. Main line: +60 3-5525 7888

E-mail address Enquiry.my@thermofisher.com

Emergency Telephone Number Tel: +03-5525 7888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture				

Label Elements

Hazard Statements

Other Hazards

EUH210 - Safety data sheet available on request

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Buffer Solution, pH 1.00

Revision Date 24-Mar-2025

Component	CAS No	Weight %
Water	7732-18-5	99.46
Potassium chloride	7447-40-7	0.35
Hydrochloric acid	7647-01-0	0.16
Formaldehyde	50-00-0	0.02
Methyl alcohol	67-56-1	0.01

SECTION 4: FIRST AID MEASURES

Description of first aid measures

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Ingestion Do NOT induce vomiting. Get medical attention.

Inhalation Remove to fresh air. Get medical attention immediately if symptoms occur.

Self-Protection of the First Aider No special precautions required.

Most important symptoms and effects, both acute and delayed

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Substance is nonflammable; use agent most appropriate to extinguish surrounding fire.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

None known. None reasonably foreseeable.

Hazardous Combustion Products

None known.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Avoid contact with eyes.

Buffer Solution, pH 1.00 Revision Date 24-Mar-2025

Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Do not store in metal containers.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Hydrochloric acid		Ceiling: 2 ppm	Ceiling: 5 ppm Ceiling: 7 mg/m³ (Vacated) Ceiling: 5 ppm (Vacated) Ceiling: 7 mg/m³
Formaldehyde		TWA: 0.1 ppm STEL: 0.3 ppm	(Vacated) TWA: 3 ppm (Vacated) STEL: 10 ppm (Vacated) Ceiling: 5 ppm TWA: 0.75 ppm STEL: 2 ppm
Methyl alcohol		TWA: 200 ppm STEL: 250 ppm Skin	(Vacated) TWA: 200 ppm (Vacated) TWA: 260 mg/m³ (Vacated) STEL: 250 ppm (Vacated) STEL: 325 mg/m³ Skin TWA: 200 ppm TWA: 260 mg/m³

Component	European Union	The United Kingdom	Germany
Hydrochloric acid	TWA: 5 ppm 8 hr	STEL: 5 ppm 15 min	TWA: 2 ppm (8 Stunden). AGW -
	TWA: 8 mg/m ³ 8 hr	STEL: 8 mg/m ³ 15 min	exposure factor 2
	STEL: 10 ppm 15 min	TWA: 1 ppm 8 hr	TWA: 3 mg/m ³ (8 Stunden). AGW -
	STEL: 15 mg/m ³ 15 min	TWA: 2 mg/m ³ 8 hr	exposure factor 2
			TWA: 2 ppm (8 Stunden). MAK
			TWA: 3.0 mg/m³ (8 Stunden). MAK
			Höhepunkt: 4 ppm
			Höhepunkt: 6 mg/m ³
Formaldehyde	TWA: 0.37 mg/m ³ (8h)	STEL: 2 ppm 15 min	TWA: 0.3 ppm (8 Stunden). AGW -
	TWA: 0.62 mg/m ³ (8h)	STEL: 2.5 mg/m ³ 15 min	exposure factor 2

FSH41133

Buffer Solution, pH 1.00 Revision Date 24-Mar-2025

	TWA: 0.3 ppm (8h)	TWA: 2 ppm 8 hr	TWA: 0.37 mg/m³ (8 Stunden).
	TWA: 0.5 ppm (8h)	TWA: 2.5 mg/m ³ 8 hr	AGW - exposure factor 2
	Skin	Carc.	TWA: 0.3 ppm (8 Stunden). MAK no
	STEL: 0.74 mg/m ³ (8h)		irritation should occur during mixed
	STEL: 0.6 ppm (8h)		exposure
			TWA: 0.37 mg/m³ (8 Stunden). MAK
			no irritation should occur during
			mixed exposure
			Höhepunkt: 0.6 ppm
			Höhepunkt: 0.74 mg/m ³
Methyl alcohol	TWA: 200 ppm 8 hr	WEL - TWA: 200 ppm TWA; 266	100 ppm TWA MAK; 130 mg/m ³
	TWA: 260 mg/m ³ 8 hr	mg/m³ TWA	TWA MAKSkin absorber
	Skin	WEL - STEL: 250 ppm STEL; 333	
		mg/m ³ STEL	

Exposure Controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location.

Personal protective equipment

Eye Protection Wear safety glasses with side shields (or goggles)

Hand Protection Protective gloves Skin and body protection Long sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection No protective equipment is needed under normal use conditions

Recommended Filter type: Particle filter

Handle in accordance with good industrial hygiene and safety practice **Hygiene Measures**

Environmental exposure controls No information available

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Clear **Physical State** Liquid Odorless Odor

Odor Threshold No data available

1.00 pН

0 °C / 32 °F **Melting Point/Range Softening Point** No data available **Boiling Point/Range** 100 °C / 212 °F

Flash Point Not applicable Method - No information available

Page 4/9

Buffer Solution, pH 1.00 Revision Date 24-Mar-2025

Liquid

Liquid

Evaporation Rate > 1 (Ether = 1.0) Flammability (solid,gas) Not applicable

Explosion Limits No data available

Vapor Pressure No information available

Vapor Density 0.7 (Air = 1.0) (Air = 1.0)

Specific Gravity / Density 1.0

Bulk Density Not applicable

Water Solubility Soluble

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Componentlog PowFormaldehyde-0.35Methyl alcohol-0.74

Autoignition Temperature

Decomposition Temperature

Viscosity

No data available

No data available

No data available

Explosive Properties No information available Oxidizing Properties No information available

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization No information available.
Hazardous Reactions None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat.

Incompatible Materials

Strong bases. Metals.

<u>Hazardous Decomposition Products</u>

None known.

Buffer Solution, pH 1.00 Revision Date 24-Mar-2025

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Product Information No acute toxicity information is available for this product

(a) acute toxicity;

OralBased on available data, the classification criteria are not metDermalBased on available data, the classification criteria are not metInhalationBased on available data, the classification criteria are not met

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Water -		-	-
Potassium chloride LD50 = 2600 mg/kg (F		-	-
Hydrochloric acid 238 - 277 mg/kg		> 5010 mg/kg (Rabbit)	1.68 mg/L (Rat) 1 h
Formaldehyde 500 mg/kg (Rat)		LD50 = 270 mg/kg (Rabbit)	0.578 mg/L (Rat) 4 h
Methyl alcohol	LD50 = 1187 - 2769 mg/kg (Rat)	LD50 = 17100 mg/kg (Rabbit)	LC50 = 128.2 mg/L (Rat) 4 h

(b) skin corrosion/irritation; No data available

(c) serious eye damage/irritation; No data available

(d) respiratory or skin sensitization;

Respiratory No data available Skin No data available

Component	Test method	Test species	Study result
Formaldehyde	Skin sensitization	Man	Sensitizer
50-00-0 (0.02)	Test method Patch Test	guinea pig	Sensitization
	Respiratory sensitization		
	in vitro		
Methyl alcohol	OECD Test Guideline 406	guinea pig	non-sensitising
67-56-1 (0.01)	Guinea Pig Maximisation Test		
	(GPMT)		

(e) germ cell mutagenicity; No data available

(f) carcinogenicity; No data available

The table below indicates whether each agency has listed any ingredient as a carcinogen

Component	EU	UK	Germany	IARC
Formaldehyde	Carc Cat. 1B	Cat 3		Group 1

(g) reproductive toxicity; No data available

Component	Test method	Test species / Duration	Study result
Methyl alcohol	OECD Test Guideline 416	Rat / Inhalation	NOAEC =
67-56-1 (0.01)		2 Generation	1.3 mg/l (air)

Developmental Effects Component substance is listed on California Proposition 65 as a developmental hazard.

FSH41133

Buffer Solution, pH 1.00 Revision Date 24-Mar-2025

(h) STOT-single exposure; No data available

(i) STOT-repeated exposure; No data available

Target Organs No information available.

(j) aspiration hazard; No data available

Other Adverse Effects The toxicological properties have not been fully investigated.

Symptoms / effects,both acute and No information available.

delayed

Endocrine Disrupting Properties Assess endocrine disrupting properties for human health. This product does not contain any

known or suspected endocrine disruptors.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Potassium chloride	Lepomis macrochirus: LC50: 1060 mg/L /96h Pimephales promelas: LC50: 750 - 1020 mg/L /96h	EC50: 825 mg/L/48h	EC50: 2500 mg/L/72h	
Hydrochloric acid	282 mg/L LC50 96 h Gambusia affinis mg/L LC50 48 h Leucscus idus	56mg/L EC50 72h Daphnia	-	-
Formaldehyde	Leuciscus idus: LC50 = 15 mg/L 96h	EC50 = 20 mg/L 96h EC50 = 2 mg/L 48h	EC50 (72h) = 4.89 mg/L (Desmodesmus subspicatus)	
Methyl alcohol	Pimephales promelas: LC50 > 10000 mg/L 96h	EC50 > 10000 mg/L 24h		EC50 = 39000 mg/L 25 min EC50 = 40000 mg/L 15 min EC50 = 43000 mg/L 5 min

Persistence and degradability

Persistence Soluble in water, Persistence is unlikely, based on information available.

Component	Degradability
Formaldehyde	Readily biodegradable (OECD guideline 301A, 301C and 301D)
50-00-0 (0.02)	under aerobic and anaerobic conditions.
Methyl alcohol	DT50 ~ 17.2d
67-56-1 (0.01)	>94% after 20d

Bioaccumulative potential Bioaccumulation is unlikely

Component	log Pow	Bioconcentration factor (BCF)
Formaldehyde	-0.35	No data available
Methyl alcohol	-0.74	<10 dimensionless

Mobility in soil The product is water soluble, and may spread in water systems. . Will likely be mobile in

the environment due to its water solubility. Highly mobile in soils.

Endocrine Disruptor Information This product does not contain any known or suspected endocrine disruptors

Buffer Solution, pH 1.00 Revision Date 24-Mar-2025

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Waste from Residues/Unused

Products

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification

Contaminated Packaging Empty containers should be taken to an approved waste handling site for recycling or

disposal

Other Information Solutions with low pH-value must be neutralized before discharge

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO Not regulated

Road and Rail Transport

UN-No UN1789
Hazard Class 8
Packing Group III

Proper Shipping Name HYDROCHLORIC ACID SOLUTION

<u>IATA</u> Not regulated

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Water	231-791-2	Χ	Х	Х	Х		Х	Х	KE-35400
Potassium chloride	231-211-8	Χ	Х	Х	Х	Χ	Х	Χ	KE-29086
Hydrochloric acid	231-595-7	X	Х	Х	X	X	Χ	Χ	KE-20189
Formaldehyde	200-001-8	Х	Х	Х	Х	X	Х	Χ	KE-17074
Methyl alcohol	200-659-6	Χ	Χ	Х	Х	Χ	Х	Χ	KE-23193

Component	Seveso III Directive	Seveso III Directive	Rotterdam Convention	Basel Convention	
		(2012/18/EC) - Qualifying	(PIC)	(Hazardous Waste)	
	Quantities for Major	Quantities for Safety			
	Accident Notification	Report Requirements			
Hydrochloric acid	25 tonne	250 tonne		Annex I - Y34	
Formaldehyde	5 tonne	50 tonne			
Methyl alcohol	500 tonne	5000 tonne			

Revision Date 24-Mar-2025 Buffer Solution, pH 1.00

National Regulations

Persistent Organic Pollutant Ozone Depletion Potential

This product does not contain any known or suspected substance This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b)

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air **Transport Association**

MARPOL - International Convention for the Prevention of Pollution from Ships

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

Revision Date 24-Mar-2025 **Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet