

Page 1/9 Revision Date 29-Mar-2023

Version 1

Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Identifier

Perihalan Produk: <u>Bactidrop Lactophenol Aniline Blue</u>
Product Description: <u>Bactidrop Lactophenol Aniline Blue</u>

Cat No. : R21526

Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Laboratory chemicals.
Uses advised against No Information available

Details of the supplier of the safety data sheet

Company Thermo Scientific Microbiology Sdn Bhd

No.6, Jalan TTC 6, Taman Teknologi Cheng,

Cheng, 75250 Melaka, Malaysia

+606 334 0975 .

Supplier Remel

12076 Santa Fe Drive Lenexa,

KS 66215 United States Telephone: 1-800-255-6730

Fax:1-800-621-8251

E-mail address mbd-sds@thermofisher.com

Emergency Telephone Number

(603) 5122 8888

CHEMTREC Malaysia 1-800-815-308 (Malay)

CHEMTREC Malaysia (Kuala Lumpur) +(60)-327884561 (Malay)

SECTION 2: HAZARDS IDENTIFICATION

Classification of the substance or mixture

Acute oral toxicity	Category 4 (H302)
Acute dermal toxicity	Category 4 (H312)
Acute Inhalation Toxicity - Vapors	Category 3 (H331)
Skin Corrosion/Irritation	Category 1 B (H314)
Serious Eye Damage/Eye Irritation	Category 1 (H318)
Germ Cell Mutagenicity	Category 2 (H341)
Specific target organ toxicity - (repeated exposure)	Category 2 (H373)

Label Elements



Bactidrop Lactophenol Aniline Blue

Revision Date 29-Mar-2023

Signal Word **Danger**

Hazard Statements

H302 - Harmful if swallowed

H312 - Harmful in contact with skin

H331 - Toxic if inhaled

H314 - Causes severe skin burns and eye damage

H341 - Suspected of causing genetic defects

H373 - May cause damage to organs through prolonged or repeated exposure

Precautionary Statements

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310 - Immediately call a POISON CENTER or doctor/physician

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P301 + P330 + P331 - IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower

Other Hazards

Combustible liquid

This product does not contain any known or suspected endocrine disruptors

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS No	Weight %
Lactic acid	50-21-5	20
Glycerin	56-81-5	40
Phenol	108-95-2	20
Aniline Blue	61489-48-3	< 0.1

SECTION 4: FIRST AID MEASURES

Description of first aid measures

General Advice Show this safety data sheet to the doctor in attendance. Immediate medical attention is

required.

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. In

the case of contact with eyes, rinse immediately with plenty of water and seek medical

advice.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Immediate medical

attention is required.

Do NOT induce vomiting. Call a physician or poison control center immediately. Ingestion

Inhalation If breathing is difficult, give oxygen. Do not use mouth-to-mouth method if victim ingested or

> inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Remove to fresh air. Immediate

medical attention is required.

Self-Protection of the First Aider Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

Bactidrop Lactophenol Aniline Blue

Revision Date 29-Mar-2023

Most important symptoms and effects, both acute and delayed

Difficulty in breathing. Causes burns by all exposure routes. . Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting. Ingestion causes severe swelling, severe damage to the delicate tissue and danger of perforation. Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated.

Indication of any immediate medical attention and special treatment needed

Notes to Physician

Product is a corrosive material. Use of gastric lavage or emesis is contraindicated. Possible perforation of stomach or esophagus should be investigated. Do not give chemical antidotes. Asphyxia from glottal edema may occur. Marked decrease in blood pressure may occur with moist rales, frothy sputum, and high pulse pressure. Treat symptomatically.

SECTION 5: FIREFIGHTING MEASURES

Extinguishing media

Suitable Extinguishing Media

Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.

Extinguishing media which must not be used for safety reasons

No information available.

Special hazards arising from the substance or mixture

The product causes burns of eyes, skin and mucous membranes. Thermal decomposition can lead to release of irritating gases and vapors. Combustible material. Containers may explode when heated.

Hazardous Combustion Products

Thermal decomposition can lead to release of irritating gases and vapors.

Advice for fire-fighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use personal protective equipment as required. Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges. Refer to protective measures listed in Sections 7 and 8.

Environmental precautions

Should not be released into the environment. See Section 12 for additional Ecological Information.

Methods and Material for Containment and Cleaning Up

Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition.

Reference to Other Sections

Refer to protective measures listed in Sections 8 and 13.

Revision Date 29-Mar-2023

SECTION 7: HANDLING AND STORAGE

Precautions for Safe Handling

Do not get in eyes, on skin, or on clothing. Use only under a chemical fume hood. Wear personal protective equipment/face protection. Do not breathe mist/vapors/spray. Do not ingest. If swallowed then seek immediate medical assistance. Keep away from open flames, hot surfaces and sources of ignition.

Conditions for Safe Storage, Including any Incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Corrosives area. Keep away from heat, sparks and flame.

Specific End Uses

Use in laboratories.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Component	Malaysia	ACGIH TLV	OSHA PEL
Glycerin			(Vacated) TWA: 10 mg/m ³
			(Vacated) TWA: 5 mg/m ³
			TWA: 15 mg/m ³
			TWA: 5 mg/m ³
Phenol		TWA: 5 ppm	(Vacated) TWA: 5 ppm
		Skin	(Vacated) TWA: 19 mg/m ³
			Skin
			TWA: 5 ppm
			TWA: 19 mg/m ³

Component	European Union	The United Kingdom	Germany
Glycerin		TWA: 10 mg/m ³ 8 hr (mist only)	TWA: 200 mg/m ³ (8 Stunden). AGW
			- exposure factor 2
			TWA: 200 mg/m³ (8 Stunden). MAK
			Höhepunkt: 400 mg/m ³
Phenol	TWA: 2 ppm (8h)	STEL: 4 ppm 15 min	TWA: 2 ppm (8 Stunden). AGW -
	TWA: 8 mg/m ³ (8h)	STEL: 16 mg/m ³ 15 min	exposure factor 2
	STEL: 4 ppm (15min)	TWA: 2 ppm 8 hr	TWA: 8 mg/m³ (8 Stunden). AGW -
	STEL: 16 mg/m ³ (15min)	TWA: 7.8 mg/m ³ 8 hr	exposure factor 2
	Skin	Skin	Haut

Exposure Controls

Engineering Measures

Ensure that eyewash stations and safety showers are close to the workstation location. Ensure adequate ventilation, especially in confined areas.

Wherever possible, engineering control measures such as the isolation or enclosure of the process, the introduction of process or equipment changes to minimise release or contact, and the use of properly designed ventilation systems, should be adopted to control hazardous materials at source

Personal protective equipment

Eye ProtectionGogglesHand ProtectionProtective glovesSkin and body protectionLong sleeved clothing

Inspect gloves before use.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves. (Refer to manufacturer/supplier for information)

Ensure gloves are suitable for the task: Chemical compatability, Dexterity, Operational conditions, User susceptibility, e.g. sensitisation effects, also take into consideration the specific local conditions under which the product is used, such as the danger

Bactidrop Lactophenol Aniline Blue

of cuts, abrasion.

Remove gloves with care avoiding skin contamination.

Respiratory Protection When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators

To protect the wearer, respiratory protective equipment must be the correct fit and be used

Revision Date 29-Mar-2023

and maintained properly

When RPE is used a face piece Fit Test should be conducted

Handle in accordance with good industrial hygiene and safety practice **Hygiene Measures**

Environmental exposure controls Prevent product from entering drains Do not allow material to contaminate ground water

system Local authorities should be advised if significant spillages cannot be contained

Liquid

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance

Physical State

No information available Odor **Odor Threshold** No data available No information available рH

Melting Point/Range No data available **Softening Point** No data available **Boiling Point/Range** Not applicable

> 78 °C / > 172.4 °F Flash Point Method - No information available

Evaporation Rate No data available Not applicable Flammability (solid,gas)

No data available **Explosion Limits**

Vapor Pressure No data available

Vapor Density No data available (Air = 1.0)Specific Gravity / Density No data available

Bulk Density Not applicable Liquid Water Solubility No information available

Solubility in other solvents No information available

Partition Coefficient (n-octanol/water)

Component log Pow Lactic acid -0.54Glycerin -1.75 Phenol 1.5

Autoignition Temperature No data available **Decomposition Temperature** No data available No data available **Viscosity**

Explosive Properties

No information available **Oxidizing Properties**

explosive air/vapour mixtures possible

Bactidrop Lactophenol Aniline Blue

60

VOC Content(%)

SECTION 10: STABILITY AND REACTIVITY

Reactivity

None known, based on information available.

Chemical Stability

Stable under normal conditions.

Possibility of Hazardous Reactions

Hazardous Polymerization Hazardous Reactions

Hazardous polymerization does not occur.

None under normal processing.

Conditions to Avoid

Incompatible products. Excess heat. Keep away from open flames, hot surfaces and

sources of ignition.

Incompatible Materials

None known.

Hazardous Decomposition Products

Thermal decomposition can lead to release of irritating gases and vapors.

SECTION 11: TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

Acute Toxicity

Toxicology data for the components

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Lactic acid	LD50 = 3543 mg/kg (Rat)	>2 g/kg(Rabbit)	LC50 > 7.94 mg/L (Rat) 4 h
Glycerin	12600 mg/kg (Rat)	> 10 g/kg(Rabbit)	> 2.75 mg/L/4h (Rat)(mist)
Phenol	LD50 = 340 mg/kg (Rat)	LD50 = 630 mg/kg (Rabbit)	LC50 = 316 mg/m ³ (Rat) 4 h

Chronic Toxicity

Carcinogenicity This product contains one or more substances which are classified by IARC as

carcinogenic to humans (Group I), probably carcinogenic to humans (Group 2A) or possibly carcinogenic to humans (Group 2B) The table below indicates whether each agency has

listed any ingredient as a carcinogen

Revision Date 29-Mar-2023

Bactidrop Lactophenol Aniline Blue

SensitizationNo information availableMutagenic EffectsNo information availableReproductive EffectsNo information availableDevelopmental EffectsNo information available

Target Organs Liver, Respiratory system, Eyes, Kidney, Skin.

Symptoms Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

Ingestion causes severe swelling, severe damage to the delicate tissue and danger of

Revision Date 29-Mar-2023

perforation. Product is a corrosive material. Use of gastric lavage or emesis is

contraindicated. Possible perforation of stomach or esophagus should be investigated.

SECTION 12: ECOLOGICAL INFORMATION

Ecotoxicity effects Harmful to aquatic organisms. Contains a substance which is:. Toxic to aquatic organisms.

The product contains following substances which are hazardous for the environment. Very

toxic to aquatic organisms.

Component	Freshwater Fish	Water Flea	Freshwater Algae	Microtox
Glycerin	LC50: 51 - 57 mL/L, 96h static (Oncorhynchus mykiss)			
Phenol	4-7 mg/L LC50 96 h 32 mg/L LC50 96 h	EC50: 10.2 - 15.5 mg/L, 48h (Daphnia magna) EC50: 4.24 - 10.7 mg/L, 48h Static (Daphnia magna)	72h static (Desmodesmus subspicatus) EC50: 0.0188 - 0.1044 mg/L, 96h static	EC50 21 - 36 mg/L 30 min EC50 = 23.28 mg/L 5 min EC50 = 25.61 mg/L 15 min EC50 = 28.8 mg/L 5 min EC50 = 31.6 mg/L 15 min

Persistence and degradability

No information available

Degradation in sewage treatment plant

Contains substances known to be hazardous to the environment or not degradable in waste water treatment plants.

Bioaccumulative potential No information available

Component	log Pow	Bioconcentration factor (BCF)
Lactic acid	-0.54	No data available
Glycerin	-1.75	No data available
Phenol	1.5	17.5 dimensionless
		647 dimensionless

Mobility in soil No information available. .

Other adverse effects No information available

SECTION 13: DISPOSAL CONSIDERATIONS

Bactidrop Lactophenol Aniline Blue

Revision Date 29-Mar-2023

Waste treatment methods

Waste from Residues/Unused

Products

Dispose of in accordance with local regulations

Contaminated Packaging Do not reuse empty containers

According to the European Waste Catalog, Waste Codes are not product specific, but Other Information

application specific Waste codes should be assigned by the user based on the application

for which the product was used Do not flush to sewer

SECTION 14: TRANSPORT INFORMATION

IMDG/IMO

UN-No UN2821 **Hazard Class** 6.1 **Packing Group** Ш

PHENOL SOLUTION **Proper Shipping Name**

Road and Rail Transport

UN-No UN2821 **Hazard Class** 6.1 **Packing Group** Ш

Proper Shipping Name PHENOL SOLUTION

IATA

UN-No UN2821 **Hazard Class** 6.1 **Packing Group**

Proper Shipping Name PHENOL SOLUTION

Special Precautions for User No special precautions required

SECTION 15: REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

International Inventories X = listed

Component	EINECS	TSCA	DSL	PICCS	ENCS	ISHL	IECSC	AICS	KECL
Lactic acid	200-018-0	Х	Х	Х	Х	X	Χ	Χ	KE-21802
Glycerin	200-289-5	Х	Х	Х	Х	X	Х	Х	KE-29297
Phenol	203-632-7	Х	Х	Х	Х	X	Х	Х	X

Component	Seveso III Directive	Seveso III Directive	Rotterdam Convention	Basel Convention
	(2012/18/EC) - Qualifying	(2012/18/EC) - Qualifying	(PIC)	(Hazardous Waste)
	Quantities for Major	Quantities for Safety		
	Accident Notification	Report Requirements		
Lactic acid				Annex I - Y34
Phenol				Annex I - Y39

National Regulations

Persistent Organic Pollutant This product does not contain any known or suspected substance

Ozone Depletion Potential

This product does not contain any known or suspected substance

SECTION 16: OTHER INFORMATION

Legend

CAS - Chemical Abstracts Service

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

EINECS/ELINCS - European Inventory of Existing Commercial Chemical DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances/EU List of Notified Chemical Substances

Substances List

PICCS - Philippines Inventory of Chemicals and Chemical Substances IECSC - Chinese Inventory of Existing Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances

ENCS - Japanese Existing and New Chemical Substances AICS - Australian Inventory of Chemical Substances NZIoC - New Zealand Inventory of Chemicals

WEL - Workplace Exposure Limit

ACGIH - American Conference of Governmental Industrial Hygienists

RPE - Respiratory Protective Equipment LC50 - Lethal Concentration 50% POW - Partition coefficient Octanol:Water TWA - Time Weighted Average

IARC - International Agency for Research on Cancer

LD50 - Lethal Dose 50%

EC50 - Effective Concentration 50%

ADR - European Agreement Concerning the International Carriage of Dangerous Goods by Road

IMO/IMDG - International Maritime Organization/International Maritime Dangerous Goods Code

OECD - Organisation for Economic Co-operation and Development

BCF - Bioconcentration factor

ICAO/IATA - International Civil Aviation Organization/International Air Transport Association

MARPOL - International Convention for the Prevention of Pollution from

ATE - Acute Toxicity Estimate VOC - (Volatile Organic Compound)

Key literature references and sources for data

https://echa.europa.eu/information-on-chemicals

Suppliers safety data sheet, Chemadvisor - LOLI, Merck index, RTECS

29-Mar-2023 **Revision Date Revision Summary** Not applicable.

In accordance with local and national regulations: Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of Safety Data Sheet